

Pre- and Post Treatment Data For TG, age 13 years, 17 months

| Measure | Pre Test Score | Post Test Score |
|-----------------------|-----------------------|------------------------|
| SSI | | |
| Frequency Score | 16 | 2 |
| Duration | 8 | 4 |
| Physical Concomitants | 5 | 2 |
| Overall | 29 | 8 |
| Percentile | 83 | 4 |
| Severity Rating | Severe | Mild |

| Dysfluency Index | Pre NLP | Post NLP |
|-------------------------|-----------------|-----------------|
| Uncued Sample 1 | 20/214 (9.3%)* | 2/483 (.41%) |
| Uncued Sample 2 | 33/178 (18.54%) | |
| Uncued Sample 3 | 16/214 (7.47%) | |
| Cued Sample 1 | 18/241 (7.4%) | 1/576 (.17%) |
| Cued Sample 2 | 8/139 (5.7%) | |
| Cued Sample 3 | 2/229 (0.87%) | |

| | | |
|--|----|-----|
| Lindamood Auditory Conceptualization Test | 87 | 82 |
| Test of Nonverbal Intelligence-3 | | |
| Raw Score | 15 | 26 |
| Quotient | 82 | 102 |
| SEM | 4 | 4 |
| Percentile Rank | 12 | 55 |

*The Dysfluency Index is calculated by total number of dysfluencies divided by the total number of syllables.