

Appendix D—Bibliography

There were many resources consulted in the process of identifying possible emerging areas of clinical practice (see Appendix B). Resource consultation included a review of tables of contents of journals, conference proceedings, and convention programs; minutes of professional meetings; and discussions with professional staff at ASHA and related professional service organizations. The following bibliography reflects a selection of resources that were helpful in examining a particular area of practice in more detail. As it was not the charge of the team to perform an in-depth literature review, the bibliography is not comprehensive and is provided for convenience of the reader.

Adair, J., Duk, L., Schwartz, R., & Heilman, K. (2003). Caloric stimulation in neglect: Evaluation of response as a function of neglect type. *Journal of the International Neuropsychological Society*, *9*, 983–988.

American Speech-Language-Hearing Association. (2007). *2007 Standards for Certification in Audiology*. Retrieved January 8, 2008, from www.asha.org/about/membership-certification/certification/aud_standards_new.htm.

American Speech-Language-Hearing Association. (2005). *2005 Standards for Certification in Speech-Language Pathology*. Retrieved January 8, 2008, from www.asha.org/about/membership-certification/certification/aud_standards_new.htm.

Andre, J. M., Martinet, N., Paysant, J., Beis, J., & Le Chapelain, L. (2001). Temporary phantom limbs evoked by vestibular caloric stimulation in amputees. *Neuropsychiatry, Neuropsychology, & Behavioral Neurology*, *14*(3), 190–196.

Atoniadis, A., & Gilbert, S. (2006, July). *Neurotoxicants and learning/developmental disabilities: Preventing exposures in school*. Paper presented at the ASHA Schools 2006 Conference, Phoenix, AZ.

AVR Sonnovation. (n.d.). *ImpaCT XP Hearing Aid*. Retrieved November 6, 2007, from www.avrsono.com.

Ching, T., & Hill, M. (2007). The parents' evaluation of oral/auditory performance of children (PEACH) scale: Normative data. *Journal of the American Academy of Audiology*, *18*, 220–225.

Christensen, B. (2007, June 18). Transposition aids [Msg 2]. Message posted to soundoff@lists.audiology.org.

Cohen, D. (2005, October). Uniting the past, the present, and the future. *Hearing Products Report*. Retrieved November 7, 2007, from www.hearingproductsreport.com/issues/articles/2005-10_05.asp.

Computer Retrieval of Information on Scientific Projects (CRISP). Retrieved October 20, 2007, from <http://crisp.cit.nih.gov>.

Davis, P. B., Paki B., & Hanley, P. J. (2007, April). Neuromonics tinnitus treatment: Third clinical trial. *Ear and Hearing, 28*(2), 242–259.

Della Santina, C. C., Migliaccio, A. A., & Patel, A. H. (2007, June). A multichannel semicircular canal prosthesis using electrical stimulation to restore 3-d vestibular sensation. *Biomedical Engineering, 54*(6, Pt. 1), 1016–1030.

Della Santina, C. C., Migliaccio, A. A., & Patel, A. H. (2005). Electrical stimulation to restore vestibular function development of a 3-d vestibular prosthesis. *Conference Proceedings of the Engineering in Medicine and Biology Society, 7380–7385*.

Drinnen, M. J. (2004). *Cervical auscultation* [Abstract]. Retrieved January 3, 2008, from www.rmpd.org.uk/abstracts/physiological_measurement/cervical_auscultation.htm.

Edmunds, L. (2006). The effect of verb network strengthening treatment (VNeST) on crosslinguistic generalization of sentence production abilities in Spanish/English bilingual aphasia. ASHA Foundation Grant Award.

Feeney, P. (2005, April 12). Wideband energy reflectance. *The ASHA Leader*, pp. 6–7, 24.

Feeney, P., Grant, I., & Marryott, L. (2003). Wideband energy reflectance measurements in adults with middle-ear disorders. *Journal of Speech, Language, and Hearing Research, 46*, 901–911.

Feeney, P., & Keefe, D. (1999). Acoustic reflex detection using wide-band acoustic reflectance, admittance, and power measurements. *Journal of Speech, Language, and Hearing Research, 42*, 1029–1041.

Feeney, P., & Keefe, D. (2003). Contralateral acoustic reflex thresholds for tonal activators using wideband energy reflectance and admittance. *Journal of Speech, Language, and Hearing Research, 46*, 128–136.

Feeney, P., & Sanford, C. (2005). Detection of the acoustic stapedius reflex in infants using wideband energy reflectance and admittance. *Journal of the American Academy of Audiology, 16*, 278–290.

Freisen, L., & Cunningham, L. (2007, May/June). Can sound exposure reduce hearing loss? *Audiology Today, 17*(3). 21.

Gantz, B. J., & Turner, C. W. (2003a). Combining acoustic and electric hearing. *Laryngoscope, 113*, 1726–1730.

Gantz, B. J., & Turner, C. W. (2003b). Combining acoustic and electric speech processing: Iowa/Nucleus hybrid implant. *Acta Otolaryngologica, 124*, 344–347.

Haug, T., & Mann, W. (2007, June 14). Adapting tests of sign language assessment for other sign languages: A review of linguistic, cultural, and psychometric problems. *Journal of Deaf Studies and Deaf Education Advance Access*. Retrieved January 4, 2008, from <http://jdsde.oxfordjournals.org/cgi/content/abstract/enm027v1>.

International Association of Phoniatics and Logopedics (IALP). (2006, October 8). *The connections between multilingual children and communication disorders* [Board meeting report]. Groningen, The Netherlands: Author.

Kaga, K., Nagai, T., Takamori, A., Kobayashi, K., Innami, H., & Okada, K. (1981, February). Auditory brainstem responses and cold caloric stimulation in comatose patients. *No To Shinkei*, *33*(2), 171–179.

Leigh, J., Henshall, K., & McKay, C. (2004). Optimizing frequency-to-electrode allocation in cochlear implants. *Journal of the American Academy of Audiology*, *15*, 574–584.

Leslie, P., Drinnan, M. J., Finn, S., Ford, G. A., & Wilson, J. A. (2004). Reliability and validity of cervical auscultation: A controlled comparison using videofluoroscopy. *Dysphagia*, *19*, 231–240.

MacArdle, B. M., West, C., Bradley, J., Worth, S., Mackenzie, J., & Bellman, S. C. (2001, February). A study of the application of a frequency transposition hearing system in children. *British Journal of Audiology*, *35*(1), 17–29.

Mast, F., Merfeld, D., & Kosslyn, S. (2006). Visual mental imagery during caloric vestibular stimulation. *Neuropsychologia*, *44*, 101–109.

McDermott, H. J., & Dean, M. R. (2000, December). Speech perception with steeply sloping hearing loss: Effects of frequency transposition. *British Journal of Audiology*, *34*, 353–361.

McDermott, H. J., Dorkos, V. P., Dean, M. R., & Ching, T. Y. (1999, December). Improvements in speech perception with use of the AVR TranSonic frequency-transposing hearing aid. *Journal Speech Language Hearing Research*, *42*, 1323–1335.

McDermott, H. J., & Knight, M. R. (2001, March). Preliminary results with the AVR ImpaCt frequency-transposing hearing aid. *Journal of the American Academy of Audiology*, *12*, 121–127.

Morton, C., & Nance, W. (2006). Newborn hearing screening: A silent revolution. *New England Journal of Medicine*, *354*, 2151–2164.

Neuromonics (Web page). Retrieved July 18, 2007, from www.neuromonics.com.

Parent, T.C., Chmiel, R., & Jerger, J. (1997, October). Comparison of performance with frequency transposition hearing aids and conventional hearing aids. *Journal of the American Academy of Audiology*, *8*, 355–365.

Parent, T. C., Chmiel, R., & Jerger, J. (1998, February). Comparison of performance with frequency transposition hearing aids and conventional hearing aids. *Journal of the American Academy of Audiology*, *9*, 67–77.

Robin, N. (2004). Genetic testing for deafness is here, but how do we do it? [Editorial]. *Genetics in Medicine*, *6*, 463–464.

Rubens, D. D., Vohr, B. R., Tucker, R., O'Neil, C. A., & Chung, W. (2007). Newborn otoacoustic emission hearing screening tests: Preliminary evidence for a marker of susceptibility to SIDS. *Early Human Development*, *10*, 1016.

Schairer, K. S., Ellison, J. C., Fitzpatrick, D., & Keefe, D. H. (2007). Wideband ipsilateral measurements of middle-ear muscle reflex thresholds in children and adults. *Journal of the Acoustical Society of America*, *121*, 3607–3616.

Schiff, N., & Pulvor, M. (1999, February 22). Does vestibular stimulation activate thalamocortical mechanisms that reintegrate impaired cortical regions? *Proceedings of the Royal Society of Biological Science*, *266*, 421–423.

Schimmenti, L., Martinez, A., Fox, M., Crandall, B., Shapiro, N., Telatar, M., et al. (2004). Genetic testing as part of the early hearing detection and intervention (EHDI) process [Commentary]. *Genetics in Medicine*, *6*, 521–525.

Storrie-Baker, H., Segalowitz, S., Black, S., Mclean, J., & Sullivan, N. (1998). Improvement of hemispatial neglect with cold-water calorics: An electrophysiological test of the arousal hypothesis of neglect. *Journal of the International Neuropsychological Society*, *3*, 394–402.

Transear (Web page). Retrieved November 7, 2007, from www.transear.com.

Turner, C. W., Gantz, B. J., Vidal, C., & Behrens, A. (2004). Speech recognition in noise for cochlear implant listeners: Benefits of residual acoustic hearing. *Journal of the Acoustical Society of America*, *115*, 1729–1735.

U.S. Army Center for Health Promotion and Preventive Medicine. (n.d.) *Emergency preparedness (Web page)*. Retrieved January 3, 2008, from http://usachppm.apgea.army.mil/news/homepage_hot_topics/emergency_preparedness_20061515.asp.

U.S. Department of Education (n.d.). *Grants and contracts (Web page)*. Retrieved October 20, 2007, from www.ed.gov/fund/landing.jhtml.

Waltzman, S. (2005, September/October). Expanding patient criteria for cochlear implantation. *Audiology Today*, *17*(5), 20–21.

Whitelaw, G. (2007, June 12) Neuromonics [Msg 1]. Message posted to soundoff@lists.audiology.org.