

Preventing Speech and Language Disorders



Keep your communication in top form

- Tips for preventing
 - speech sound disorders
 - stuttering
 - voice disorders
 - language disorders



Speech sound disorders

- Signs include
 - substituting one sound for another (wabbit for rabbit)
 - leaving sounds out of words (winnow for window)
 - changing how sounds are made, called distortions



Speech sound disorder prevention tips

- Talk, read, and play with your child every day.
 - Children learn sounds and words by hearing and seeing them.
- Take care of your child's teeth and mouth.
- Have your child's hearing checked.
- Have your child's speech screened at a local clinic or school.



Stuttering

- Many children may stutter sometimes. This is normal and should go away.
- Signs of stuttering include
 - repeating sounds at the beginning of words ("b-b-bball")
 - pausing while talking
 - stretching sounds out ("sssssssnake" for "snake")
 - saying "um" or "uh" a lot while talking



Stuttering prevention tips

- Give your child time to talk.
- Try not to interrupt your child while he or she is speaking.
- Have your child tested by a speech-language pathologist (SLP) if you are worried.



Voice disorders

Signs include

- hoarse, breathy, or nasal-sounding voice
- speaking with a pitch that is too high or too low
- talking too loudly or too softly
- easily losing your voice



Voice disorders prevention tips

- Try not to shout or scream, or to talk in noisy places.
- Drink plenty of water.
 - Water keeps the mouth and throat moist.
- Avoid alcohol, caffeine, chemical fumes (such as from cleaning products), and smoking.
- See a doctor if you have allergies or sinus or respiratory infections.



Language disorders

Signs include

- problems understanding what others are saying
- problems saying words and sentences
- having a small vocabulary
- having trouble thinking of words
- problems with reading and writing



More about language disorders

- A person with a language disorder may also have problems knowing how to speak to other people, such as
 - always interrupting
 - standing too close to others when speaking
- A person with a language disorder may use language that isn't right for the listener and situation, such as
 - speaking to adults and children in the same way
 - using slang during a job interview



Language disorder prevention tips

In children

- talk and read with your child
- have your child's hearing checked regularly
- learn about speech and language development
- don't drink or use drugs while you are pregnant
- be sure that your child uses a helmet and seat
- belt to prevent accidents that cause brain injury



Language disorder prevention tips

- Language disorders in adults are often caused by brain injury or stroke.
- Reduce risk factors for stroke by
 - stopping smoking
 - keeping your blood pressure down
- Use helmets and seat belts to prevent brain injury.



Prevention quiz for children and adults

- 1. Do you try not to scream or shout a lot?
- 2. Do you drink water during the day?
- 3. Do you exercise regularly and watch your diet?
- 4. Do you have your blood pressure checked every year?
- 5. Have you stopped smoking (or never smoked)?
- 6. Do you always wear a seatbelt when you are in the car and a helmet when you are biking, rollerblading, or skateboarding?



Prevention quiz for caregivers

- 1. Do you spend time talking and reading with your child every day?
- 2. Do you take your child to the doctor and dentist for regular checkups?
- 3. Do you know about speech and language development and what to expect?
- 4. Do you make sure your child always wears a seat belt in the car and a helmet when biking, rollerblading, or skateboarding?
- 5. Do you have your child's hearing checked every year?



Next steps

 If you answered "NO" to any questions, you can make simple changes to prevent speech and language disorders.



Speech-language pathologists can help

- Speech-language pathologists, also called SLPs, help prevent speech and language disorders.
- SLPs can test you or your child if you are worried.
- Have questions? Ask an SLP.



How to find an SLP

- Look for an SLP with
 - a master's or doctoral degree
 - the Certificate of Clinical Competence from ASHA (will have "CCC-SLP" after his or her name)
 - a state license, where required



For more information

- Go to ASHA's Web site at www.asha.org
- Call ASHA at (800) 638-8255
- e-mail <u>actioncenter@asha.org</u>