

Older Adults and Hearing Loss: Additional Resources

Aarts, N. L., Adams, E. M., & Duncan, K. R. (2003). Older adult performance on an altered version of the SSI test. *American Journal of Audiology, 12*(2), 137-145.

Abrams, H. B., Chisolm, T. H., & McArdle, R. (2005). Health-related quality of life and hearing aids: a tutorial. *Trends in Amplification 9*(3), 99-109.

Abrams, H., Hnath-Chisolm, T., & McArdle, R. (2002). A cost-utility analysis of adult group audiologic rehabilitation: Are the benefits worth the cost? *Journal of Rehabilitation Research and Development, 39*(5), 549–558.

Allen, H. N., Burns, A., Newton, V., Hickson, F., Ramsden, R., Rogers, J., Butler, S., Thistlewaite, G., & Morris, J. (2003). The effects of improving hearing in dementia. *Age and Ageing, 32*(2), 189-193.

Anstey, K. J., Windsor, T. D., Luszcz, M. A., & Andrews, G. R. (2006).
Predicting driving cessation over 5 years in older adults: psychological well-being and cognitive competence are stronger predictors than physical health. *American Geriatrics Society, 54*(1), 121-126.

Appollonio, I., Carabellese, C., Frattola, L., & Trabucchi, M. (1996). Effects of sensory aids on the quality of life and mortality of elderly people: a multivariate analysis. *Age and Ageing, 25*(2), 89-96.

Bell, P. A. (2004). What changes occur in the Alzheimer's-diseased brain? Implications for symptoms and intervention. *Family Therapy, 3*(4), 33, 35.

Bergman, B., & Rosenhall, U. (2001). Vision and hearing in old age. *Scandinavian Audiology, 30*(4), 255-264.

Bergmann, J. M., & Bertora, G. O. (2002). Cognitive disorders: diagnosis and treatment. *International Tinnitus Journal, 8*(2), 104-107.

- Berry P., Mascia J., Steinman, B. A. (2004). Vision and hearing loss in older adults: "Double trouble." *Care Management Journals*, 5(1), 35-40.
- Bertoli, S., Smurzynski, J., & Probst, R. (2002). Temporal resolution in young and elderly subjects as measured by mismatch negativity and a psychoacoustic gap. *Clinical Neurophysiology*, 113(3), 396- 406.
- Bess, F. H. (2000). The role of generic health-related quality of life measures in establishing audiological rehabilitation outcomes. *Ear and Hearing*, 21(4 Suppl), 74S-79S.
- Blumsack, J. T. (2003). Audiological assessment, rehabilitation, and spatial hearing considerations associated with visual impairment in adults: an overview. *American Journal of Audiology*, 12, 76-83.
- Boettcher, F. A. (2002). Presbycusis and the auditory brainstem response. *Journal of Speech, Language, and Hearing Research*, 45, 1249-1261.
- Boettcher, F. A., Madhotra, D., Poth, E. A., & Mills, J. H. (2002). The frequency-modulation following response in young and aged human subjects. *Hearing Research*, 165, 10-19.
- Bogardus, S., Yueh, B., & Shekelle, P. (2003). Screening and management of adult hearing loss in primary care: Clinical applications. *Journal of the American Medical Association*, 289, 1986-1990.
- Brennan, M., Horowitz, A., & Su, Y. P. (2005). Dual sensory loss and its impact on everyday competence. *Gerontologist*, 45(3), 337-346.
- Burkard, R. F., & Sims, D. (2001). The human auditory brainstem response to high click rates: aging effects. *American Journal of Audiology*, 10(2), 53-61.

Burkard, R. F., & Sims, D. (2002). A comparison of the effects of broadband masking noise on the auditory brainstem response in young and older adults. *American Journal of Audiology, 11*(1), 13-22.

Caban, A. J., Lee, D. J., Gomez-Marin, O., Lam, B. L., & Zheng, D. D. (2005). Prevalence of concurrent hearing and visual impairment in US adults: The National Health Interview Survey, 1997-2002. *American Journal of Public Health, 95*(11), 1940-1942.

Cacciatore, F., Napoli, C., Abete, P., Marciano, E., Triassi, M., & Rengo, F. (1999). Quality of life determinants and hearing function in an elderly population: Osservatorio Geriatrico Campano Study Group. *Gerontology, 45*(6), 323-328.

Caissie, R., Campbell, M. M., Frenette, W. L., Scott, L., Howell, I., Roy, A. (2005). Clear speech for adults with a hearing loss: Does intervention with communication partners make a difference? *Journal of the American Academy of Audiology, 16*, 129-139.

Campbell, V. A., Crews, J. E., Moriarty, D. G., Zack, M. M., & Blackman, D. K. (1999). Surveillance for sensory impairment, activity limitation, and health-related quality of life among older adults--United States, 1993-1997. *MMWR CDC Surveillance Summary, 48*(8), 131-156.

Chaparro, A., Wood, J. M., & Carberry, T. (2005). Effects of age and auditory and visual dual tasks on closed-road driving performance. *Optometry and Vision Science, 82*(8), 747-754.

Chisolm, T. H., Willott, J. F., & Lister, J. J. (2003). The aging auditory system: anatomic and physiologic changes and implications for rehabilitation. *International Journal of Audiology, 42*(Suppl. 2), 2S3-10.

Christensen, K., Frederiksen, H., & Hoffman, H. J. (2001). Genetic and environmental influences on self-reported reduced hearing in the old and oldest old. *Journal of the American Geriatrics Society, 49*(11), 1512-1517.

Cienkowski, K. M., Carney, A. E. (2002). Auditory-visual speech perception and aging. *Ear and Hearing, 23*(5), 439-449.

Cilento, B. W., Norton, S. J., & Gates, G. A. (2003). The effects of aging and hearing loss on distortion product otoacoustic emissions. *Otolaryngology - Head and Neck Surgery, 129*(4):382-9

Cohen-Mansfield, J., & Infeld, D. L. (In press). Hearing aids for nursing home residents: Current policy and future needs. *Health Policy*.

Cohen-Mansfield, J., & Taylor, J. W. (2004). Hearing aid use in nursing homes. Part 1: Prevalence rates of hearing impairment and hearing aid use. *Journal of the American Medical Directors Association, 5*(5), 283-289.

Cohen-Mansfield, J., & Taylor, J. W. (2004). Hearing aid use in nursing homes. Part 2: Barriers to effective utilization of hearing aids. *Journal of the American Medical Directors Association, 5*(5), 289-296

Crews, J. E. & Campbell, V. A. (2004). Vision impairment and hearing loss among community-dwelling older Americans: Implications for health and functioning. *American Journal of Public Health, 94*(5):823-829.

Cruickshanks, K. J., Tweed, T. S., Wiley, T. L., Klein, B. E., Klein, R., Chappell, R., Nondahl, D. M., & Dalton, D. S. (2003). The 5-year incidence and progression of hearing loss: the epidemiology of hearing loss study. *Archives of Otolaryngology - Head and Neck Surgery, 129*(10), 1041-1046.

Dalton, D. S., Cruickshanks, K. J., Klein, B. E., Klein, R., Wiley, T. L., & Nondahl, D. M. (2003). The impact of hearing loss on quality of life in older adults. *Gerontologist, 43*(5), 661-668.

Davis, A. (2002). Population study of the ability to benefit from amplification and the provision of a hearing aid in 55-74-year-old first-time hearing aid users. *International Journal of Audiology, 42*(Suppl. 2), 2S39-52.

de Bont, L. E., von Faber, M., Eekhof, J. A., de Laat, J. A., Hulshof, J. H., van Dongen, E., & Westendorp, R.G. (2003). Auditory rehabilitation of older people from the general population--the Leiden 85-plus study. *British Journal of General Practice, 53*(492), 536-540.

DeStefano, A. L., Gates, G. A., Heard-Costa, H., Myers, R. H., & Baldwin, C. T. (2003). Genomewide linkage analysis to presbycusis in the Framingham Study. *Archives of Otolaryngology - Head & Neck Surgery, 129*(3), 285-290.

Divenyi, P. L., Stark, P. B., & Haupt, K. M. (2005). Decline of speech understanding and auditory thresholds in the elderly. *Journal of the Acoustical Society of America, 118*(2), 1089-1100.

Dubno, J. R., Ahlstrom, J. B., & Horwitz, A. R. (2002). Spectral contributions to the benefit from spatial separation of speech and noise. *Journal of Speech, Language, and Hearing Research, 45*(6), 1297-1330.

Dubno, J. R., Lee, F-S., Matthews, L. J., & Mills, J. H. (1997). Age-related and gender-related changes in monaural speech recognition. *Journal of Speech, Language, and Hearing Research, 40*(20), 444-453.

Erber, N. P. (2003). Use of hearing aids by older people: influence of non-auditory factors (vision, manual dexterity). *International Journal of Audiology, 42*(Suppl 2), 2S21-S25.

Erber, N. P., & Heine, C. (1996). Screening receptive communication of older adults in residential care. *American Journal of Audiology, 5*, 38 - 46.

Erber, N. P., Lamb, N. L., & Lind, C. (1996). Factors that affect the use of hearing aids by older people: a new perspective. *American Journal of Audiology, 5*, 11 - 18.

Ferreira, D. R., & Silva, A. A. (2004). Aging and life quality: an otorhinolaryngological review. *Review of Laryngology, Otology, and Rhinology, 125*(3):143-50.

Ferrite, S., & Santana, V. (2005). Joint effects of smoking, noise exposure and age on hearing loss. *Occupational Medicine*, 55(1), 48-53.

Fischel-Ghodsian, N., Kopke, R. D., & Ge, X. (2004). Mitochondrial dysfunction in hearing loss. *Mitochondrion*, 4(5-6), 675-694.

Fitzgibbons, P. J, & Gordon-Salant, S. (1998). Auditory temporal order perception in younger and older adults. *Journal of Speech, Language, and Hearing Research*, 41, 1052–1060.

Fransen, E., Lemkens, N., Laer, L.V., & Camp, G.V. (2003). Age-related hearing impairment (ARHI): environmental risk factors and genetic prospects. *Experimental Gerontology*, 38(4), 353-359.

Frisina R. D. (2001). Subcortical neural coding mechanisms for auditory temporal processing. *Hearing Research*, 158(1), 1-27.

Frisina, R. D., & Walton, J. P. (2006). Age-related structural and functional changes in the cochlear nucleus. *Hearing Research*, 216-217, 216-223.

Frisina, R. D., & Frisina, D. R. (2006). Methods for studying hearing impairment and auditory problems of the aged. In: Michael Conn (Ed.) *Handbook of Models for Human Aging* (pp. 911-922). Amsterdam: Elsevier.

Frisina, S. T., Mapes, F., Kim, S., Frisina, D. R., & Frisina, R. D. (2006). Characterization of hearing loss in aged type II diabetics. *Hearing Research*, 211(1-2), 103-113.

Garstecki, D. C. (1996). Older adults: Hearing handicap and hearing aid management. *American Journal of Audiology*, 5, 25-33.

Garstecki, D. C., & Erler, S. F. (1996). Older adult performance on the Communication Profile for the Hearing Impaired. *Journal of Speech, Language and Hearing Research*, 39, 28-42.

Garstecki, D. C., & Erler, S. F. (1998). Hearing loss, control, and demographic factors influencing hearing aid use among older adults. *Journal of Speech, Language and Hearing Research, 41*, 527-537.

Garstecki, D. C., & Erler, S. F. (1999). Older adult performance on the Communication Profile for the Hearing Impaired: Gender difference. *Journal of Speech, Language, and Hearing Research, 42*, 785-79.

Gates, G. A. The effect of noise on cochlear aging. (2006). *Ear and Hearing, 27*(1), 91.

Gates, G. A., & Mills, J. H. (2005). Presbycusis. *Lancet, 366*(9491), 1111-1120.

Gates, G. A., Mills, D., Nam, B.-h., D'Agostino, R., & Rubela, E. W. (2002). Effects of age on the distortion product otoacoustic emission growth functions. *Hearing Research, 163*, 53-60.

Glass, L. E. (2000). Dual vision and hearing impairment in adults. In B. Silverstone, M. A. Lang, B. P. Rosenthal, & E. Faye (Eds.), *The Light House Handbook on Vision Impairment and Vision Rehabilitation* (pp. 469-486). New York: Oxford.

Gold, M., Lightfoot, L. A., & Hnath-Chisolm, T. (1996). Hearing loss in a memory disorders clinic. A specially vulnerable population. *Archives of Neurology, 53*(9), 922-928.

Gomez, R. G., & Madey, S. F. (2001). Coping-With-Hearing-Loss Model for older adults. *The Journals of Gerontology, Series B, Psychological Sciences & Social Sciences, 56*(4), 223-225.

Gordon-Salant, S. (2005). Hearing loss and aging: New research findings and clinical implications. *Journal of Rehabilitation Research and Development, 42*(4 Suppl 2), 9-24.

Gordon-Salant, S. & Fitzgibbons, P. J. (1997). Selected cognitive factors and speech recognition performance among young and elderly listeners. *Journal of Speech, Language, and Hearing Research, 40*, 423-431.

Gordon-Salant, S., & Fitzgibbons, P. J. (1999). Profile of auditory temporal processing in older listeners. *Journal of Speech, Language, and Hearing Research, 42*(2), 300-311.

Gordon-Salant, S., & Fitzgibbons, P. J. (2001). Sources of age-related recognition difficulty for time-compressed speech. *Journal of Speech, Language, and Hearing Research, 44*, 709-720.

Gordon-Salant, S., Yeni-Komshian, G. H., Fitzgibbons, P. J., & Barrett, J. (2006). Age-related differences in identification and discrimination of temporal cues in speech segments. *Journal of the Acoustical Society of America, 119*(4), 2455-2466.

Guimaraes P., Frisina S. T., Mapes, F., Tadros, S. F., Frisina, D. R, Frisina, R. D. (2006). Progesterin negatively affects hearing in aged women. *Proceedings of the National Academy of Science, 103*(38), 14246- 14249.

Hallberg, L. R., Ringdahl, A., Holmes, A., & Carver, C. (2005). Psychological general well-being (quality of life) in patients with cochlear implants: importance of social environment and age. *International Journal of Audiology, 44*(12), 706-711.

Hanks, W. D. & Johnson, G. D. (1998). HINT list equivalency using older listeners. *Journal of Speech, Language, and Hearing Research, 41*, 1335 - 1340.

Harkrider, A. W., Plyler, P. N., & Hedrick, M.S. (2006). Effects of hearing loss and spectral shaping on identification and neural response patterns of stop-consonant stimuli. *Journal of the Acoustical Society of America, 120*(2), 915-925.

Hegemann, S., Hajioff, D. Conti, G., Beck, M., Sunder-Plassmann, G., Widmer, U., Mehta, A., & Keilmann, A. (2006). Hearing loss in Fabry disease: data from the Fabry Outcome Survey. *European Journal of Clinical Investigation, 36*(9), 654-662.

Helvik, A. S., Jacobsen, G., Wennberg, S., Arnesen, H., Ringdahl, A., & Hallberg, L. R. (2006). Activity limitation and participation restriction in adults seeking hearing aid fitting and rehabilitation. *Disability and Rehabilitation, 28*(5), 281-288.

Helzner, E. P., Cauley, J. A., Pratt, S. R., Wisniewski, S. R., Zmuda, J. M., Talbott, E. O., Rekeneire, N., Harris, T. B., Rubin, S. M., Simonsick, E. M., Tyavsky, F. A., & Newman, A. B. (2005). Race and sex differences in age-related hearing loss: The Health, Aging, and Body Composition Study. *Journal of the American Geriatrics Society, 53*, 2119-2128.

Heine, C., & Browning C. J. (2002). Communication and psychosocial consequences of sensory loss in older adults: overview and rehabilitation directions. *Disability and Rehabilitation 24*(15):763-73.

Hietanen, A., Era, P., Sorri, M., & Heikkinen, E. (2004). Changes in hearing in 80-year-old people: A 10-year follow-up study. *International Journal of Audiology, 43*(3), 126-135.

Hofer, S. M., Berg, S., & Era, P. (2003). Evaluating the interdependence of aging-related changes in visual and auditory acuity, balance, and cognitive functioning. *Psychology of Aging, 18*(2), 285-305.

Hu, Z. & Ulfendahl, M. (2006). Cell replacement therapy in the inner ear. *Stem Cells and Development, 15*(3), 449-459.

Hultcrantz, M. Simonoska, R., & Stenberg, A. E. (2006). Estrogen and hearing: a summary of recent investigations. *Acta Otolaryngologica, 126*(1):10-14.

Humes L. E. (2005). Do 'auditory processing' tests measure auditory processing in the elderly? *Ear and Hearing, 26*(2), 109-119.

Humes, L. E., & Floyd, S. S. (2005). Measures of working memory, sequence learning, and speech recognition in the elderly. *Journal of Speech, Language, and Hearing Research, 48*, 224-235.

Humes, L. E., & Wilson, D. L. (2003). An examination of changes in hearing-aid performance and benefit in the elderly over a 3-year period of hearing-aid use. *Journal of Speech, Language, and Hearing Research, 46*(1), 137-415.

Humes, L. E., & Wilson, D. L., Barlow, N. N., & Garner, C. (2002). Changes in hearing-aid benefit following 1 or 2 years of hearing-aid use by older adults. *Journal of Speech, Language, and Hearing Research, 45*, 772-782.

Humes L. E., Wilson, D. L., Humes, A. C. (2003). Examination of differences between successful and unsuccessful elderly hearing aid candidates matched for age, hearing loss and gender. *International Journal of Audiology, 42*(7), 432-441.

Iwai, H., Lee, S., Inaba, M., Sugiura, K. Baba, S., Tomoda, K., Yamashita, T., & Ikehara, S. (2003). Correlation between accelerated presbycusis and decreased immune functions. *Experimental Gerontology, 38*(3), 319-325.

Jee, J., Wang, J.J., Rose, K. A., Lindley, R., Landau, P., & Mitchell, P. (2005). Vision and hearing impairment in aged care clients. *Ophthalmic Epidemiology, 12*(3), 199-205.

Jerger, J. (2005). Convergent evidence on aging. *Journal of the American Academy of Audiology, 16*(6), 332.

Jerger, J., & Martin, J. (2005). Some effects of aging on event-related potentials during a linguistic monitoring task. *International Journal of Audiology, 44*(6), 321-330.

Jiang, H., Talaska, A. E., Schacht, J., & Sha, S. H. (In press). Oxidative imbalance in the aging inner ear. *Neurobiology of Aging*.

Karmody, C. S., Blevins, N. H., & Lalwani, A. K. (2005). Sensorineural hearing loss, early greying, and essential tremor: a new hereditary syndrome? *Otolaryngology Head - Neck Surgery, 133*(1), 94-99.

Katada, E., Sato, K., Ojika, K., & Ueda, R. (2004). Cognitive event-related potentials: useful clinical information in Alzheimer's disease. *Current Alzheimer Research, 1*(1), 63-69.

Katada, E., Sato, K., Sawaki, A., Dohi, Y., Ueda, R., & Ojika, K. (2003). Long-term effects of donepezil on P300 auditory event-related potentials in patients with Alzheimer's disease. *Journal of Geriatric Psychiatry & Neurology, 16*(1), 39-43.

Kelleher-Andersson, J. (2006). Discovery of neurogenic Alzheimer's disease therapeutics. *Current Alzheimer Research, 3*(1), 55-62.

Kilicdavg, E. B., Yavuz, H., Bagis, T., Tarim, E., Erkan, A. N., & Kazanci, F. (2004). Effects of estrogen therapy on hearing in postmenopausal women. *American Journal of Obstetrics and Gynecology, 190*(1), 77-82.

Kim, S-H., Frisina, R. D., Mapes, F. M., Hickman, E. D., & Frisina, D. R. (2006) Effect of age on binaural speech intelligibility in normal hearing adults. *Speech Communication, 48*, 591-597.

Knudtson, M. D., Klein, B. F., Klein, R., Cruickshanks, K. J., & Le, K. E. (2005). Age-related eye disease, quality of life, and functional activity. *Archives of Ophthalmology, 123*(6), 807-814.

- Kochkin, S. (2000). MarkeTrak V: Why my hearing aids are in the drawer: The consumer's perspective. *The Hearing Journal*, 53(2), 34-42.
- Kochkin, S. (2005). MarkeTrak VII: Hearing loss population tops 31 million people. *The Hearing Review*, 12(7), 16-29.
- Kotarbinska, E. (2005). The influence of aging on the noise attenuation of ear muffs. *Noise and Health*, 7(26), 39-45.
- Kramer, S. E., Allessie, G. H., Dondorp, A. W., Zekveld, A. A., & Kapteyn, T. S. (2005). A home education program for older adults with hearing impairment and their significant others: a randomized trial evaluating short- and long-term effects. *International Journal of Audiology*, 44(5), 255-264.
- Kramer, S. E., Kapteyn, T. S., Kuik, D. J., & Deeg, D. J. (2002). The association of hearing impairment and chronic diseases with psychosocial health status in older age. *Journal of Aging and Health*, 14(1), 122-137.
- Kricos, P. (2006). Audiologic management of older adults with hearing loss and compromised cognitive/psychoacoustic auditory processing capabilities. *Trends in Amplification*, 10(1), 1-28.
- Kricos, P., & Holmes, A. (1996). Efficacy of audiologic rehabilitation for older adults. *Journal of the Academy of Rehabilitative Audiology*, 7, 219-229.
- Krishna, P., & Bauer, C. (2004). Hearing loss as the initial presentation of Creutzfeldt-Jakob disease. *Ear, Nose, and Throat Journal*, 83(8), 535, 538, 540 passim.
- Kujawa, S. G., & Liberman, M. C. (2006). Acceleration of age-related hearing loss by early noise exposure: evidence of a misspent youth. *Journal of Neuroscience*, 26(7), 2115-2123.
- Le, T., & Keithley, E.M. (In press). Effects of antioxidants on the aging inner ear. *Hearing Research*.

Lee, F. S., Matthews, L.J., Dubno, J. R., & Mills, J. H. (2005). Longitudinal study of pure-tone thresholds in older persons. *Ear and Hearing, 26*(1), 1-11.

Leung, J., Wang, N-Y., Yeagle, J. D., Chinnici, J., Bowditch, S., Francis, H. W., & Niparko, J. K. (2005). Predictive models for cochlear implantation in elderly candidates. *Archives of Otolaryngology - Head & Neck Surgery, 131*(12), 1049-1054.

Little, D. M., Prentice, K. J., Darrow, A. W., & Wingfield, A. (2005). Listening to spoken text: adult age differences as revealed by self-paced listening. *Experimental Aging Research, 31*(3), 313-330.

Mahendra, N., Bayles, K. A., & Harris, F. P. (2005). Effect of presentation modality on immediate and delayed recall in individuals with Alzheimer's disease. *American Journal of Speech Language Pathology, 14*(2), 144-55.

Mahoney, D. F., Cloutterbuck, J., Neary, S., & Zhan, L. (2005). African American, Chinese, and Latino family caregivers' impressions of the onset and diagnosis of dementia: cross-cultural similarities and differences. *Gerontologist, 45*(6), 783-792.

Mann, W. C., Goodall, S., Justiss, M. D., & Tomita, M. (2005). Dissatisfaction and nonuse of assistive devices among frail elders. *Assistive Technology, 14*(2), 130-9.

Matthews, L. J., Lee, S., Mills, J. H., & Dubno, J. R. (1997). Extended high-frequency thresholds in older adults. *Journal of Speech, Language, and Hearing Research, 40*, 208-214.

Mayo Clinic. (2006). Hearing loss. Facing facts and fears about age-related ear damage. *Women's Healthsource, 10*(4), 1-2.

Mazelova, J., Popelar, J., & Syka, J. (2003). Auditory function in presbycusis: peripheral vs. central changes. *Experimental Gerontology, 38*(1-2), 87-94.

Murphy, D. R., Daneman, M., & Schneider, B. A. (2006). Why do older adults have difficulty following conversations? *Psychology of Aging*, 21(1):49-61.

Myrseth, E., Moller, P., Wentzel-Larsen, T., Goplen, F., & Lund-Johansen, M. (2006). Untreated vestibular schwannomas: vertigo is a powerful predictor for health-related quality of life. *Neurosurgery*, 59(1), 67-76

Nelson, E. G., & Hinojosa, R. (2003). Presbycusis: a human temporal bone study of individuals with flat audiometric patterns of hearing loss using a new method to quantify stria vascularis volume. *Laryngoscope*, 113(10), 1672-1686.

Nelson, E. G., & Hinojosa, R. (2006). Presbycusis: a human temporal bone study of individuals with downward sloping audiometric patterns of hearing loss and review of the literature. *Laryngoscope*, 116(9, Pt 3 Suppl), 1-12

Osborn, R. R., Erber, N. P., & Galletti, A. B. (2000). Effects of background noise on the perception of speech by sighted older adults and older adults with severe low vision. *Journal of Visual Impairment & Blindness*, 94, 648-653.

Ostbye, T., Krause, K. M., Norton, M. C., Tschanz, J., Sanders, L., Hayden, K., Pieper, C., & Welsh-Bohmer, K. A., & Cache County Investigators. (2006). Ten dimensions of health and their relationships with overall self-reported health and survival in a predominately religiously active elderly population: the Cache County memory study. *Journal of the American Geriatrics Society*, 54(2), 199-209.

Palmer, C. V., Adams, S. W., Durrant, J. D., Bourgeois, M., & Rossi, M. (1998). Managing hearing loss in a patient with Alzheimer disease. *Journal of the American Academy of Audiology*, 9(4), 275-284.

- Palmer, C. V., Adams, S. W., Bourgeois, M., Durrant, J., & Rossi, M. (1999). Reduction in caregiver-identified problem behaviors in patients with Alzheimer disease post-hearing-aid fitting. *Journal of Speech, Language, and Hearing Research, 42*(2), 312-328.
- Pichora-Fuller, M. K. (2003). Processing speed and timing in aging adults: psychoacoustics, speech perception, and comprehension. *International Journal of Audiology, 42*(Suppl. 1), S59-67.
- Pichora-Fuller, M. K., & Singh, G. (2006). Effects of age on auditory and cognitive processing: Implications for hearing aid fitting and audiological rehabilitation. *Trends in Amplification, 10*(1), 28-59.
- Podoshin, L., Ben-David, J., & Teszler, C. B. (1997). Pediatric and geriatric tinnitus. *International Tinnitus Journal, 3*(2), 101-103
- Popelka, M. M., Cruickshanks, K. J., Wiley, T. L., Tweed, T. S., Klein, B. E. K., Klein, R., & Nondahl, D. M. (2000). Moderate alcohol consumption and hearing loss: a protective effect. *Journal of the American Geriatrics Society, 48*, 1273-1278.
- Poth, E. A., Boettcher, F. A., Mills, J. H., & Dubno, J. R. (2001). Auditory brainstem responses in younger and older adults for broadband noises separated by a silent gap. *Hearing Research, 161*, 81-86.
- Reisberg, B., Ferris, S. H., de Leon, M. J., & Crook, T. (1982). The Global Deterioration Scale for assessment of primary degenerative dementia. *The American Journal of Psychiatry, 139*, 1136–1139.
- Reisberg, B., Ferris, S. H., & Franssen, E. (1985). An ordinal functional assessment tool for Alzheimer's-type dementia. *Hospital and Community Psychiatry, 36*, 593–595.

Roberts, R. A., & Lister, J. J. (2004). Effects of age and hearing loss on gap detection and the precedence effect: broadband stimuli. *Journal of Speech, Language, and Hearing Research*, 47(5), 965-978.

Rosenhall, U., & Karlsson, A. K. (1991). Tinnitus in old age. *Scandinavian Audiology*, 20(3), 165-71.

Rowe, J.W., & Kahn R.L. (1997). Successful aging. *Gerontologist*, 37, 433-440.

Sarkisian, C. A., Shunkwiler, S. M., Aguilar, I., & Moore, A.A. (2006). Ethnic differences in expectations for aging among older adults. *Journal of the American Geriatrics Society*, 54(8), 1277-1282.

Savikko, N., Routasalo, P., Tilvis, R. S., Strandberg, T. E., & Pitkala, K. H. (2005). Predictors and subjective causes of loneliness in an aged population. *Archives of Gerontology and Geriatrics*, 41(3), 223-33.

Schneider, B. A., Daneman, M., & Murphy, D. R. (2005). Speech comprehension difficulties in older adults: cognitive slowing or age-related changes in hearing? *Psychology and Aging*, 20(2), 261-271.

Schoenhofen, E. A., Wyszynski, D. F., Andersen, S., Pennington, J., Young, R., Terry, D. F., & Perls, T. T. (2006). Characteristics of 32 supercentenarians. *Journal of American Geriatrics*, 54(8), 1237-1240.

Scholtz, A.W., Kammen-Jolly, K., Felder, E., Hussl, B., Rask-Andersen, H., & Schrott-Fischer, A. (2001). Selective aspects of human pathology in high-tone hearing loss of the aging inner ear. *Hearing Research*, 157(1), 77-86.

Silver, M.H., Jilinskaia, E., & Perls, T.T. (2001). Cognitive functional status of age-confirmed centenarians in a population-based study. *The Journals of Gerontology, Series B, Psychological Sciences & Social Sciences*, 56(3), 134-140.

Sinha, U. K., Saadat, D., Linthicum, F. H. Jr., Hollen, K. M., & Miller CA. (1996). Temporal bone findings in Alzheimer's disease. *Laryngoscope*, 106(1 Pt 1), 1-5.

Smeeth, L., Fletcher, A.E., Ng, E.S-W., Stirling, S., Nunes, M., Breeze, E., Bulpitt, D.J., Jones, D., & Tulloch, A. (2002). Reduced hearing, ownership, and use of hearing aids in elderly people in the UK--the MRC Trial of the Assessment and Management of Older People in the Community: a cross-sectional survey. *The Lancet*, 359, 1466.

Smith, J., Borchelt, M., Mainer, H., & Dopp, D. (2002). Health and well-being in the young old and oldest old. *Journal of Social Issues*, 58(4), 715-732.

Smith, S., & Kricos, P. (2003). Acknowledgement of hearing loss by older adults. *Journal of the Academy of Rehabilitative Audiology*, 36, 19-28.

Sommers, M. S., Tye-Murray, N., Spehar, B. (2005). Auditory-visual speech perception and auditory-visual enhancement in normal-hearing younger and older adults. *Ear and Hearing*, 26(3), 263-275.

Souza, P. E. (2000). Older listeners' use of temporal cues altered by compression amplification. *Journal of Speech, Language, and Hearing Research*, 43(3), 661-74.

Spehar, B., Tye-Murray, N., & Sommers, M. (2004). Time-compressed visual speech and age: a first report. *Ear and Hearing*, 25(6), 565-572.

Spicer, S. S., & Schulte, B. A. (2005). Pathologic changes of presbycusis begin in secondary processes and spread to primary processes of strial marginal cells. *Hearing Research*, 205(1-2), 225-240.

Stenklev, N. C., Vik, O., & Laukli, E. (2004). The aging ear: an otomicroscopic and tympanometric study. *Acta Oto-Laryngologica*, 124(1), 69-76.

Stephen, D. & Zao, F. (1996). Hearing impairment: special needs of the elderly. *Folia Phoniatrica et Logopaedica*, 48(3), 137-142.

Stine-Morrow, E. A., Miller, L. M., & Hertzog, C. (2006). Aging and self-regulated language processing. *Psychological Bulletin*, 132(4), 582-606.

Strouse, A. L., Hall, J. W. III, Burger, M. C. (1995). Central auditory processing in Alzheimer's disease. *Ear and Hearing*, 16(2), 230-238.

Tadros, S. F., D'Souza, M., Zettel, M. L., Zhu, X., Lynch-Erhardt, M., & Frisina, R. D. (In Press) Serotonin 2B Receptor: Upregulated with Age and Hearing Loss in Mouse Auditory System. *Neurobiology of Aging*.

Tadros S. F., Frisina S. T., Mapes F., Frisina D. R., & Frisina, R. D. (2005). Higher serum aldosterone correlates with lower hearing thresholds: a possible protective hormone against presbycusis. *Hearing Research*, 209(1-2), 10-18.

Tadros, S. F., Frisina, S. T., Mapes, F., Kim, S., Frisina, D. R., & Frisina, R. D. (2005). Loss of peripheral right-ear advantage in age-related hearing loss. *Audiology & Neuro-otology*, 10(1), 44-52.

Thompson, S. K., Zhu, X., & Frisina, R. D. (2006) Estrogen blockade reduces auditory feedback in CBA Mice. *Otolaryngology- Head & Neck Surgery*, 135, 100-105.

Tobey, E. A., Devous, M. D. Sr., Buckley, K., Overson, G., Harris, T., Ringe, W., & Martinez-Verhoff, J. (2005). Pharmacological enhancement of aural habilitation in adult cochlear implant users. *Ear and Hearing*, 26(4 Suppl.), 45S-56S.

Torre, P. 3rd, Cruickshanks, K. J., Klein, B. E, Klein, R., & Nondahl, D. M. (2005). The association between cardiovascular disease and cochlear function in older adults. *Journal of Speech, Language, and Hearing Research*, 48(2), 473-81.

Tomita, M., Mann, W. C., & Welch, T. R. (2001). Use of assistive devices to address hearing impairment by older persons with disabilities. *International Journal of Rehabilitation Research*, 24(4), 279-89

Uchida, Y., Nakashima, T., Ando, F., Niino, N., & Shimokata, H. (2005). Is there a relevant effect of noise and smoking on hearing? A population-based aging study. *International Journal of Audiology*, 44(2), 86-91.

Uhlmann, R. F., Larson, E. B., Rees, T. S., Koepsell, T. D., & Duckert, L. (1989). Relationship of hearing impairment to dementia and cognitive dysfunction in older adults. *Journal of the American Medical Association*, 261, 1916-1919.

Uttl B. (2006). Age-related changes in event-cued visual and auditory prospective memory proper. *Neuropsychology, Development, & Cognition, Section B, Aging, Neuropsychology and Cognition*, 13(2), 141-172.

Valentijn, S. A., van Boxtel, M. P., van Hooren, S. A., Bosma, H., & Beckers, H. J., Ponds, R.W., & Jolles, J. (2005). Change in sensory functioning predicts change in cognitive functioning: results from a 6-year follow-up in the Maastricht Aging Study. *Journal of the American Geriatrics Society*, 53(3), 374-380.

van Hooren, S.A., Anteunis, L. J., Valentijn, S. A., Bosma, H., Ponds, R. W., Jolles, J., & van Boxtel, M. P. (2005). Does cognitive function in older adults with hearing impairment improve by hearing aid use? *International Journal of Audiology*, 44(5), 265-271.

Varghese, G. I., Zhu, X., & Frisina, R. D. (2005) Age-related declines in contralateral suppression of distortion product otoacoustic emissions utilizing pure tones in CBA/CaJ mice. *Hearing Research*, 209, 60-67.

Vaughan, N., James, K., McDermott, D., Griest, S., & Fausti, S. (2006). A 5-year prospective study of diabetes and hearing loss in a veteran population. *Otology & Neurotology*, 27(1), 37-43.

Velazquez-Villasenor, L., Merchant, S. N., Tsuji, K., Glynn, R. J., Wall, C. 3rd, & Rauch, S. D. (2000). Temporal bone studies of the human peripheral vestibular system. Normative Scarpa's ganglion cell data. *Annals of Otology, Rhinology, and Laryngology*, 181(Suppl May), 14-19.

Vuorialho A, Karinen P, & Sorri M. (2006). Effect of hearing aids on hearing disability and quality of life in the elderly. *International Journal of Audiology*, 45(7), 400-405.

Watson, G. R. (2001). Low vision in the geriatric population: rehabilitation and management. *Journal of the American Geriatrics Society*, 49(3), 317-330.

Werber, E. A., Gandelman-Marton, R., Klein, C., Rabey, J.M. (2003). The clinical use of P300 event related potentials for the evaluation of cholinesterase inhibitors treatment in demented patients. *Journal of Neural Transmission*, 110(6), 659-669.

Wiley, T. L., Cruickshanks, K. J., Nondahl, D. M., Tweed, T. S., Klein, R., Klein, R., & Klein, B. E. (1998). Aging and high-frequency hearing sensitivity. *Journal of Speech, Language, and Hearing Research*, 41(5), 1061-1072.

Wiley, T. L., Nondahl, D. M., Cruickshanks, K. J., & Tweed, T. S. (2005). Five-year changes in middle ear function for older adults. *Journal of the American Academy of Audiology*, 16(3), 129-139.

Willott, J. F., Hnath-Chisolm, T., & Lister, J. J. (2001). Modulation of presbycusis: Current status and future directions. *Audiology & Neurootology*, 6(5), 231-249.

Wingfield, A., Tun, P. A., & McCoy, S. L. (2005). Hearing loss in older adulthood: What it is and how it interacts with cognitive performance. *Current Directions in Psychological Science*, 14(3), 144-148.

Wingfield, A., McCoy, S.L., Peelle, J. E., Tun, P. A., & Cox, L. C. (2006).

Effects of adult aging and hearing loss on comprehension of rapid speech varying in syntactic complexity. *Journal of the American Academy of Audiology*, 17(7), 487-497.

Wolinsky, F. D., Miller, D. K., Andresen, E. M., Malmstrom, T. K., & Miller, J. P. (2004). Health-related quality of life in middle-aged African Americans. (2004). *Journal of Gerontology Series B, Psychological Sciences and Social Science*, 59(2), S118-123.

Worral, L., & Hickson, L. (2003). *Communication disability in aging*. New York: Thomson Delmar Learning.

Worral, L., McCooney, R., Davidson, B., Larkins, B., & Hickson, L. (2002). The validity of functional assessments of communication and the activity/participation components of the ICDH-2: do they reflect what really happens in real-life? *Journal of Communication Disorders*, 35(2), 107-137.

Yueh, B., Shapiro, N, MacLean, C., & Shekelle, P. (2003). Screening and management of adult hearing loss in primary care: Scientific review. *Journal of the American Medical Association*, 289, 1976-1985.