

# 2026

# ICD-10-CM Diagnosis Codes

RELATED TO SPEECH, LANGUAGE,  
AND SWALLOWING DISORDERS



**ASHA**

Speech-Language Pathology  
Dedicated to Advancing the Profession  
of Speech-Language Pathology

## General Information

---

The American Speech-Language-Hearing Association (ASHA) developed this curated list of *2026 International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)* diagnosis codes for speech-language pathologists (SLPs) reporting speech, language, communication, and swallowing disorders. **The 2026 ICD-10-CM is effective October 1, 2025.**

This resource is **not** exhaustive, and a number of codes and sections are included for information purposes only. Entries with only three or four digits may require coding to a higher degree of specificity than indicated here. However, in general, speech-language pathology related diagnoses are listed to their highest level of specificity.

Visit ASHA's coding and payment website for additional ICD-10-CM resources at [www.asha.org/Practice/reimbursement/coding/ICD-10/](http://www.asha.org/Practice/reimbursement/coding/ICD-10/).

For a list of new and revised ICD-10-CM codes effective October 1, 2025, see [www.asha.org/Practice/reimbursement/coding/New-and-Revised-ICD-10-CM-Codes-for-SLP/](http://www.asha.org/Practice/reimbursement/coding/New-and-Revised-ICD-10-CM-Codes-for-SLP/).

For additional information, contact the health care and education policy team at [reimbursement@asha.org](mailto:reimbursement@asha.org).

# Table of Contents

---

<b>General Information .....</b>	<b>1</b>
<b>ICD-10-CM Diagnosis Codes .....</b>	<b>3</b>
Overview.....	3
Scope .....	3
Purpose .....	3
Relation to Professional Scope of Practice .....	3
Official ICD-10-CM Resources .....	3
ASHA Resources .....	3
<b>Instructional Notations .....</b>	<b>4</b>
<b>ICD-10-CM Tabular List of Diseases and Injuries .....</b>	<b>5</b>
Ch. 1: Certain infectious and parasitic diseases (A00-B99).....	5
Ch. 2: Neoplasms (C00-D49).....	5
Ch. 4: Endocrine, nutritional and metabolic diseases (E00-E89).....	8
Ch. 5: Mental, behavioral, and neurodevelopmental disorders (F01-F99) .....	8
Ch. 6: Diseases of the nervous system (G00-G99) .....	18
Ch. 9: Diseases of the circulatory system (I00-I99) .....	26
Ch. 10: Diseases of the respiratory system (J00-J99) .....	32
Ch. 11: Diseases of the digestive system (K00-K95).....	35
Ch. 13: Diseases of the musculoskeletal system and connective tissue (M00-M99) .....	37
Ch. 16: Certain conditions originating in the perinatal period (P00-P96).....	41
Ch. 17: Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99).....	43
Ch. 18: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99).....	49
Ch. 19: Injury, poisoning and certain other consequences of external causes (S00-T88).....	57
Ch. 20: External causes of morbidity (V00-Y99).....	71
Ch. 21: Factors influencing health status and contact with health services (Z00-Z99).....	71
Ch. 22: Codes for special purposes (U00-U85).....	83
<b>ICD-10-PCS (Procedure Coding System) .....</b>	<b>84</b>

## ICD-10-CM Diagnosis Codes

---

### Overview

The **International Classification of Diseases, 10th Revision (ICD-10)** is the official system to assign health care codes describing diagnoses and procedures in the United States (U.S). The **ICD** is also used to code and classify mortality data from death certificates.

The ICD-10 includes the ICD-10-CM (clinical modification) and ICD-10-PCS (procedure coding system). The World Health Organization (WHO) owns the ICD-10. The Centers for Disease Control & Prevention developed the clinical modification for use in all U.S. health care settings. The Centers for Medicare & Medicaid Services (CMS) developed the procedure coding system (ICD-10-PCS) for use in the U.S. for inpatient hospital settings only. **This resource includes only speech-language pathology related ICD-10-CM codes.**

### Scope

ICD-10-CM standardizes disease and procedure classification throughout the U.S. and allows data collection for basic health statistics.

### Purpose

The Health Insurance Portability and Accountability Act (HIPAA) requires health care entities to use the ICD-10-CM for health services billing and record keeping. ICD-10 was implemented on October 1, 2015, replacing the 9<sup>th</sup> revision of ICD (ICD-9).

### Relation to Professional Scope of Practice

SLPs practicing in a health care setting, especially a hospital, may have to code diseases and diagnoses according to the ICD-10. Payers, including Medicare, Medicaid, and commercial insurers, also require SLPs to report ICD-10 codes on health care claims for payment.

### Official ICD-10-CM Resources

- National Center for Health Statistics [www.cdc.gov/nchs/icd/icd-10-cm/](http://www.cdc.gov/nchs/icd/icd-10-cm/)
- Centers for Medicare and Medicaid Services: [www.cms.gov/ICD10/](http://www.cms.gov/ICD10/)
- ICD-10-CM Official Guidelines for Coding and Reporting: [https://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Publications/ICD10CM/2026/](https://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publications/ICD10CM/2026/)
- ICD-10-CM Browser Tool: <https://icd10cmtool.cdc.gov/>

### ASHA Resources

- ICD-10-CM Diagnosis Codes for Audiology and Speech-Language Pathology: [www.asha.org/Practice/reimbursement/coding/ICD-10/](http://www.asha.org/Practice/reimbursement/coding/ICD-10/)
- Speech-Language Pathology ICD-10-CM Code Changes: [www.asha.org/Practice/reimbursement/coding/New-and-Revised-ICD-10-CM-Codes-for-SLP/](http://www.asha.org/Practice/reimbursement/coding/New-and-Revised-ICD-10-CM-Codes-for-SLP/)
- ICD-10-CM Coding FAQs for Audiologists and SLPs: [www.asha.org/Practice/reimbursement/coding/ICD-10-CM-Coding-FAQs-for-Audiologists-and-SLPs/](http://www.asha.org/Practice/reimbursement/coding/ICD-10-CM-Coding-FAQs-for-Audiologists-and-SLPs/)
- Coding Normal Results: [www.asha.org/practice/reimbursement/coding/normalresults/](http://www.asha.org/practice/reimbursement/coding/normalresults/)
- Coding to the Highest Degree of Specificity: [www.asha.org/practice/reimbursement/coding/codespecificity/](http://www.asha.org/practice/reimbursement/coding/codespecificity/)

## Instructional Notations

---

The following instructional notations are from the published *ICD-10-CM Tabular List of Diseases and Injuries* ([www.cdc.gov/nchs/icd/icd-10-cm/files.html](http://www.cdc.gov/nchs/icd/icd-10-cm/files.html)). See also, *ICD-10-CM Official Guidelines for Coding and Reporting* ([https://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Publications/ICD10CM/2026/](https://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publications/ICD10CM/2026/)).

### Includes

The word 'Includes' appears immediately under certain categories to further define, or give examples of, the content of the category.

### Excludes Notes

The ICD-10-CM has two types of excludes notes. Each note has a different definition for use but they are both similar in that they indicate that codes excluded from each other are independent of each other.

#### **Excludes1 (ASHA Note: In other words, never report the listed codes together)**

A type 1 Excludes note is a pure excludes. It means 'NOT CODED HERE!' An Excludes1 note indicates that the code excluded should never be used at the same time as the code above the Excludes1 note. An Excludes1 is used when two conditions cannot occur together, such as a congenital form versus an acquired form of the same condition.

#### **Excludes2 (ASHA Note: In other words, codes can be listed together)**

A type 2 excludes note represents 'Not included here'. An excludes2 note indicates that the condition excluded is not part of the condition it is excluded from but a patient may have both conditions at the same time. When an Excludes2 note appears under a code it is acceptable to use both the code and the excluded code together.

### **Code First/Use Additional Code notes (etiology/manifestation paired codes)**

Certain conditions have both an underlying etiology and multiple body system manifestations due to the underlying etiology. For such conditions the ICD-10-CM has a coding convention that requires the underlying condition be sequenced first followed by the manifestation. Wherever such a combination exists there is a 'use additional code' note at the etiology code, and a 'code first' note at the manifestation code. These instructional notes indicate the proper sequencing order of the codes, etiology followed by manifestation.

In most cases the manifestation codes will have in the code title, 'in diseases classified elsewhere.' Codes with this title are a component of the etiology/ manifestation convention. The code title indicates that it is a manifestation code. 'In diseases classified elsewhere' codes are never permitted to be used as first listed or principal diagnosis codes. They must be used in conjunction with an underlying condition code and they must be listed following the underlying condition.

### **Code Also**

A code also note instructs that 2 codes may be required to fully describe a condition but the sequencing of the two codes is discretionary, depending on the severity of the conditions and the reason for the encounter.

### **7th characters and placeholder X**

For codes less than 6 characters that require a 7th character a placeholder X should be assigned for all characters less than 6. The 7th character must always be the 7th character of a code.

**ASHA Note:** Certain ICD-10-CM categories have applicable 7th characters. The 7th character of ICD-10 is often a required character in codes involving, for example, injuries and poisonings (Chapter 19, S00-T88). The 7th character communicates the "type of encounter" such as initial (A), subsequent (D), or sequela (S). Any codes requiring a 7<sup>th</sup> character will be clearly indicated. Not all codes require a 7<sup>th</sup> character.

## ICD-10-CM Tabular List of Diseases and Injuries

### Related to speech, language, and swallowing disorders

**Note:** This list is **not** exhaustive, and a number of codes are included for information purposes only. Some categories of codes (e.g., neoplasms) may be more extensive, contain additional instructional notes, and may also require coding to a higher degree of specificity than indicated here. However, in general, speech-language pathology related diagnoses are listed to their highest level of specificity. For a full list of ICD-10-CM codes, descriptors, and instructions, see the official ICD-10-CM publication at [www.cdc.gov/nchs/icd/icd-10-cm/](http://www.cdc.gov/nchs/icd/icd-10-cm/).

### Ch. 1: Certain infectious and parasitic diseases (A00-B99)

**Includes:** diseases generally recognized as communicable or transmissible

**Use additional** code to identify resistance to antimicrobial drugs (Z16.-)

**Excludes1:** certain localized infections - see body system-related chapters

**Excludes2:** carrier or suspected carrier of infectious disease (Z22.-)

infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium (O98.-)

infectious and parasitic diseases specific to the perinatal period (P35-P39)

influenza and other acute respiratory infections (J00-J22)

#### *Sequelae of infectious and parasitic diseases (B90-B94)*

**Note:** Categories B90-B94 are to be used to indicate conditions in categories A00-B89 as the cause of sequelae, which are themselves classified elsewhere. The 'sequelae' include conditions specified as such; they also include residuals of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present. Codes from these categories are not to be used for chronic infections. Code chronic current infections to active infectious disease as appropriate.

**Code first** condition resulting from (sequela) the infectious or parasitic disease

**B94** Sequelae of other and unspecified infectious and parasitic diseases

**B94.8** Sequelae of other specified infectious and parasitic diseases

**Excludes2:** post COVID-19 condition (U09.9)

For cases on or after Oct. 1, 2021, use **U09.9** for **sequelae of resolved COVID-19**, secondary to the speech-language pathology diagnosis. Don't use B94.8. See **Z86.16** for patient history of resolved COVID-19. For active cases of COVID-19, see **U07.1**.

### Ch. 2: Neoplasms (C00-D49)

#### *Malignant neoplasms of lip, oral cavity, and pharynx (C00-C14)*

**C00** Malignant neoplasm of lip

**C00.0** Malignant neoplasm of external upper lip

**C00.1** Malignant neoplasm of external lower lip

**C00.2** Malignant neoplasm of external lip, unspecified

**C00.3** Malignant neoplasm of upper lip, inner aspect

**C00.4** Malignant neoplasm of lower lip, inner aspect

- C00.5** Malignant neoplasm of lip, unspecified, inner aspect
- C00.6** Malignant neoplasm of commissure of lip, unspecified
- C00.8** Malignant neoplasm of overlapping sites of lip
- C00.9** Malignant neoplasm of lip, unspecified
- C01** Malignant neoplasm of base of tongue
- C02** Malignant neoplasm of other and unspecified parts of tongue
  - C02.0** Malignant neoplasm of dorsal surface of tongue
  - C02.1** Malignant neoplasm of border of tongue
  - C02.2** Malignant neoplasm of ventral surface of tongue
  - C02.3** Malignant neoplasm of anterior two-thirds of tongue, part unspecified
  - C02.4** Malignant neoplasm of lingual tonsil
  - C02.8** Malignant neoplasm of overlapping sites of tongue
  - C02.9** Malignant neoplasm of tongue, unspecified
- **C03** Malignant neoplasm of gum
- **C04** Malignant neoplasm of floor of mouth
- C05** Malignant neoplasm of palate
  - C05.0** Malignant neoplasm of hard palate
  - C05.1** Malignant neoplasm of soft palate
  - C05.2** Malignant neoplasm of uvula
- **C06** Malignant neoplasm of other and unspecified parts of mouth
- **C08** Malignant neoplasm of other and unspecified major salivary glands
- **C09** Malignant neoplasm of tonsil
- C10** Malignant neoplasm of oropharynx
  - C10.1** Malignant neoplasm of anterior surface of epiglottis
  - C10.2** Malignant neoplasm of lateral wall of oropharynx
  - C10.3** Malignant neoplasm of posterior wall of oropharynx
- C11** Malignant neoplasm of nasopharynx
  - C11.0** Malignant neoplasm of superior wall of nasopharynx
  - C11.1** Malignant neoplasm of posterior wall of nasopharynx
  - C11.2** Malignant neoplasm of lateral wall of nasopharynx
  - C11.3** Malignant neoplasm of anterior wall of nasopharynx
  - C11.8** Malignant neoplasm of overlapping sites of nasopharynx
- C14** Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx
  - C14.0** Malignant neoplasm of pharynx, unspecified

- **C15** Malignant neoplasm of esophagus

***Malignant neoplasms of digestive organs (C15-C26)***

**ASHA note:** This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes ([www.cdc.gov/nchs/icd/icd-10-cm/](http://www.cdc.gov/nchs/icd/icd-10-cm/)).

***Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)***

- **C30** Malignant neoplasm of nasal cavity and middle ear

**C32** Malignant neoplasm of larynx

**C32.0** Malignant neoplasm of glottis

**C32.1** Malignant neoplasm of supraglottis

**C32.2** Malignant neoplasm of subglottis

**C32.3** Malignant neoplasm of laryngeal cartilage

**C32.8** Malignant neoplasm of overlapping sites of larynx

**C32.9** Malignant neoplasm of larynx, unspecified

- **C33** Malignant neoplasm of trachea

***Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)***

- **C71** Malignant neoplasm of brain

***In situ neoplasms (D00-D09)***

**D00** Carcinoma in situ of oral cavity, esophagus and stomach

**D00.0** Carcinoma in situ of lip, oral cavity and pharynx

**D00.07** Carcinoma in situ of tongue

**D02** Carcinoma in situ of middle ear and respiratory system

**D02.0** Carcinoma in situ of larynx

Carcinoma in situ of aryepiglottic fold or interarytenoid fold, laryngeal aspect

Carcinoma in situ of epiglottis (suprahoid portion)

**D02.1** Carcinoma in situ of trachea

***Benign neoplasms, except benign neuroendocrine tumors (D10-D36)***

- **D10** Benign neoplasm of mouth and pharynx

**D14** Benign neoplasm of middle ear and respiratory system

**D14.1** Benign neoplasm of larynx

**D14.2** Benign neoplasm of trachea

- **D33** Benign neoplasm of brain and other parts of central nervous system

- **D37** Neoplasm of uncertain behavior of oral cavity and digestive organs



○ **D38** Neoplasm of uncertain behavior of middle ear and respiratory and intrathoracic organs

**D48** Neoplasm of uncertain behavior of other and unspecified sites

**Excludes1:** neurofibromatosis (nonmalignant) (Q85.0-)

**D48.1** Neoplasm of uncertain behavior of connective and other soft tissue

Neoplasm of uncertain behavior of connective tissue of ear

Neoplasm of uncertain behavior of connective tissue of eyelid

Stromal tumors of uncertain behavior of digestive system

**Excludes1:** neoplasm of uncertain behavior of articular cartilage (D48.0)

neoplasm of uncertain behavior of cartilage of larynx (D38.0)

neoplasm of uncertain behavior of cartilage of nose (D38.5)

neoplasm of uncertain behavior of connective tissue of breast (D48.6-)

**D48.11** Desmoid tumor

**D48.110** Desmoid tumor of head and neck

## Ch. 4: Endocrine, nutritional and metabolic diseases (E00-E89)

### *Malnutrition (E40-E46)*

**ASHA note:** This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes ([www.cdc.gov/nchs/icd/icd-10-cm/](http://www.cdc.gov/nchs/icd/icd-10-cm/)).

### *Other nutritional deficiencies (E50-E64)*

**ASHA note:** This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes ([www.cdc.gov/nchs/icd/icd-10-cm/](http://www.cdc.gov/nchs/icd/icd-10-cm/)).

## Ch. 5: Mental, behavioral, and neurodevelopmental disorders (F01-F99)

**Includes:** disorders of psychological development

**Excludes2:** symptoms, signs and abnormal clinical laboratory findings, not elsewhere classifiable (R00-R99)

### *Mental disorders due to known physiological conditions (F01-F09)*

**Note:** This block comprises a range of mental disorders grouped together on the basis of their having in common a demonstrable etiology in cerebral disease, brain injury, or other insult leading to cerebral dysfunction. The dysfunction may be primary, as in diseases, injuries, and insults that affect the brain directly and selectively; or secondary, as in systemic diseases and disorders that attack the brain only as one of the multiple organs or systems of the body that are involved.

**F01** Vascular dementia

Vascular dementia as a result of infarction of the brain due to vascular disease, including hypertensive cerebrovascular disease.

**Includes:** arteriosclerotic dementia

major neurocognitive disorder due to vascular disease

multi-infarct dementia

**Code first** the underlying physiological condition or sequelae of cerebrovascular disease., if applicable, any causal condition

○ **F01.5** Vascular dementia, unspecified severity

○ **F01.A** Vascular dementia, mild

**Excludes1:** mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

○ **F01.B** Vascular dementia, moderate

○ **F01.C** Vascular dementia, severe

**F02** Dementia in other diseases classified elsewhere

**Includes:** Major neurocognitive disorder in other diseases classified elsewhere

**Code first** the underlying physiological condition, such as:

Alzheimer's (G30.-)  
cerebral lipidosis (E75.4)  
Creutzfeldt-Jakob disease (A81.0-)  
neurocognitive disorder with Lewy bodies (G31.83)  
other frontotemporal neurocognitive disorder (G31.90)  
epilepsy and recurrent seizures (G40.-)  
frontotemporal dementia (G31.09)  
hepatolenticular degeneration (E83.01)  
human immunodeficiency virus [HIV] disease (B20)  
Huntington's disease (G10)  
hypercalcemia (E83.52)  
hypothyroidism, acquired (E00-E03.-)  
intoxications (T36-T65)  
Jakob-Creutzfeldt disease (A81.0-)  
multiple sclerosis (G35-)  
neurosyphilis (A52.17)  
niacin deficiency [pellagra] (E52)  
Parkinson's disease (G20.-)  
Pick's disease (G31.01)  
polyarteritis nodosa (M30.0)  
systemic lupus erythematosus (M32.-)  
traumatic brain injury (S06.-)  
trypanosomiasis (B56.-, B57.-)  
vitamin B deficiency (E53.8)

Updated

**Excludes1:** mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

**Excludes2:** dementia in alcohol and psychoactive substance disorders (F10-F19, with .17, .27, .97)  
vascular dementia (F01.5-, F01.A-, F01.B-, F01.C-)

○ **F02.8** Dementia in other diseases classified elsewhere, unspecified severity

○ **F02.A** Dementia in other diseases classified elsewhere, mild

**Excludes1:** mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

○ **F02.B** Dementia in other diseases classified elsewhere, moderate

○ **F02.C** Dementia in other diseases classified elsewhere, severe

**F03** Unspecified dementia

Major neurocognitive disorder NOS

Presenile dementia NOS

Presenile psychosis NOS

Primary degenerative dementia NOS

Senile dementia NOS

Senile dementia depressed or paranoid type

Senile psychosis NOS

**Excludes2:** mild memory disturbance due to known physiological condition (F06.8)  
dementia with delirium or acute confusional state (F05)

○ **F03.9 Unspecified dementia, unspecified severity**

○ **F03.A** Unspecified dementia, mild

**Excludes1:** mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

○ **F03.B** Unspecified dementia, moderate

○ **F03.C** Unspecified dementia, severe

**F04** Amnestic disorder due to known physiological condition

Korsakov's psychosis or syndrome, nonalcoholic

**Code first** the underlying physiological condition

**Excludes1:** amnesia NOS (R41.3)

anterograde amnesia (R41.1)

dissociative amnesia (F44.0)

retrograde amnesia (R41.2)

**Excludes2:** alcohol-induced or unspecified Korsakov's syndrome (F10.26, F10.96)  
Korsakov's syndrome induced by other psychoactive substances (F13.26, F13.96,  
F19.16, F19.26, F19.96)

**F05** Delirium due to known physiological conditions such as:

Acute or subacute brain syndrome

Acute or subacute confusional state (nonalcoholic)

Acute or subacute infective psychosis

Acute or subacute organic reaction

Acute or subacute psycho-organic syndrome

Delirium of mixed etiology

Delirium superimposed on dementia

Sundowning

Dementia (F03.9-)

**Code first** the underlying physiological condition, such as: dementia (F03.9-)

**Excludes1:** delirium NOS (R41.0)

**Excludes2:** delirium tremens alcohol-induced or unspecified (F10.231, F10.921)

**F06** Other mental disorders due to known physiological condition

**Includes:** mental disorders due to endocrine disorder  
 mental disorders due to exogenous hormone  
 mental disorders due to exogenous toxic substance  
 mental disorders due to primary cerebral disease  
 mental disorders due to somatic illness  
 mental disorders due to systemic disease affecting the brain

**Code first** the underlying physiological condition

**Excludes1:** unspecified dementia (F03.-)

**Excludes2:** delirium due to known physiological condition (F05)  
 dementia as classified in F01-F02  
 other mental disorders associated with alcohol and other psychoactive substances (F10-F19)

- **F06.7** Mild neurocognitive disorder due to known physiological condition  
 Mild neurocognitive impairment due to a known physiological condition

**Code first** the underlying physiological condition, such as:

Alzheimer's disease (G30.-)  
 Other frontotemporal neurocognitive disorder (G31.09)  
 human immunodeficiency virus [HIV] disease (B20)  
 Huntington's disease (G10)  
 Neurocognitive disorder with Lewy bodies (G31.83)  
 Parkinson's disease (G20.-)  
 systemic lupus erythematosus (M32.-)  
 traumatic brain injury (S06.-)  
 vitamin B deficiency (E53.-)

**Excludes1:** age related cognitive decline (R41.81)  
 altered mental status (R41.82)  
 cerebral degeneration (G31.9)  
 change in mental status (R41.82)  
 cognitive deficits following (sequelae of) cerebral hemorrhage or infarction (I69.01- I69.11-, I69.21-I69.31-, I69.81- I69.91-)  
 dementia (F01.-, F02.-, F03.-)  
 mild cognitive impairment due to unknown or unspecified etiology (G31.84)  
 neurologic neglect syndrome (R41.4)  
 personality change, nonpsychotic (F68.8)

### ***Mental and behavioral disorders due to psychoactive substance use (F10-F19)***

- F11 Opioid related disorders

### ***Schizophrenia, schizotypal, delusional, and other non-mood psychotic disorders (F20-F29)***

- **F20** Schizophrenia

**Use Additional** code, if applicable, to identify  
 Other specified cognitive deficits (R41.84-)

### ***Anxiety, dissociative, stress-related, somatoform and other nonpsychotic disorders (F40-F48)***

**F40** Phobic anxiety disorders

- **F40.1** Social phobias
  - Anthropophobia
  - Social anxiety disorder
  - Social anxiety disorder of childhood
  - Social neurosis

**F44** Dissociative and conversion disorders

**Includes:** conversion hysteria  
 conversion reaction  
 hysteria  
 hysterical psychosis

**Excludes2:** malingering [conscious simulation] (Z76.5)

- F44.4** Conversion disorder with motor symptom or deficit  
 Conversion disorder with abnormal movement  
 Conversion disorder with speech symptoms  
 Conversion disorder with swallowing symptoms  
 Conversion disorder with weakness/paralysis  
 Dissociative motor disorders  
 Psychogenic aphonia  
 Psychogenic dysphonia

**F45** Somatoform disorders

**Excludes2:** dissociative and conversion disorders (F44.-)  
 factitious disorders (F68.1-)  
 hair-plucking (F63.3)  
 lalling (F80.0)  
 lisping (F80.0)  
 malingering [conscious simulation] (Z76.5)  
 nail-biting (F98.8)  
 psychological or behavioral factors associated with disorders or diseases classified elsewhere (F54)  
 sexual dysfunction, not due to a substance or known physiological condition (F52.-)  
 thumb-sucking (F98.8)  
 tic disorders (in childhood and adolescence) (F95.-)  
 Tourette's syndrome (F95.2)  
 trichotillomania (F63.3)

- F45.8** Other somatoform disorders  
 Psychogenic dysmenorrhea  
 Psychogenic dysphagia, including 'globus hystericus'  
 Psychogenic pruritus  
 Psychogenic torticollis  
 Somatoform autonomic dysfunction  
 Teeth grinding

**Excludes1:** sleep related teeth grinding (G47.63)

**Behavioral syndromes associated with physiological disturbances and physical factors (F50-F59)**

**F50** Eating disorders

**Excludes1:** anorexia NOS (R63.0)  
feeding problems of newborn (P92.-)  
polyphagia (R63.2)

**Excludes2:** feeding difficulties (R63.3-)  
feeding disorder in infancy or childhood (F98.2-)

**F50.8** Other eating disorders

**Excludes2:** pica of infancy and childhood (F98.3)

**F50.82** Avoidant/restrictive food intake disorder  
Avoidant/restrictive food intake disorder, in remission

**F50.84** Rumination disorder in adults  
Rumination disorder in adults, in remission

**Excludes1:** rumination disorder in infancy and childhood (F98.21)

**F50.89** Other specified eating disorder  
Psychogenic loss of appetite

**F50.9** Eating disorder, unspecified  
Atypical anorexia nervosa  
Atypical bulimia nervosa  
Feeding or eating disorder, unspecified  
Other specified feeding disorder

SLPs typically do not assign codes from the F50-series, but rather **R63.31** (pediatric feeding disorder, acute) or **R63.32** (pediatric feeding disorder, chronic). Physicians or specialists, such as psychologists, may use the F50- codes to refer to SLPs for evaluation and treatment of feeding disorders.

**Disorders of adult personality and behavior (F60-F69)****F64** Gender identity disorders

**F64.0** Transsexualism  
Gender identity disorder in adolescence and adulthood  
Gender dysphoria in adolescents and adults  
Gender incongruence in adolescents and adults  
Transgender

**Excludes1:** gender identity disorder of childhood (F64.2)

**F64.1** Dual role transvestism

**Use additional** code to identify sex reassignment status (Z87.890)

**Excludes1:** gender identity disorder in childhood (F64.2)

**Excludes2:** fetishistic transvestism (F65.1)

**F64.2** Gender identity disorder of childhood

Gender dysphoria in children  
Gender incongruence of childhood

**Excludes1:** gender identity disorder in adolescence and adulthood (F64.0)

**Excludes2:** sexual maturation disorder (F66)

**F64.8** Other gender identity disorders  
Other specified gender dysphoria

**F64.9** Other gender identity disorder, unspecified  
Gender dysphoria, unspecified

Gender-role disorder NOS  
Gender incongruence, unspecified

### ***Intellectual Disabilities (F70-F79)***

**Code first** any associated physical or developmental disorders

**Excludes1:** borderline intellectual functioning, IQ above 70 to 84 (R41.83)

**F70** Mild intellectual disabilities  
IQ level 50-55 to approximately 70  
Mild mental subnormality

**F71** Moderate intellectual disabilities  
IQ level 35-40 to 50-55  
Moderate mental subnormality

**F72** Severe intellectual disabilities  
IQ 20-25 to 35-40  
Severe mental subnormality

**F73** Profound intellectual disabilities  
IQ level below 20-25  
Profound mental subnormality

○ **F78** Other intellectual disabilities

**F79** Unspecified intellectual disabilities  
Mental deficiency NOS  
Mental subnormality NOS

### ***Pervasive and specific developmental disorders (F80-F89)***

**F80** Specific developmental disorders of speech and language

- ▶ **F80.0** Phonological disorder
  - Dyslalia
  - Functional speech articulation disorder
  - Lalling
  - Lisping
  - Phonological developmental disorder
  - Speech articulation developmental disorder
  - Speech-sound disorder

**Excludes1:** speech articulation impairment due to aphasia NOS (R47.01)  
speech articulation impairment due to apraxia (R48.2)

**Excludes2:** speech articulation impairment due to hearing loss (F80.4)  
speech articulation impairment due to intellectual disabilities (F70-F79)  
speech articulation impairment with expressive language developmental disorder (F80.1)  
speech articulation impairment with mixed receptive expressive language developmental disorder (F80.2)

Use the **F80** series when there is no evidence or confirmation of an underlying medical condition contributing to the speech or language deficit.

Speech, language, cognitive, voice, and swallowing disorders due to a documented medical condition are generally found in the **I69** and **R00-R99** series.



- ▶ **F80.1** Expressive language disorder  
Developmental dysphasia or aphasia, expressive type  
**Excludes1:** mixed receptive-expressive language disorder (F80.2)  
dysphasia and aphasia NOS (R47.-)  
**Excludes2:** acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-)  
selective mutism (F94.0)  
intellectual disabilities (F70-F79)  
pervasive developmental disorders (F84.-)

- ▶ **F80.2** Mixed receptive-expressive language disorder  
Developmental dysphasia or aphasia, receptive type  
Developmental Wernicke's aphasia  
**Excludes1:** central auditory processing disorder (H93.25)  
dysphasia or aphasia NOS (R47.-)  
expressive language disorder (F80.1)  
expressive type dysphasia or aphasia (F80.1)  
word deafness (H93.25)  
**Excludes2:** acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-)  
pervasive developmental disorders (F84.-)  
selective mutism (F94.0)  
intellectual disabilities (F70-F79)

- ▶ **F80.4** Speech and language development delay due to hearing loss  
**Code also** type of hearing loss (H90.-, H91.-)

- ▶ **F80.8** Other developmental disorders of speech and language

- ▶ **F80.81** Childhood onset fluency disorder  
Cluttering NOS  
Stuttering NOS

**Excludes1:** adult onset fluency disorder (F98.5)  
fluency disorder in conditions classified elsewhere (R47.82)  
fluency disorder (stuttering) following cerebrovascular disease  
(I69. with final characters-23)

- ▶ **F80.82** Social pragmatic communication disorder

**Excludes1:** Asperger's syndrome (F84.5)  
autistic disorder (F84.0)

- F80.89** Other developmental disorders of speech and language

- F80.9** Developmental disorder of speech and language, unspecified  
Communication disorder NOS  
Language disorder NOS

For a full list of **hearing loss** codes, see  
[bit.ly/audiology-ICD-list](http://bit.ly/audiology-ICD-list)

**Unspecified codes:**  
Try to limit the use of this and other "unspecified" codes to cases where you haven't determined the type of speech or language disorder.

## **F81** Specific developmental disorders of scholastic skills

- F81.0** Specific reading disorder  
'Backward reading'  
Developmental dyslexia  
Specific learning disorder, with impairment in reading  
Specific reading retardation

**Excludes1:** alexia NOS (R48.0)



dyslexia NOS (R48.0)

**F81.2** Mathematics disorder

Developmental acalculia  
Developmental arithmetical disorder  
Developmental Gerstmann's syndrome

**Excludes1:** acalculia NOS (R48.8)

**Excludes2:** arithmetical difficulties associated with a reading disorder (F81.0)  
arithmetical difficulties associated with a spelling disorder (F81.81)  
arithmetical difficulties due to inadequate teaching (Z55.8)

**F81.8** Other developmental disorders of scholastic skills

**F81.81** Disorder of written expression  
Specific learning disorder, with impairment in written expression  
Specific spelling disorder

**F81.89** Other developmental disorders of scholastic skills

**F81.9** Developmental disorder of scholastic skills, unspecified

Knowledge acquisition disability NOS  
Learning disability NOS  
Learning disorder NOS

**F82** Specific developmental disorder of motor function

Clumsy child syndrome  
Developmental coordination disorder  
Developmental dyspraxia

**Excludes1:** abnormalities of gait and mobility (R26.-)  
lack of coordination (R27.-)

**Excludes2:** lack of coordination secondary to intellectual disabilities (F70-F79)

**F84** Pervasive developmental disorders

**Code also** any associated medical condition and intellectual disabilities

► **F84.0** Autistic disorder  
Infantile autism  
Infantile psychosis  
Kanner's syndrome

**Excludes1:** Asperger's syndrome (F84.5)

**F84.2** Rett's syndrome

**Excludes1:** Asperger's syndrome (F84.5)  
Autistic disorder (F84.0)  
Other childhood disintegrative disorder (F84.3)

**F84.3** Other childhood disintegrative disorder

Dementia infantilis  
Disintegrative psychosis  
Heller's syndrome  
Symbiotic psychosis

**Use additional** code to identify any associated neurological condition.

**Excludes1:** Asperger's syndrome (F84.5)  
 Autistic disorder (F84.0)  
 Rett's syndrome (F84.2)

- ▶ **F84.5** Asperger's syndrome  
 Asperger's disorder  
 Autistic psychopathy  
 Schizoid disorder of childhood
- ▶ **F84.8** Other pervasive developmental disorders  
 Overactive disorder associated with intellectual disabilities and stereotyped movements
- F84.9** Pervasive developmental disorder, unspecified  
 Atypical autism

**F88** Other disorders of psychological development  
 Developmental agnosia  
 Global developmental delay  
 Other specified neurodevelopmental disorder

**F89** Unspecified disorder of psychological development  
 Developmental disorder NOS  
 Neurodevelopmental disorder NOS

***Behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)***

**F90** Attention-deficit hyperactivity disorders

**Includes:** attention deficit disorder with hyperactivity  
 attention deficit syndrome with hyperactivity

**Excludes2:** anxiety disorders (F40.-, F41.-)  
 mood [affective] disorders (F30-F39)  
 pervasive developmental disorders (F84.-)  
 schizophrenia (F20.-)

**F90.0** Attention-deficit hyperactivity disorder, predominantly inattentive type  
 Attention-deficit/hyperactivity disorder, predominantly inattentive presentation

**F90.1** Attention-deficit hyperactivity disorder, predominantly hyperactive type  
 Attention-deficit/hyperactivity disorder, predominantly hyperactive impulsive presentation

**F90.2** Attention-deficit hyperactivity disorder, combined type  
 Attention-deficit/hyperactivity disorder, combined presentation

**F90.8** Attention-deficit hyperactivity disorder, other type

**F90.9** Attention-deficit hyperactivity disorder, unspecified type  
 Attention-deficit hyperactivity disorder of childhood or adolescence NOS  
 Attention-deficit hyperactivity disorder NOS

○ **F91** Conduct disorders

**F94** Disorders of social functioning with onset specific to childhood and adolescence

**F94.0** Selective mutism  
 Elective mutism

**Excludes2:** pervasive developmental disorders (F84.-)  
 schizophrenia (F20.-)  
 specific developmental disorders of speech and language (F80.-)  
 transient mutism as part of separation anxiety in young children (F93.0)

**F98** Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence

**Excludes2:** breath-holding spells (R06.89)  
 gender identity disorder of childhood (F64.2)  
 Kleine-Levin syndrome (G47.13)  
 obsessive-compulsive disorder (F42.-)  
 sleep disorders not due to a substance or known physiological condition (F51.-)

**F98.2** Other feeding disorders of infancy and childhood

**Excludes2:** anorexia nervosa and other eating disorders (F50.-)  
 feeding difficulties (R63.3-)  
 feeding problems of newborn (P92.-)  
 pica of infancy or childhood (F98.3)

**F98.21** Rumination disorder of infancy and childhood  
 Rumination disorder in infancy or childhood, in remission

**Excludes1:** rumination disorder in adults (F50.84)

**F98.29** Other feeding disorders of infancy and early childhood

► **F98.5** Adult onset fluency disorder

**Excludes1:** childhood onset fluency disorder (F80.81)  
 dysphasia (R47.02)  
 fluency disorder in conditions classified elsewhere (R47.82)  
 fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters -23)  
 tic disorders (F95.-)

## Ch. 6: Diseases of the nervous system (G00-G99)

### *Inflammatory diseases of the central nervous system (G00-G09)*

**G00** Bacterial meningitis, not elsewhere classified

**G00.0** Hemophilus meningitis

**G00.1** Pneumococcal meningitis

**G00.2** Streptococcal meningitis

**Use additional** code to further identify organism (B95.0-B95.5)

**G00.3** Staphylococcal meningitis

**Use additional** code to further identify organism (B95.6-B95.8)

**G00.8** Other bacterial meningitis

**G00.9** Bacterial meningitis, unspecified

○ **G04** Encephalitis, myelitis and encephalomyelitis

## ***Systemic atrophies primarily affecting the central nervous system (G10-G14)***

**G10** Huntington's disease  
Huntington's chorea  
Huntington's dementia

**Use additional** code, I applicable, to identify:

dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)  
dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)  
dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)  
dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)  
dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)  
mild neurocognitive disorder due to known physiological condition (F06.7-)

○ **G11** Hereditary ataxia

**Excludes2:** cerebral palsy (G80.-)  
hereditary and idiopathic neuropathy (G60.-)  
metabolic disorders (E70-E88)

**G12** Spinal muscular atrophy and related syndromes

**G12.2** Motor neuron disease

**G12.21** Amyotrophic lateral sclerosis  
Progressive spinal muscle atrophy

## ***Extrapyramidal and movement disorders (G20-G26)***

**G20** Parkinson's disease  
Hemiparkinsonism  
Idiopathic Parkinsonism or Parkinson's disease  
Paralysis agitans  
Primary Parkinsonism or Parkinson's disease

**Use additional** code, if applicable, to identify:

dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)  
dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)  
dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)  
dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)  
dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)  
mild neurocognitive disorder due to known physiological condition (F06.7-)

**G20.A** Parkinson's disease without dyskinesia

**G20.A1** Parkinson's disease without dyskinesia, without mention of fluctuations  
Parkinson's disease NOS  
Parkinson's disease without dyskinesia, without mention of OFF episodes

**G20.A2** Parkinson's disease without dyskinesia, with fluctuations  
Parkinson's disease without dyskinesia, with OFF episodes

**G20.B** Parkinson's disease with dyskinesia

**Excludes1:** drug induced dystonia (G24.0-)

**G20.B1** Parkinson's disease with dyskinesia, without mention of fluctuations  
Parkinson's disease with dyskinesia, without mention of OFF episodes

**G20.B2** Parkinson's disease with dyskinesia, with fluctuations  
Parkinson's disease with dyskinesia, with OFF episodes

**G20.C** Parkinsonism, unspecified  
Parkinsonism, NOS

**Excludes1:** Parkinson's disease NOS (G20.A1)  
Parkinson's disease with dyskinesia (G20.B-)  
Parkinson's disease without dyskinesia (G20.A-)  
secondary parkinsonism (G21-)

## **G21** Secondary parkinsonism

**Excludes1:** neurocognitive disorders with Lewy bodies (G31.83)  
Huntington's disease (G10)  
Shy-Drager syndrome (G90.3)  
syphilitic Parkinsonism (A52.19)

### **G21.0** Malignant neuroleptic syndrome

**Use additional** code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505, T43.595)

**Excludes1:** neuroleptic induced parkinsonism (G21.11)

### **G21.1** Other drug-induced secondary parkinsonism

#### **G21.11** Neuroleptic induced parkinsonism

**Use additional** code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505, T43.595)

**Excludes1:** malignant neuroleptic syndrome (G21.0)

#### **G21.19** Other drug induced secondary parkinsonism Other medication-induced parkinsonism

**Use additional** code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

### **G21.2** Secondary parkinsonism due to other external agents

**Code first** (T51-T65) to identify external agent

### **G21.3** Postencephalitic parkinsonism

### **G21.4** Vascular parkinsonism

### **G21.8** Other secondary parkinsonism

### **G21.9** Secondary parkinsonism, unspecified

## ○ **G24** Dystonia

**Includes:** dyskinesia

**Excludes2:** athetoid cerebral palsy (G80.3)

## **Other degenerative diseases of the nervous system (G30-G32)**

### **G30** Alzheimer's disease

**Includes:** Alzheimer's dementia senile and presenile forms

**Use additional** code, if applicable, to identify:

- delirium, if applicable (F05)
- dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
- dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
- dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
- dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
- dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
- mild neurocognitive disorder due to known physiological condition (F06.7-)

**Excludes1:** senile degeneration of brain NEC (G31.1)

senile dementia NOS (F03.-)

senility NOS (R41.81)

**G30.0** Alzheimer's disease with early onset

**G30.1** Alzheimer's disease with late onset

**G30.8** Other Alzheimer's disease

**G30.9** Alzheimer's disease, unspecified

**G31** Other degenerative diseases of nervous system, not elsewhere classified

**Use additional** code, if applicable, for codes G31.0-G31.83, G31.85-G31.9, to identify:

- dementia with behavioral disturbance (F02.81)
- dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
- dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
- dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
- dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
- dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
- mild neurocognitive disorder due to known physiological condition (F06.7-)

**Excludes2:** Reye's syndrome (G93.7)

**G31.0** Frontotemporal dementia

**G31.01** Pick's disease

Primary progressive aphasia

Progressive isolated aphasia

**G31.09** Other frontotemporal neurocognitive disorder

Frontal dementia

**Use additional** code, if applicable, to identify mild neurocognitive disorders due to known physiological condition (F06.7-)  
**G31.1** Senile degeneration of brain, not elsewhere classified

**Excludes1:** Alzheimer's disease (G30.-)

senility NOS (R41.81)

**G31.8** Other specified degenerative diseases of nervous system

**G31.84** Mild cognitive impairment of uncertain or unknown etiology

Mild cognitive disorder NOS

Mild neurocognitive disorder of uncertain or unknown etiology

**Use additional** code to identify presence of:

alcohol abuse and dependence (F10.-)

exposure to environmental tobacco smoke (Z77.22)

history of tobacco dependence (Z87.891)  
 hypertension (I10-I1A)  
 occupational exposure to environmental tobacco smoke (Z57.31)  
 tobacco dependence (F17.-)  
 tobacco use (Z72.0)

**Excludes1:** age related cognitive decline (R41.81)  
 altered mental status (R41.82)  
 cerebral degeneration (G31.9)  
 change in mental status (R41.82)  
 cognitive deficits following (sequelae of) cerebral hemorrhage or infarction (I69.01-, I69.11-, I69.21-, I69.31-, I69.81-, I69.91-)  
 cognitive impairment due to intracranial or head injury (S06.-)  
 dementia (F01.-, F02.-, F03.-)  
 mild neurocognitive disorder due to a known physiological condition (F06.7-)  
 neurologic neglect syndrome (R41.4)  
 personality change, nonpsychotic (F68.8)

**New ► G31.87** Primary progressive apraxia of speech

### ***Demyelinating diseases of the central nervous system (G35-G37)***

**G35** Multiple sclerosis

**New G35.A** Relapse-remitting multiple sclerosis  
**Exclude1:** demyelinating disease of central nervous system, unspecified (G37.9)

**New G35.B** Primary progressive multiple sclerosis

**New G35.B0** Primary progressive multiple sclerosis, unspecified

**New G35.B1** Active primary progressive multiple sclerosis  
 Primary progressive multiple sclerosis with evidence of inflammatory disease activity

**New G35.B2** Non-active primary progressive multiple sclerosis  
 Primary progressive multiple sclerosis without evidence of inflammatory disease activity

**New G35.C** Secondary progressive multiple sclerosis

**New G35.C0** Secondary progressive multiple sclerosis, unspecified

**New G35.C1** Active secondary progressive multiple sclerosis  
 Secondary progressive multiple sclerosis with evidence of inflammatory disease activity

**New G35.C2** Non-active secondary progressive multiple sclerosis  
 Secondary progressive multiple sclerosis without evidence of inflammatory disease activity

**New G35.D** Multiple sclerosis, unspecified  
 Disseminated multiple sclerosis



Generalized multiple sclerosis  
 Multiple sclerosis NOS  
 Multiple sclerosis of brain stem  
 Multiple sclerosis of cord

### ***Episodic and paroxysmal disorders (G40-G47)***

#### **G40** Epilepsy and recurrent seizures

##### **G40.8** Other epilepsy and recurrent seizures

Epilepsies and epileptic syndromes undetermined as to whether they are focal or generalized Landau-Kleffner syndrome

##### **G40.80** Other epilepsy

**G40.801** Other epilepsy, not intractable, with status epilepticus

**G40.802** Other epilepsy, not intractable, without status epilepticus  
 Other epilepsy NOS  
 Other epilepsy without intractability without status epilepticus

**G40.803** Other epilepsy, intractable, with status epilepticus

**G40.804** Other epilepsy, intractable, without status epilepticus

○ **G45** Transient cerebral ischemic attacks and related syndromes

○ **G46** Vascular syndromes of brain in cerebrovascular diseases

○ **G47** Sleep disorders

### ***Nerve, nerve root and plexus disorders (G50-G59)***

#### **G51** Facial nerve disorders

**Includes:** disorders of 7th cranial nerve

**G51.0** Bell's palsy  
 Facial palsy

**G51.1** Geniculate ganglionitis

**Excludes1:** postherpetic geniculate ganglionitis (B02.21)

**G51.2** Melkersson's syndrome  
 Melkersson-Rosenthal syndrome

**G51.3** Clonic hemifacial spasm

**G51.31** Clonic hemifacial spasm, right

**G51.32** Clonic hemifacial spasm, left

**G51.33** Clonic hemifacial spasm, bilateral

**G51.39** Clonic hemifacial spasm, unspecified

**G51.4** Facial myokymia

**G51.8** Other disorders of facial nerve

**G51.9** Disorder of facial nerve, unspecified

### ***Diseases of myoneural junction and muscle (G70-G73)***



**G71** Primary disorders of muscles

**Excludes2:** arthrogryposis multiplex congenita (Q74.3)  
 metabolic disorders (E70-E88)  
 myositis (M60.-)

**G71.0** Muscular dystrophy

**G71.00** Muscular dystrophy, unspecified

**G71.01** Duchenne or Becker muscular dystrophy  
 Autosomal recessive, childhood type, muscular dystrophy resembling  
 Duchenne or Becker muscular dystrophy  
 Benign [Becker] muscular dystrophy  
 Severe [Duchenne] muscular dystrophy

**G71.02** Facioscapulohumeral muscular dystrophy  
 Scapulohumeral muscular dystrophy

**G71.09** Other specified muscular dystrophies  
 Benign scapuloperoneal muscular dystrophy with early contractures [Emery-  
 Dreifuss]  
 Congenital muscular dystrophy NOS  
 Congenital muscular dystrophy with specific morphological abnormalities of the  
 muscle fiber  
 Distal muscular dystrophy  
 Limb-girdle muscular dystrophy  
 Ocular muscular dystrophy  
 Oculopharyngeal muscular dystrophy  
 Scapuloperoneal muscular dystrophy

**G71.1** Myotonic disorders

**G71.11** Myotonic muscular dystrophy  
 Dystrophia myotonica [Steinert]  
 Myotonia atrophica  
 Myotonic muscular dystrophy  
 Proximal myotonic myopathy (PROMM)  
 Steinert disease

**G71.12** Myotonia congenital  
 Acetazolamide responsive myotonia congenita  
 Dominant myotonia congenita [Thomsen disease]  
 Myotonia levior  
 Recessive myotonia congenita [Becker disease]

**G71.13** Myotonic chondrodystrophy  
 Chondrodystrophic myotonia  
 Congenital myotonic chondrodystrophy  
 Schwartz-Jampel disease

**G71.14** Drug induced myotonia

**Use additional** code for adverse effect, if applicable, to identify drug (T36-T50  
 with fifth or sixth character 5)

**G71.19** Other specified myotonic disorders  
 Myotonia fluctuans  
 Myotonia permanens

Neuromyotonia [Isaacs]  
 Paramyotonia congenita (of von Eulenburg)  
 Pseudomyotonia  
 Symptomatic myotonia

### ***Cerebral palsy and other paralytic syndromes (G80-G83)***

#### **G80 Cerebral palsy**

**Excludes1:** hereditary spastic paraplegia (G11.4)

**G80.0** Spastic quadriplegic cerebral palsy  
 Congenital spastic paralysis (cerebral)

**G80.1** Spastic diplegic cerebral palsy  
 Spastic cerebral palsy NOS

**G80.2** Spastic hemiplegic cerebral palsy

**G80.3** Athetoid cerebral palsy  
 Double athetosis (syndrome)  
 Dyskinetic cerebral palsy  
 Dystonic cerebral palsy  
 Vogt disease

**G80.4** Ataxic cerebral palsy

**G80.8** Other cerebral palsy  
 Mixed cerebral palsy syndromes

**G80.9** Cerebral palsy, unspecified  
 Cerebral palsy NOS

#### ○ **G81 Hemiplegia and hemiparesis**

**Note:** This category is to be used only when hemiplegia (complete)(incomplete) is reported without further specification, or is stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these types of hemiplegia resulting from any cause.

**Excludes1:** congenital cerebral palsy (G80.-)  
 hemiplegia and hemiparesis due to sequela of cerebrovascular disease (I69.05-, I69.15-, I69.25-, I69.35-, I69.45-, I69.85-, I69.95-)

### ***Other disorders of the nervous system (G89-G99)***

#### ○ **G91 Hydrocephalus**

#### ○ **G92 Toxic encephalopathy**

#### ○ **G93 Other disorders of brain**

#### **G96 Other disorders of central nervous system**

##### ○ **G96.0 Cerebrospinal fluid leak**

**Code also** if applicable  
 intracranial hypotension (G96.81-)

**Excludes1:** cerebrospinal fluid leak from spinal puncture (G97.0)

## Ch. 9: Diseases of the circulatory system (I00-I99)

### *Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)*

**ASHA note:** This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes ([www.cdc.gov/nchs/icd/icd-10-cm.htm](http://www.cdc.gov/nchs/icd/icd-10-cm.htm)).

### *Other forms of heart disease (I30-I52)*

- I46 Cardiac arrest

### *Cerebrovascular diseases (I60-I69)*

- I60 Nontraumatic subarachnoid hemorrhage
- I61 Nontraumatic intracerebral hemorrhage
- I62 Other and unspecified nontraumatic intracranial hemorrhage
- I63 Cerebral infarction
- I67 Other cerebrovascular diseases
- I69 Sequelae of cerebrovascular disease

**Note:** Category I69 is to be used to indicate conditions in I60-I67 as the cause of sequelae. The 'sequelae' include conditions specified as such or as residuals which may occur at any time after the onset of the causal condition.

**Excludes1:** personal history of cerebral infarction without residual deficit (Z86.73)  
 personal history of prolonged reversible ischemic neurologic deficit (PRIND) (Z86.73)  
 personal history of reversible ischemic neurological deficit (RIND) (Z86.73)  
 sequelae of traumatic intracranial injury (S06.-)

#### **I69.0** Sequelae of nontraumatic subarachnoid hemorrhage

**I69.00** Unspecified sequelae of nontraumatic subarachnoid hemorrhage

**I69.01** Cognitive deficits following nontraumatic subarachnoid hemorrhage

- ▶ **I69.010** Attention and concentration deficit following nontraumatic subarachnoid hemorrhage
- ▶ **I69.011** Memory deficit following nontraumatic subarachnoid hemorrhage
- I69.012** Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage
- I69.013** Psychomotor deficit following nontraumatic subarachnoid hemorrhage
- ▶ **I69.014** Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage
- ▶ **I69.015** Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage

- ▶ **I69.018** Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage
- I69.019** Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage
- I69.02** Speech and language deficits following nontraumatic subarachnoid hemorrhage
  - ▶ **I69.020** Aphasia following nontraumatic subarachnoid hemorrhage
  - ▶ **I69.021** Dysphasia following nontraumatic subarachnoid hemorrhage
  - ▶ **I69.022** Dysarthria following nontraumatic subarachnoid hemorrhage
  - ▶ **I69.023** Fluency disorder following nontraumatic subarachnoid hemorrhage  
Stuttering following nontraumatic subarachnoid hemorrhage
  - ▶ **I69.028** Other speech and language deficits following nontraumatic subarachnoid hemorrhage
- I69.09** Other sequelae of nontraumatic subarachnoid hemorrhage
  - ▶ **I69.090** Apraxia following nontraumatic subarachnoid hemorrhage
  - ▶ **I69.091** Dysphagia following nontraumatic subarachnoid hemorrhage  
**Use additional** code to identify the type of dysphagia, if known (R13.11-R13.19)
  - ▶ **I69.092** Facial weakness following nontraumatic subarachnoid hemorrhage  
Facial droop following nontraumatic subarachnoid hemorrhage
  - I69.093** Ataxia following nontraumatic subarachnoid hemorrhage
  - I69.098** Other sequelae following nontraumatic subarachnoid hemorrhage  
Alterations of sensation following nontraumatic subarachnoid hemorrhage  
Disturbance of vision following nontraumatic subarachnoid hemorrhage  
**Use additional** code to identify the sequelae
- I69.1** Sequelae of nontraumatic intracerebral hemorrhage
  - I69.10** Unspecified sequelae of nontraumatic intracerebral hemorrhage
  - I69.11** Cognitive deficits following nontraumatic intracerebral hemorrhage
    - ▶ **I69.110** Attention and concentration deficit following nontraumatic intracerebral hemorrhage
    - ▶ **I69.111** Memory deficit following nontraumatic intracerebral hemorrhage
    - I69.112** Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage
    - I69.113** Psychomotor deficit following nontraumatic intracerebral hemorrhage
    - ▶ **I69.114** Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage
    - ▶ **I69.115** Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage

- 169.118** Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage
- 169.119** Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage
- I69.12** Speech and language deficits following nontraumatic intracerebral hemorrhage
  - ▶ **169.120** Aphasia following nontraumatic intracerebral hemorrhage
  - ▶ **169.121** Dysphasia following nontraumatic intracerebral hemorrhage
  - ▶ **169.122** Dysarthria following nontraumatic intracerebral hemorrhage
  - ▶ **169.123** Fluency disorder following nontraumatic intracerebral hemorrhage  
Stuttering following nontraumatic intracerebral hemorrhage
  - ▶ **169.128** Other speech and language deficits following nontraumatic intracerebral hemorrhage
- I69.19** Other sequelae of nontraumatic intracerebral hemorrhage
  - ▶ **169.190** Apraxia following nontraumatic intracerebral hemorrhage
  - ▶ **169.191** Dysphagia following nontraumatic intracerebral hemorrhage  
**Use additional** code to identify the type of dysphagia, if known (R13.11-R13.19)
  - ▶ **169.192** Facial weakness following nontraumatic intracerebral hemorrhage  
Facial droop following nontraumatic intracerebral hemorrhage
  - 169.193** Ataxia following nontraumatic intracerebral hemorrhage
  - 169.198** Other sequelae of nontraumatic intracerebral hemorrhage  
Alteration of sensations following nontraumatic intracerebral hemorrhage  
Disturbance of vision following nontraumatic intracerebral hemorrhage  
**Use additional** code to identify the sequelae
- I69.2** Sequelae of other nontraumatic intracranial hemorrhage
  - I69.20** Unspecified sequelae of other nontraumatic intracranial hemorrhage
  - I69.21** Cognitive deficits following other nontraumatic intracranial hemorrhage
    - ▶ **169.210** Attention and concentration deficit following other nontraumatic intracranial hemorrhage
    - ▶ **169.211** Memory deficit following other nontraumatic intracranial hemorrhage
    - 169.212** Visuospatial deficit and spatial neglect following nontraumatic intracranial hemorrhage
    - 169.213** Psychomotor deficit following other nontraumatic intracranial hemorrhage
    - ▶ **169.214** Frontal lobe and executive function deficit following other nontraumatic intracranial hemorrhage
    - ▶ **169.215** Cognitive social or emotional deficit following other nontraumatic intracranial hemorrhage

- I69.218** Other symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage
- I69.219** Unspecified symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage
- I69.22** Speech and language deficits following other nontraumatic intracranial hemorrhage
  - ▶ **I69.220** Aphasia following other nontraumatic intracranial hemorrhage
  - ▶ **I69.221** Dysphasia following other nontraumatic intracranial hemorrhage
  - ▶ **I69.222** Dysarthria following other nontraumatic intracranial hemorrhage
  - ▶ **I69.223** Fluency disorder following other nontraumatic intracranial hemorrhage  
Stuttering following nontraumatic intracranial hemorrhage
  - ▶ **I69.228** Other speech and language deficits following other nontraumatic intracranial hemorrhage
- I69.29** Other sequelae of other nontraumatic intracranial hemorrhage
  - ▶ **I69.290** Apraxia following other nontraumatic intracranial hemorrhage
  - ▶ **I69.291** Dysphagia following other nontraumatic intracranial hemorrhage  
**Use additional** code to identify the type of dysphagia, if known (R13.11-R13.19)
  - ▶ **I69.292** Facial weakness following other nontraumatic intracranial hemorrhage  
Facial droop following other nontraumatic intracranial hemorrhage
  - I69.293** Ataxia following other nontraumatic intracranial hemorrhage
  - I69.298** Other sequelae other nontraumatic intracranial hemorrhage  
Alteration of sensation following other nontraumatic intracranial hemorrhage  
Disturbance of vision following other nontraumatic intracranial hemorrhage  
**Use additional** code to identify the sequelae
- I69.3** Sequelae of cerebral infarction  
Sequelae of stroke NOS
  - I69.30** Unspecified sequelae of cerebral infarction
  - I69.31** Cognitive deficits following cerebral infarction
    - ▶ **I69.310** Attention and concentration deficit following cerebral infarction
    - ▶ **I69.311** Memory deficit following cerebral infarction
    - I69.312** Visuospatial deficit and spatial neglect following cerebral infarction
    - I69.313** Psychomotor deficit following cerebral infarction
    - ▶ **I69.314** Frontal lobe and executive function deficit following cerebral infarction
    - ▶ **I69.315** Cognitive social or emotional deficit following cerebral infarction
    - I69.318** Other symptoms and signs involving cognitive functions following cerebral infarction

- I69.319** Unspecified symptoms and signs involving cognitive functions following cerebral infarction
- I69.32** Speech and language deficits following cerebral infarction
  - ▶ **I69.320** Aphasia following cerebral infarction
  - ▶ **I69.321** Dysphasia following cerebral infarction
  - ▶ **I69.322** Dysarthria following cerebral infarction
    - Excludes2:** Transient ischemic attack (TIA) (G45.9)
  - ▶ **I69.323** Fluency disorder following cerebral infarction  
Stuttering following cerebral infarction
  - ▶ **I69.328** Other speech and language deficits following cerebral infarction
- I69.39** Other sequelae of cerebral infarction
  - ▶ **I69.390** Apraxia following cerebral infarction
  - ▶ **I69.391** Dysphagia following cerebral infarction
    - Use additional** code to identify the type of dysphagia, if known (R13.11-R13.19)
  - ▶ **I69.392** Facial weakness following cerebral infarction  
Facial droop following cerebral infarction
  - I69.393** Ataxia following cerebral infarction
  - I69.398** Other sequelae of cerebral infarction  
Alteration of sensation following cerebral infarction  
Disturbance of vision following cerebral infarction
    - Use additional** code to identify the sequelae
- I69.8** Sequelae of other cerebrovascular diseases
  - Excludes1:** sequelae of traumatic intracranial injury (S06.-)
  - I69.80** Unspecified sequelae of other cerebrovascular disease
  - I69.81** Cognitive deficits following other cerebrovascular disease
    - ▶ **I69.810** Attention and concentration deficit following other cerebrovascular disease
    - ▶ **I69.811** Memory deficit following following other cerebrovascular disease
    - I69.812** Visuospatial deficit and spatial neglect following other cerebrovascular disease
    - I69.813** Psychomotor deficit following other cerebrovascular disease
    - ▶ **I69.814** Frontal lobe and executive function deficit following other cerebrovascular disease
    - ▶ **I69.815** Cognitive social or emotional deficit following other cerebrovascular disease
    - I69.818** Other symptoms and signs involving cognitive functions following other cerebrovascular disease
    - I69.819** Unspecified symptoms and signs involving cognitive functions following other cerebrovascular disease



**I69.82** Speech and language deficits following other cerebrovascular disease

- ▶ **I69.820** Aphasia following other cerebrovascular disease
- ▶ **I69.821** Dysphasia following other cerebrovascular disease
- ▶ **I69.822** Dysarthria following other cerebrovascular disease
- ▶ **I69.823** Fluency disorder following other cerebrovascular disease  
Stuttering following other cerebrovascular disease
- ▶ **I69.828** Other speech and language deficits following other cerebrovascular disease

**I69.89** Other sequelae of other cerebrovascular disease

- ▶ **I69.890** Apraxia following other cerebrovascular disease
- ▶ **I69.891** Dysphagia following other cerebrovascular disease  
**Use additional** code to identify the type of dysphagia, if known (R13.11-R13.19)
- ▶ **I69.892** Facial weakness following other cerebrovascular disease  
Facial droop following other cerebrovascular disease
- I69.893** Ataxia following other cerebrovascular disease
- I69.898** Other sequelae of other cerebrovascular disease  
Alteration of sensation following other cerebrovascular disease  
Disturbance of vision following other cerebrovascular disease  
**Use additional** code to identify the sequelae

**I69.9** Sequelae of unspecified cerebrovascular diseases

**Excludes1:** sequelae of stroke (I63.3)  
sequelae of traumatic intracranial injury (S06.-)

**I69.90** Unspecified sequelae of unspecified cerebrovascular disease**I69.91** Cognitive deficits following unspecified cerebrovascular disease

- ▶ **I69.910** Attention and concentration deficit following unspecified cerebrovascular disease
- ▶ **I69.911** Memory deficit following unspecified cerebrovascular disease
- I69.912** Visuospatial deficit and spatial neglect following unspecified cerebrovascular disease
- I69.913** Psychomotor deficit following unspecified cerebrovascular disease
- ▶ **I69.914** Frontal lobe and executive function deficit following unspecified cerebrovascular disease
- ▶ **I69.915** Cognitive social or emotional deficit following unspecified cerebrovascular disease
- I69.918** Other symptoms and signs involving cognitive functions following unspecified cerebrovascular disease
- I69.919** Unspecified symptoms and signs involving cognitive functions following unspecified cerebrovascular disease

**I69.92** Speech and language deficits following unspecified cerebrovascular disease



- ▶ **I69.920** Aphasia following unspecified cerebrovascular disease
- ▶ **I69.921** Dysphasia following unspecified cerebrovascular disease
- ▶ **I69.922** Dysarthria following unspecified cerebrovascular disease
- ▶ **I69.923** Fluency disorder following unspecified cerebrovascular disease  
Stuttering following unspecified cerebrovascular disease
- ▶ **I69.928** Other speech and language deficits following unspecified cerebrovascular disease
- I69.99** Other sequelae of unspecified cerebrovascular disease
  - ▶ **I69.990** Apraxia following unspecified cerebrovascular disease
  - ▶ **I69.991** Dysphagia following unspecified cerebrovascular disease  
**Use additional** code to identify the type of dysphagia, if known (R13.11-R13.19)
  - ▶ **I69.992** Facial weakness following unspecified cerebrovascular disease  
Facial droop following unspecified cerebrovascular disease
  - I69.993** Ataxia following unspecified cerebrovascular disease
  - I69.998** Other sequelae following unspecified cerebrovascular disease  
Alteration in sensation following unspecified cerebrovascular disease  
Disturbance of vision following unspecified cerebrovascular disease  
**Use additional** code to identify the sequelae

## Ch. 10: Diseases of the respiratory system (J00-J99)

### *Acute upper respiratory infections (J00-J06)*

- **J02** Acute pharyngitis
- **J03** Acute tonsillitis
- **J04** Acute laryngitis and tracheitis
- **J05** Acute obstructive laryngitis [croup] and epiglottitis

### *Influenza and Pneumonia (J09-J18)*

**Use Additional** code, if applicable, to identify resistance to antimicrobial drugs (Z16.-)

**J12** Viral pneumonia, not elsewhere classified

**J12.8** Other viral pneumonia

- J12.82** Pneumonia due to coronavirus disease 2019  
Pneumonia due to 2019 novel coronavirus (SARS-CoV-2)  
Pneumonia due to COVID-19  
**Code first** COVID-19 (U07.1)

### *Other diseases of upper respiratory tract (J30-J39)*

**J31** Chronic rhinitis, nasopharyngitis and pharyngitis

- J31.2** Chronic pharyngitis  
 Chronic sore throat  
 Atrophic pharyngitis (chronic)  
 Granular pharyngitis (chronic)  
 Hypertrophic pharyngitis (chronic)  
**Excludes2:** acute pharyngitis (J02.9)

**J35** Chronic diseases of tonsils and adenoids

- J35.1** Hypertrophy of tonsils  
 Enlargement of tonsils  
**Excludes1:** hypertrophy of tonsils with tonsillitis (J35.0-)

- J35.2** Hypertrophy of adenoids  
 Enlargement of adenoids  
**Excludes1:** hypertrophy of adenoids with adenoiditis (J35.0-)

- J35.3** Hypertrophy of tonsils with hypertrophy of adenoids  
**Excludes1:** hypertrophy of tonsils and adenoids with tonsillitis and adenoiditis (J35.03)

**J37** Chronic laryngitis and laryngotracheitis

- Use additional** code to identify:  
 exposure to environmental tobacco smoke (Z77.22)  
 exposure to tobacco smoke in the perinatal period (P96.81)  
 history of tobacco use (Z87.891)  
 infectious agent (B95-B97)  
 occupational exposure to environmental tobacco smoke (Z57.31)  
 tobacco dependence (F17.-)  
 tobacco use (Z72.0)

- J37.0** Chronic laryngitis  
 Catarrhal laryngitis  
 Hypertrophic laryngitis  
 Sicca laryngitis  
**Excludes2:** acute laryngitis (J04.0)  
 obstructive (acute) laryngitis (J05.0)

**J38** Diseases of vocal cords and larynx, not elsewhere classified

- Excludes1:** congenital laryngeal stridor (P28.89)  
 obstructive laryngitis (acute) (J05.0)  
 postprocedural subglottic stenosis (J95.5)  
 stridor (R06.1)  
 ulcerative laryngitis (J04.0)

- J38.0** Paralysis of vocal cords and larynx  
 Laryngoplegia  
 Paralysis of glottis

**J38.00** Paralysis of vocal cords and larynx, unspecified

**J38.01** Paralysis of vocal cords and larynx, unilateral

**J38.02** Paralysis of vocal cords and larynx, bilateral

There is currently no code for **vocal cord paresis**. Consider using the **J38.0-** series instead. Documentation should indicate the paresis.

**J38.1** Polyp of vocal cord and larynx**Excludes1:** adenomatous polyps (D14.1)**J38.2** Nodules of vocal cords

Chorditis (fibrinous) (nodosa) (tuberosa)

Singer's nodes

Teacher's nodes

**J38.3** Other diseases of vocal cords

Abscess of vocal cords

Cellulitis of vocal cords

Granuloma of vocal cords

Leukokeratosis of vocal cords

Leukoplakia of vocal cords

**J38.4** Edema of larynx

Edema (of) glottis

Subglottic edema

Supraglottic edema

**Excludes1:** acute obstructive laryngitis [croup] (J05.0)  
edematous laryngitis (J04.0)**J38.5** Laryngeal spasm

Laryngismus (stridulus)

**J38.6** Stenosis of larynx**J38.5** is an option for a diagnosis of **paradoxical vocal fold motion**.**J38.7** Other diseases of larynx

Abscess of larynx

Cellulitis of larynx

Disease of larynx NOS

Necrosis of larynx

Pachyderma of larynx

Perichondritis of larynx

Ulcer of larynx

**J39** Other diseases of upper respiratory tract**Excludes1:** acute respiratory infection NOS (J22)

acute upper respiratory infection (J06.9)

upper respiratory inflammation due to chemicals, gases, fumes or vapors (J68.2)

**J39.3** Upper respiratory tract hypersensitivity reaction, site unspecified**Excludes1:** hypersensitivity reaction of upper respiratory tract, such as:

extrinsic allergic alveolitis (J67.9)

pneumoconiosis (J60-J67.9)

**J39.8** Other specified diseases of upper respiratory tract**J39.9** Disease of upper respiratory tract, unspecified***Lung diseases due to external agents (J60-J70)*****Excludes2:** asthma (J45.-)

malignant neoplasm of bronchus and lung (C34.-)

**J69** Pneumonitis due to solids and liquids**Code also**, if applicable, other types of pneumonias**Excludes1:** neonatal aspiration syndromes (P24.-)  
postprocedural pneumonitis (J95.4)**J69.0** Pneumonitis due to inhalation of food and vomit

Aspiration pneumonia NOS

Aspiration pneumonia (due to) food (regurgitated)

Aspiration pneumonia (due to) gastric secretions

Aspiration pneumonia (due to) milk

Aspiration pneumonia (due to) vomit

**Code also** any associated foreign body in respiratory tract (T17.-)**Excludes1:** chemical pneumonitis due to anesthesia (J95.4)  
obstetric aspiration pneumonitis (O74.0)***Intraoperative and postprocedural complications and disorders of respiratory system, not elsewhere classified (J95)*****J95** Intraoperative and postprocedural complications and disorders of respiratory system, not elsewhere classified**Excludes2:** aspiration pneumonia (J69.-)  
emphysema (subcutaneous) resulting from a procedure (T81.82)  
hypostatic pneumonia (J18.2)  
pulmonary manifestations due to radiation (J70.0- J70.1)**J95.0** Tracheostomy complications**J95.00** Unspecified tracheostomy complication**J95.01** Hemorrhage from tracheostomy stoma**J95.02** Infection of tracheostomy stoma**Use additional** code to identify type of infection, such as:  
cellulitis of neck (L03.221)  
sepsis (A40, A41.-)**J95.03** Malfunction of tracheostomy stoma

Mechanical complication of tracheostomy stoma

Obstruction of tracheostomy airway

Tracheal stenosis due to tracheostomy

**J95.04** Tracheo-esophageal fistula following tracheostomy**J95.09** Other tracheostomy complication**Ch. 11: Diseases of the digestive system (K00-K95)****Excludes2:** certain conditions originating in the perinatal period (P04-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O9A)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E88)  
injury, poisoning and certain other consequences of external causes (S00-T88)

neoplasms (C00-D49)  
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere  
 classified (R00-R94)

### ***Diseases of oral cavity and salivary glands (K00-K14)***

#### **○ K00** Disorders of tooth development and eruption

#### **K08** Other disorders of teeth and supporting structures

**Excludes2:** dentofacial anomalies [including malocclusion] (M26.-)  
 disorders of jaw (M27.-)

#### **K08.2 Atrophy of edentulous alveolar ridge**

#### **K13** Other diseases of lip and oral mucosa

#### **K13.7** Other and unspecified lesions of oral mucosa

##### **K13.70** Unspecified lesions of oral mucosa

##### **K13.79** Other lesions of oral mucosa Focal oral mucinosis

#### **K14** Diseases of tongue

#### **K14.0** Glossitis

Abscess of tongue

Ulceration (traumatic) of tongue

**Excludes1:** atrophic glossitis (K14.4)

#### **K14.4** Atrophy of tongue papillae

Atrophic glossitis

#### **K14.5** Plicated tongue

Fissured tongue

Furrowed tongue

Scrotal tongue

**Excludes1:** fissured tongue, congenital (Q38.3)

#### **K14.8** Other diseases of tongue

Atrophy of tongue

Crenated tongue

Enlargement of tongue

Glossocele

Glossoptosis

Hypertrophy of tongue

#### **K14.9** Disease of tongue, unspecified

Glossopathy, NOS

### ***Diseases of esophagus, stomach and duodenum (K20-K31)***

#### **K20** Esophagitis

**Use additional** code to identify:

alcohol abuse and dependence (F10.-)

**Excludes1:** erosion of esophagus (K22.1-)  
 esophagitis with gastro-esophageal reflux disease (K21.0-)  
 reflux esophagitis (K21.0-)  
 ulcerative esophagitis (K22.1-)

**Excludes2:** eosinophilic gastritis or gastroenteritis (K52.81)

**K20.0** Eosinophilic esophagitis

**K20.8** Other esophagitis

**K20.80** Other esophagitis without bleeding  
 Abscess of esophagus  
 Other esophagitis NOS

**K20.81** Other esophagitis with bleeding

**K20.9** Esophagitis, unspecified

**K20.90** Esophagitis, unspecified without bleeding  
 Esophagitis NOS

**K20.91** Esophagitis, unspecified with bleeding

**K21** Gastro-esophageal reflux disease

**Excludes1:** newborn esophageal reflux (P78.83)

**K21.0** Gastro-esophageal reflux disease with esophagitis

**K21.00** Gastro-esophageal reflux disease with esophagitis, without bleeding  
 Reflux esophagitis

**K21.01** Gastro-esophageal reflux disease with esophagitis, with bleeding

**K21.9** Gastro-esophageal reflux disease without esophagitis  
 Esophageal reflux NOS

○ **K22** Other disease of esophagus

**Excludes2:** esophageal varices (I85.-)

## Ch. 13: Diseases of the musculoskeletal system and connective tissue (M00-M99)

**Note:** Use an external cause code following the code for the musculoskeletal condition, if applicable, to identify the cause of the musculoskeletal condition

**Excludes2:** arthropathic psoriasis (L40.5-)  
 certain conditions originating in the perinatal period (P04-P96)  
 certain infectious and parasitic diseases (A00-B99)  
 compartment syndrome (traumatic) (T79.A-)  
 complications of pregnancy, childbirth and the puerperium (O00-O9A)  
 congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)  
 endocrine, nutritional and metabolic diseases (E00-E88)  
 injury, poisoning and certain other consequences of external causes (S00-T88)  
 neoplasms (C00-D49)  
 symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94)

***Dentofacial anomalies [including malocclusion] and other disorders of jaw (M26-M27)***

**Excludes1:** hemifacial atrophy or hypertrophy (Q67.4)  
 unilateral condylar hyperplasia or hypoplasia (M27.8)

**M26** Dentofacial anomalies [including malocclusion]**M26.0** Major anomalies of jaw size

**Excludes1:** acromegaly (E22.0)  
 Robin's syndrome (Q87.0)

**M26.00** Unspecified anomaly of jaw size**M26.01** Maxillary hyperplasia**M26.02** Maxillary hypoplasia**M26.03** Mandibular hyperplasia**M26.04** Mandibular hypoplasia**M26.05** Macrogenia**M26.06** Microgenia

**M26.07** Excessive tuberosity of jaw  
 Entire maxillary tuberosity

**M26.09** Other specified anomalies of jaw size**M26.1** Anomalies of jaw-cranial base relationship**M26.10** Unspecified anomaly of jaw-cranial base relationship**M26.11** Maxillary asymmetry**M26.12** Other jaw asymmetry**M26.19** Other specified anomalies of jaw-cranial base relationship**M26.2** Anomalies of dental arch relationship**M26.20** Unspecified anomaly of dental arch relationship**M26.21** Malocclusion, Angle's class

**M26.211** Malocclusion, Angle's class I  
 Neutro-occlusion

**M26.212** Malocclusion, Angle's class II  
 Disto-occlusion Division I  
 Disto-occlusion Division II

**M26.213** Malocclusion, Angle's class III  
 Mesio-occlusion

**M26.219** Malocclusion, Angle's class, unspecified**M26.22** Open occlusal relationship

**M26.220** Open anterior occlusal relationship  
 Anterior open bite

**M26.221** Open posterior occlusal relationship  
 Posterior open bite

- M26.23** Excessive horizontal overlap  
Excessive horizontal overjet
- M26.24** Reverse articulation  
Crossbite (anterior) (posterior)
- M26.25** Anomalies of interarch distance
- M26.29** Other anomalies of dental arch relationship  
Midline deviation of dental arch  
Overbite (excessive) deep  
Overbite (excessive) horizontal  
Overbite (excessive) vertical  
Posterior lingual occlusion of mandibular teeth
- M26.3** Anomalies of tooth position of fully erupted tooth or teeth
- M26.4** Malocclusion, unspecified
- M26.5** Dentofacial functional abnormalities
  - Excludes1:** bruxism (F45.8)  
teeth-grinding NOS (F45.8)
  - M26.50** Dentofacial functional abnormalities, unspecified
  - M26.51** Abnormal jaw closure
  - M26.52** Limited mandibular range of motion
  - M26.53** Deviation in opening and closing of the mandible
  - M26.54** Insufficient anterior guidance  
Insufficient anterior occlusal guidance
  - M26.55** Centric occlusion maximum intercuspation discrepancy
    - Excludes1:** centric occlusion NOS (M26.59)
  - M26.56** Non-working side interference  
Balancing side interference
  - M26.57** Lack of posterior occlusal support
  - M26.59** Other dentofacial functional abnormalities  
Centric occlusion (of teeth) NOS  
Malocclusion due to abnormal swallowing  
Malocclusion due to mouth breathing  
Malocclusion due to tongue, lip or finger habits
- M26.6** Temporomandibular joint disorders
  - Excludes2:** current temporomandibular joint dislocation (S03.0)  
current temporomandibular joint sprain (S03.4)  
current temporomandibular joint sprain (S03.4)
  - M26.60** Temporomandibular joint disorder, unspecified
    - M26.601** Right temporomandibular joint disorder, unspecified
    - M26.602** Left temporomandibular joint disorder, unspecified
    - M26.603** Bilateral temporomandibular joint disorder, unspecified
    - M26.609** Unspecified temporomandibular joint disorder, unspecified



## Temporomandibular joint disorder NOS

- M26.61** Adhesions and ankylosis of temporomandibular joint
  - M26.611** Adhesions and ankylosis of right temporomandibular joint
  - M26.612** Adhesions and ankylosis of left temporomandibular joint
  - M26.613** Adhesions and ankylosis of bilateral temporomandibular joint
  - M26.619** Adhesions and ankylosis of temporomandibular joint, unspecified side
- M26.62** Arthralgia of temporomandibular joint
  - M26.621** Arthralgia of right temporomandibular joint
  - M26.622** Arthralgia of left temporomandibular joint
  - M26.623** Arthralgia of bilateral temporomandibular joint
  - M26.629** Arthralgia of temporomandibular joint, unspecified side
- M26.63** Articular disc disorder of temporomandibular joint
  - M26.631** Articular disc disorder of right temporomandibular joint
  - M26.632** Articular disc disorder of left temporomandibular joint
  - M26.633** Articular disc disorder of bilateral temporomandibular joint
  - M26.639** Articular disc disorder of temporomandibular joint, unspecified side
- M26.64** Arthritis of temporomandibular joint
  - M26.641** Arthritis of right temporomandibular joint
  - M26.642** Arthritis of left temporomandibular joint
  - M26.643** Arthritis of bilateral temporomandibular joint
  - M26.642** Arthritis of unspecified temporomandibular joint
- M26.65** Arthropathy of temporomandibular joint
  - M26.651** Arthropathy of right temporomandibular joint
  - M26.652** Arthropathy of left temporomandibular joint
  - M26.653** Arthropathy of bilateral temporomandibular joint
  - M26.652** Arthropathy of unspecified temporomandibular joint
- M26.69** Other specified disorders of temporomandibular joint
- M26.7** Dental alveolar anomalies
  - M26.70** Unspecified alveolar anomaly
  - M26.71** Alveolar maxillary hyperplasia
  - M26.72** Alveolar mandibular hyperplasia
  - M26.73** Alveolar maxillary hypoplasia
  - M26.74** Alveolar mandibular hypoplasia
  - M26.79** Other specified alveolar anomalies
- M26.8** Other dentofacial anomalies
  - M26.81** Anterior soft tissue impingement



Anterior soft tissue impingement on teeth

**M26.82** Posterior soft tissue impingement  
Posterior soft tissue impingement on teeth

**M26.89** Other dentofacial anomalies

**M26.9** Dentofacial anomaly, unspecified

### **Systemic connective tissue disorders (M30-M36)**

**M35** Other systemic involvement of connective tissue

**M35.8** Other specified systemic involvement of connective tissue

**M35.81** Multisystem inflammatory syndrome

MIS-A

MIS-C

Multisystem inflammatory syndrome in adults

Multisystem inflammatory syndrome in children

Pediatric inflammatory multisystem syndrome

PIMS

**Code first**, if applicable, COVID-19 (U07.1)

**Code also** any associated complications such as:

acute hepatic failure (K72.0-)

acute kidney failure (N17.-)

acute myocarditis (I40.-)

acute respiratory distress syndrome (J80)

cardiac arrhythmia (I47-I49.-)

pneumonia due to COVID-19 (J12.82)

severe sepsis (R65.2-)

viral cardiomyopathy (B33.24)

viral pericarditis (B33.23)

**Use Additional code**, if applicable, for:

exposure to COVID-19 or SARS-CoV-2 infection (Z20.822)

personal history of COVID-19 (Z86.16)

post COVID-19 condition (U09.9)

**M35.89** Other specified systemic involvement of connective tissue

## **Ch. 16: Certain conditions originating in the perinatal period (P00-P96)**

**Note:** Codes from this chapter are for use on newborn records only, never on maternal records

**Includes:** conditions that have their origin in the fetal or perinatal period (before birth through the first 28 days after birth) even if morbidity occurs later

**Excludes2:** congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E88)  
injury, poisoning and certain other consequences of external causes (S00-T88)  
neoplasms (C00-D49)  
tetanus neonatorum (A33)

**Newborn affected by maternal factors and by complications of pregnancy, labor, and delivery (P00-P04)**

**Note:** These codes are for use when the listed maternal conditions are specified as the cause of confirmed morbidity or potential morbidity which have their origin in the perinatal period (before birth through the first 28 days after birth)

**P04** Newborn affected by noxious substances transmitted via placenta or breast milk

**Includes:** nonteratogenic effects of substances transmitted via placenta

**Excludes2:** congenital malformations (Q00-Q99)  
 encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-)  
 neonatal jaundice from excessive hemolysis due to drugs or toxins transmitted from mother (P58.4)  
 newborn in contact with and (suspected) exposures hazardous to health not transmitted via placenta or breast milk (Z77.-)

**P04.3** Newborn (suspected to be) affected by maternal use of alcohol

**Excludes1:** fetal alcohol syndrome (Q86.0)

### ***Abnormal findings on neonatal screening (P09)***

**P09** Abnormal findings on neonatal screening

**Includes:** Abnormal findings on state mandated newborn screens  
 Failed newborn screening

**Excludes2:** nonspecific serologic evidence of human immunodeficiency virus [HIV] (R75)

**Updated** **P09.6** Abnormal findings on neonatal hearing screening

**Excludes2:** encounter for hearing examination following failed hearing screening (Z01.110)

**P09.8** Other abnormal findings on neonatal screening

**P09.9** Abnormal findings on neonatal screening, unspecified

### ***Other disorders originating in the perinatal period (P90-P96)***

**P92** Feeding problems of newborn

**Excludes1:** eating disorders (F50.-)

**Excludes2:** feeding problems in child over 28 days old (R63.3-)

**P92.1** Regurgitating and rumination of newborn

**P92.2** Slow feeding of newborn

**P92.3** Underfeeding of newborn

**P92.4** Overfeeding of newborn

**P92.5** Neonatal difficulty in feeding at breast

**P92.6** Failure to thrive in newborn

**Excludes1:** failure to thrive in child over 28 days old (R62.51)

**P92.8** Other feeding problems of newborn

**P92.9** Feeding problem of newborn, unspecified

## Updated Ch. 17: Congenital malformations, deformations and chromosomal abnormalities, and genetic disorders (Q00-QA0)

**Note:** Codes from this chapter are not for use on maternal records

**Excludes2:** inborn errors of metabolism (E70-E88)

### ***Congenital malformations of the nervous system (Q00-Q07)***

#### **Q02** Microcephaly

**Includes:** hydromicrocephaly  
micrencephalon

**Code first,** if applicable, congenital Zika virus disease

**Excludes1:** Meckel-Gruber syndrome (Q61.9)

#### ○ **Q03** Congenital hydrocephalus

#### **Q04** Other congenital malformations of brain

**Excludes1:** cyclopia (Q87.0)  
macrocephaly (Q75.3)

##### **Q04.3** Other reduction deformities of brain

Absence of part of brain  
Agenesis of part of brain  
Agyria  
Aplasia of part of brain  
Hydranencephaly  
Hypoplasia of part of brain  
Lissencephaly  
Microgyria  
Pachygyria

**Excludes1:** congenital malformations of corpus callosum (Q04.0)

#### ○ **Q05** Spina bifida

### ***Congenital malformations of eye, ear, face and neck (Q10-Q18)***

**Excludes2:** cleft lip and cleft palate (Q35-Q37)  
congenital malformation of cervical spine (Q05.0, Q05.5, Q67.5, Q76.0-Q76.4)  
congenital malformation of larynx (Q31.-)  
congenital malformation of lip NEC (Q38.0)  
congenital malformation of nose (Q30.-)  
congenital malformation of parathyroid gland (Q89.2)  
congenital malformation of thyroid gland (Q89.2)

#### **Q16** Congenital malformations of ear causing impairment of hearing

**Excludes1:** congenital deafness (H90.-)

##### **Q16.0** Congenital absence of (ear) auricle

**Q16.1** Congenital absence, atresia and stricture of auditory canal (external)  
Congenital atresia or stricture of osseous meatus

**Q16.2** Absence of eustachian tube

**Q16.3** Congenital malformation of ear ossicles  
Congenital fusion of ear ossicles

**Q16.4** Other congenital malformations of middle ear  
Congenital malformation of middle ear NOS

**Q16.5** Congenital malformation of inner ear  
Congenital anomaly of membranous labyrinth  
Congenital anomaly of organ of Corti

**Q16.9** Congenital malformation of ear causing impairment of hearing, unspecified  
Congenital absence of ear NOS

**Q17** Other congenital malformations of ear

**Excludes1:** congenital malformations of ear with impairment of hearing (Q16.0-Q16.9)  
preauricular sinus (Q18.1)

**Q17.0** Accessory auricle  
Accessory tragus  
Polyotia  
Preauricular appendage or tag  
Supernumerary ear  
Supernumerary lobule

**Q17.1** Macrotia

**Q17.2** Microtia

**Q17.3** Other misshapen ear  
Pointed ear

**Q17.4** Misplaced ear  
Low-set ears

**Excludes1:** cervical auricle (Q18.2)

**Q17.5** Prominent ear  
Bat ear

**Q17.8** Other specified congenital malformations of ear  
Congenital absence of lobe of ear

**Q17.9** Congenital malformation of ear, unspecified  
Congenital anomaly of ear NOS

***Congenital malformations of the respiratory system (Q30-Q34)***

**Q31** Congenital malformations of larynx

**Excludes1:** congenital laryngeal stridor NOS (P28.89)

**Q31.0** Web of larynx  
Glottic web of larynx  
Subglottic web of larynx  
Web of larynx NOS

**Q31.1** Congenital subglottic stenosis

**Q31.2** Laryngeal hypoplasia

**Q31.3** Laryngocele**Q31.5** Congenital laryngomalacia**Q31.8** Other congenital malformations of larynx

Absence of larynx

Agenesis of larynx

Atresia of larynx

Congenital cleft thyroid cartilage

Congenital fissure of epiglottis

Congenital stenosis of larynx NEC

Posterior cleft of cricoid cartilage

**Q31.9** Congenital malformation of larynx, unspecified***Cleft lip and cleft palate (Q35-Q37)*****Use additional** code to identify associated malformation of the nose (Q30.2)**Excludes2:** Robin's syndrome (Q87.0)**Q35** Cleft palate**Includes:** fissure of palate  
palatoschisis**Excludes1:** cleft palate with cleft lip (Q37.-)**Q35.1** Cleft hard palate**Q35.3** Cleft soft palate**Q35.5** Cleft hard palate with cleft soft palate**Q35.7** Cleft uvula**Q35.9** Cleft palate, unspecified  
Cleft palate NOS**Q36** Cleft lip**Includes:** cheiloschisis  
congenital fissure of lip  
harelip  
labium leporinum**Excludes1:** cleft lip with cleft palate (Q37.-)**Q36.0** Cleft lip, bilateral**Q36.1** Cleft lip, median**Q36.9** Cleft lip, unilateral  
Cleft lip NOS**Q37** Cleft palate with cleft lip**Includes:** cheilopalatoschisis**Q37.0** Cleft hard palate with bilateral cleft lip**Q37.1** Cleft hard palate with unilateral cleft lip  
Cleft hard palate with cleft lip NOS

- Q37.2** Cleft soft palate with bilateral cleft lip
- Q37.3** Cleft soft palate with unilateral cleft lip  
Cleft soft palate with cleft lip NOS
- Q37.4** Cleft hard and soft palate with bilateral cleft lip
- Q37.5** Cleft hard and soft palate with unilateral cleft lip  
Cleft hard and soft palate with cleft lip NOS
- Q37.8** Unspecified cleft palate with bilateral cleft lip
- Q37.9** Unspecified cleft palate with unilateral cleft lip  
Cleft palate with cleft lip NOS

### ***Other congenital malformations of the digestive system (Q38-Q45)***

#### **Q38** Other congenital malformations of tongue, mouth and pharynx

**Excludes1:** dentofacial anomalies (M26.-)  
macrostomia (Q18.4)  
microstomia (Q18.5)

#### **Q38.0** Congenital malformations of lips, not elsewhere classified

Congenital fistula of lip  
Congenital malformation of lip NOS  
Van der Woude's syndrome

**Excludes1:** cleft lip (Q36.-)  
cleft lip with cleft palate (Q37.-)  
macrocheilia (Q18.6)  
microcheilia (Q18.7)

#### **Q38.1** Ankyloglossia Tongue tie

#### **Q38.2** Macroglossia Congenital hypertrophy of tongue

#### **Q38.3** Other congenital malformations of tongue

Aglossia  
Bifid tongue  
Congenital adhesion of tongue  
Congenital fissure of tongue  
Congenital malformation of tongue NOS  
Double tongue  
Hypoglossia  
Hypoplasia of tongue  
Microglossia

#### **Q38.4** Congenital malformations of salivary glands and ducts

Atresia of salivary glands and ducts  
Congenital absence of salivary glands and ducts  
Congenital accessory salivary glands and ducts  
Congenital fistula of salivary gland

#### **Q38.5** Congenital malformations of palate, not elsewhere classified

Congenital absence of uvula  
Congenital malformation of palate NOS

Congenital high arched palate

**Excludes1:** cleft palate (Q35.-)  
cleft palate with cleft lip (Q37.-)

**Q38.6** Other congenital malformations of mouth  
Congenital malformation of mouth NOS

**Q38.7** Congenital pharyngeal pouch  
Congenital diverticulum of pharynx

**Excludes1:** pharyngeal pouch syndrome (D82.1)

**Q38.8** Other congenital malformations of pharynx  
Congenital malformation of pharynx NOS  
Imperforate pharynx

### ***Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)***

**Q67** Congenital musculoskeletal deformities of head, face, spine and chest

**Excludes1:** congenital malformation syndromes classified to Q87.-  
Potter's syndrome (Q60.6)

**Q67.0** Congenital facial asymmetry

**Q67.4** Other congenital deformities of skull, face and jaw  
Congenital depressions in skull  
Congenital hemifacial atrophy or hypertrophy  
Deviation of nasal septum, congenital  
Squashed or bent nose, congenital

**Excludes1:** dentofacial anomalies [including malocclusion] (M26.-)  
syphilitic saddle nose (A50.5)

### ***Other congenital malformations (Q80-Q89)***

**Q86** Congenital malformation syndromes due to known exogenous causes, not elsewhere classified

**Excludes2:** iodine-deficiency-related hypothyroidism (E00-E02)  
nonteratogenic effects of substances transmitted via placenta or breast milk (P04.-)

**Q86.0** Fetal alcohol syndrome (dysmorphic)

### ***Chromosomal abnormalities, not elsewhere classified (Q90-Q99)***

**Excludes2:** mitochondrial metabolic disorders (E88.4-)

**Q90** Down syndrome

**Code also** associated physical condition(s), such as atrioventricular septal defect (Q21.2-)

**Use additional** code(s) to identify any associated degree of intellectual disabilities (F70-F79)

**Q90.0** Trisomy 21, nonmosaicism (meiotic nondisjunction)

**Q90.1** Trisomy 21, mosaicism (mitotic nondisjunction)

**Q90.2** Trisomy 21, translocation

**Q90.9** Down syndrome, unspecified  
Trisomy 21 NOS



**Q91** Trisomy 18 and Trisomy 13**Q91.0** Trisomy 18, nonmosaicism (meiotic nondisjunction)**Q91.1** Trisomy 18, mosaicism (mitotic nondisjunction)**Q91.2** Trisomy 18, translocation**Q91.3** Trisomy 18, unspecified**Q91.4** Trisomy 13, nonmosaicism (meiotic nondisjunction)**Q91.5** Trisomy 13, mosaicism (mitotic nondisjunction)**Q91.6** Trisomy 13, translocation**Q91.7** Trisomy 13, unspecified**Q93** Monosomies and deletions from the autosomes, not elsewhere classified**Q93.3** Deletion of short arm of chromosome 4  
Wolff-Hirschorn syndrome**Q93.4** Deletion of short arm of chromosome 5  
Cri-du-chat syndrome**Q93.5** Other deletions of part of a chromosome**Q93.51** Angelman syndrome**Q93.52** Phelan-McDermid syndrome  
22q13.3 deletion syndrome**Use Additional** code(s) to identify any associated conditions, such as:

autism spectrum disorder (F84.0)

degree of intellectual disabilities (F70-F79)

epilepsy and recurrent seizures (G40.-)

lymphedema (I89.0)

**Q93.59** Other deletions of part of a chromosome**Q93.8** Other deletions from the autosomes**Q93.81** Velo-cardio-facial syndrome  
Deletion 22q11.2**Q93.82** Williams syndrome**Q98** Other sex chromosome abnormalities, male phenotype, not elsewhere classified**Q98.0** Klinefelter syndrome karyotype 47, XXY**Q98.1** Klinefelter syndrome, male with more than two X chromosomes**Q99** Other chromosome abnormalities, not elsewhere classifiable**Q99.2** Fragile X chromosome  
Fragile X syndrome**New** **Genetic disorders, not elsewhere classified (QA0)****New** **QA0** Neurodevelopmental disorders related to specific genetic pathogenic variants**Code also**, if applicable, any associated conditions such as:

attention-deficit hyperactivity disorders (F90.-)

autism spectrum disorder (F84.0)  
 developmental and epileptic encephalopathy (G93.45)  
 epilepsy, by specific type (G40.-)  
 intellectual disabilities (F70-F79)  
 pervasive developmental disorders (F84.-)

**New**  **QA0.0** Neurodevelopmental disorders related to pathogenic variants in specific genes

**New**  **QA0.8** Other neurodevelopmental disorders related to pathogenic variants in other specific genes

## **Ch. 18: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)**

**Note:** This chapter includes symptoms, signs, abnormal results of clinical or other investigative procedures, and ill-defined conditions regarding which no diagnosis classifiable elsewhere is recorded.

Signs and symptoms that point rather definitely to a given diagnosis have been assigned to a category in other chapters of the classification. In general, categories in this chapter include the less well-defined conditions and symptoms that, without the necessary study of the case to establish a final diagnosis, point perhaps equally to two or more diseases or to two or more systems of the body. Practically all categories in the chapter could be designated 'not otherwise specified', 'unknown etiology' or 'transient'. The Alphabetical Index should be consulted to determine which symptoms and signs are to be allocated here and which to other chapters. The residual subcategories, numbered .8, are generally provided for other relevant symptoms that cannot be allocated elsewhere in the classification.

The conditions and signs or symptoms included in categories R00-R94 consist of:

- (a) cases for which no more specific diagnosis can be made even after all the facts bearing on the case have been investigated;
- (b) signs or symptoms existing at the time of initial encounter that proved to be transient and whose causes could not be determined;
- (c) provisional diagnosis in a patient who failed to return for further investigation or care;
- (d) cases referred elsewhere for investigation or treatment before the diagnosis was made;
- (e) cases in which a more precise diagnosis was not available for any other reason;
- (f) certain symptoms, for which supplementary information is provided, that represent important problems in medical care in their own right.

**Excludes2:** abnormal findings on antenatal screening of mother (O28.-)  
 certain conditions originating in the perinatal period (P04-P96)  
 signs and symptoms classified in the body system chapters  
 signs and symptoms of breast (N63, N64.5)

### ***Symptoms and signs involving the circulatory and respiratory systems (R00-R09)***

#### **R05 Cough**

**Excludes1:** paroxysmal cough due to *Bordetella pertussis* (A37.0-)  
 smoker's cough (J41.0)

**Excludes2:** cough with hemorrhage (R04.2)

**R05.1** Acute cough

**R05.2** Subacute cough

**R05.3** Chronic cough

Persistent cough

Refractory cough

Unexplained cough

**R05.4** Cough syncope

**Code first** syncope and collapse (R55)

**R05.8** Other specified cough

**R05.9** Cough, unspecified

## **R06** Abnormalities of breathing

**Excludes1:** acute respiratory distress syndrome (J80)  
respiratory arrest (R09.2)  
respiratory arrest of newborn (P28.81)  
respiratory distress syndrome of newborn (P22.-)  
respiratory failure (J96.-)  
respiratory failure of newborn (P28.5)

**R06.0** Dyspnea

**Excludes1:** tachypnea NOS (R06.82)  
transient tachypnea of newborn (P22.1)

**R06.00** Dyspnea, unspecified

**R06.01** Orthopnea

**R06.02** Shortness of breath

**R06.03** Acute respiratory distress

**R06.09** Other forms of dyspnea

**R06.1** Stridor

**Excludes1:** congenital laryngeal stridor (P28.89)  
laryngismus (stridulus) (J38.5)

## **R09** Other symptoms and signs involving the circulatory and respiratory system

**R09.A** Foreign body sensation of the circulatory and respiratory system

**R09.A2** Foreign body sensation, throat  
Foreign body sensation globus

## **Symptoms and signs involving the digestive system and abdomen (R10-R19)**

**R12** Heartburn

**Excludes1:** dyspepsia NOS (R10.13)  
functional dyspepsia (K30)

**R13** Aphagia and dysphagia

**R13.0** Aphagia  
Inability to swallow

Use the **R00-R99** series when the communication or swallowing disorder is due to a documented medical condition. Include the appropriate ICD-10 code for the medical diagnosis to support your claim.

**See also:** **I69-** series for disorders due to stroke.

**Excludes1:** psychogenic aphagia (F50.9)

**R13.1** Dysphagia

**Code first,** if applicable, dysphagia following cerebrovascular disease (I69.- with final characters -91)

**Excludes1:** psychogenic dysphagia (F45.8)

**R13.10** Dysphagia, unspecified  
Difficulty in swallowing NOS

- ▶ **R13.11** Dysphagia, oral phase
- ▶ **R13.12** Dysphagia, oropharyngeal phase
- ▶ **R13.13** Dysphagia, pharyngeal phase
- ▶ **R13.14** Dysphagia, pharyngoesophageal phase
- ▶ **R13.19** Other dysphagia  
Cervical dysphagia  
Neurogenic dysphagia

***Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29)***

**R27** Other lack of coordination

**Excludes1:** ataxic gait (R26.0)  
hereditary ataxia (G11.-)  
vertigo NOS (R42)

**R27.0** Ataxia, unspecified

**Excludes1:** ataxia following cerebrovascular disease (I69. with final characters -93)

**R27.8** Other lack of coordination

**R27.9** Unspecified lack of coordination

**R29** Other symptoms and signs involving the nervous and musculoskeletal systems

**R29.8** Other symptoms and signs involving the nervous and musculoskeletal systems

**R29.81** Other symptoms and signs involving the nervous system

**R29.810** Facial weakness  
Facial droop

**Excludes1:** Bell's palsy (G51.0)  
facial weakness following cerebrovascular disease (I69. with final characters-92)

**R29.818** Other symptoms and signs involving the nervous system

***Symptoms and signs involving cognition, perception, emotional state and behavior (R40-R46)***

**Excludes2:** symptoms and signs constituting part of a pattern of mental disorder (F01-F99)

**R40** Somnolence, stupor and coma

**Excludes1:** neonatal coma (P91.5)  
somnolence, stupor and coma in diabetes (E08-E13)

somnolence, stupor and coma in hepatic failure (K72.-)  
 somnolence, stupor and coma in hypoglycemia (nondiabetic) (E15)

## **R40.2** Coma

**Code first** any associated:

Fracture of skull (S02.-)  
 Intracranial injury (S06.-)

### **R40.24** Glasgow coma scale, total score

**Note:** Assign a code from subcategory R40.24, when only the total coma score is documented

The following appropriate 7th character is to be added to subcategory R40.24-:

0 – unspecified time  
 1 – in the field [EMT or ambulance]  
 2 – at arrival to emergency department  
 3 – at hospital admission  
 4 – 24 hours or more after hospital admission

**R40.241** Glasgow coma scale score 13-15

**R40.242** Glasgow coma scale score 9-12

**R40.243** Glasgow coma scale score 3-8

**R40.244** Other coma, without documented Glasgow coma scale score, or with partial score reported

## **R41** Other symptoms and signs involving cognitive functions and awareness

**Excludes1:** dissociative [conversion] disorders (F44.-)  
 mild cognitive impairment of uncertain or unknown etiology (G31.84)

### **R41.0** Disorientation, unspecified

Confusion NOS  
 Delirium NOS

### **R41.1** Anterograde amnesia

### **R41.2** Retrograde amnesia

### **R41.3** Other amnesia

Amnesia NOS  
 Memory loss NOS

**Excludes1:** amnestic disorder due to known physiologic condition (F04)  
 amnestic syndrome due to psychoactive substance use (F10-F19 with 5th character .6)  
 mild memory disturbance due to known physiological condition (F06.8)  
 transient global amnesia (G45.4)  
 delirium due to known physiological condition (F05)

### **R41.4** Neurologic neglect syndrome

Asomatognosia  
 Hemi-akinesia  
 Hemi-inattention  
 Hemispatial neglect  
 Left-sided neglect  
 Sensory neglect

Visuospatial neglect

**Excludes1:** visuospatial deficit (R41.842)

**R41.8** Other symptoms and signs involving cognitive functions and awareness

**R41.81** Age-related cognitive decline  
Senility NOS

**R41.82** Altered mental status, unspecified  
Change in mental status NOS

**Excludes1:** altered level of consciousness (R40.-)  
altered mental status due to known condition - code to  
condition  
delirium NOS (R41.0)

**R41.83** Borderline intellectual functioning  
IQ level 71 to 84

**Excludes1:** intellectual disabilities (F70-F79)

**R41.84** Other specified cognitive deficit

**Code first** the underlying condition, if known, such as:  
Schizophrenia (F20.-)

**Excludes1:** cognitive deficits as sequelae of cerebrovascular disease (I69.01-,  
I69.11-, I69.21-, I69.31-, I69.81-, I69.91-)

► **R41.840** Attention and concentration deficit

**Excludes1:** attention-deficit hyperactivity disorders (F90.-)

► **R41.841** Cognitive communication deficit

**R41.842** Visuospatial deficit

**R41.843** Psychomotor deficit

► **R41.844** Frontal lobe and executive function deficit

**R41.89** Other symptoms and signs involving cognitive functions and awareness

**R41.9** Unspecified symptoms and signs involving cognitive functions and awareness  
Unspecified neurocognitive disorder

**R44** Other symptoms and signs involving general sensations and perceptions

**Excludes1:** alcoholic hallucinations (F1.5)  
hallucinations in drug psychosis (F11-F19 with .5)  
hallucinations in mood disorders with psychotic symptoms (F30.2, F31.5, F32.3,  
F33.3)  
hallucinations in schizophrenia, schizotypal and delusional disorders (F20-F29)

**Excludes2:** disturbances of skin sensation (R20.-)

**R44.0** Auditory hallucinations

**Symptoms and signs involving speech and voice (R47-R49)**

**R47** Speech disturbances, not elsewhere classified

**Excludes1:** autism (F84.0)  
cluttering (F80.81)

For more  
information on the  
use of the “**other  
specified cognitive  
deficit**” codes, see:  
[bit.ly/Cognitive  
Reimbursement](http://bit.ly/CognitiveReimbursement)

The code for autism  
spectrum disorder (**F84.0**)  
is excluded from the **R47**  
series. Use **F80.0** for  
speech disorders reported  
with autism.

specific developmental disorders of speech and language (F80.-)  
stuttering (F80.81)

**R47.0** Dysphasia and aphasia

► **R47.01** Aphasia

**Excludes1:** aphasia following cerebrovascular disease (I69. with final characters -20)  
progressive isolated aphasia (G31.01)

► **R47.02** Dysphasia

**Excludes1:** dysphasia following cerebrovascular disease (I69. with final characters -21)

► **R47.1** Dysarthria and anarthria

**Excludes1:** dysarthria following cerebrovascular disease (I69. with final characters -22)

**R47.8** Other speech disturbances

**Excludes1:** dysarthria following cerebrovascular disease (I69. with final characters -28)

► **R47.81** Slurred speech

► **R47.82** Fluency disorder in conditions classified elsewhere  
Stuttering in conditions classified elsewhere

**Code first:** underlying disease or condition, such as:  
Parkinson's disease (G20.-)

**Excludes1:** adult onset fluency disorder (F98.5)  
childhood onset fluency disorder (F80.81)  
fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)

► **R47.89** Other speech disturbances

**R47.9** Unspecified speech disturbances

**R48** Dyslexia and other symbolic dysfunctions, not elsewhere classified

**Excludes1:** specific developmental disorders of scholastic skills (F81.-)

► **R48.0** Dyslexia and alexia

► **R48.1** Agnosia  
Astereognosia (astereognosis)  
Autotopagnosia

**Excludes1:** visual object agnosia H53.16

► **R48.2** Apraxia

**Excludes1:** apraxia following cerebrovascular disease (I69. with final characters -90)

**R48.3** Visual agnosia  
Prosopagnosia  
Simultanagnosia (asimultanagnosia)

► **R48.8** Other symbolic dysfunctions  
Acalculia  
Agraphia

**R48.9** Unspecified symbolic dysfunctions

**R48.8** can be used to capture **neurological language impairments** when there is documented medical information to support the diagnosis. Unless caused by stroke (I69.-), cognitive impairments may also be captured here or with **R41.841**. See also: [bit.ly/CognitiveReimbursement](https://bit.ly/CognitiveReimbursement)

**R49** Voice and resonance disorders**Excludes1:** psychogenic voice and resonance disorders (F44.4)

► **R49.0** Dysphonia  
Hoarseness

► **R49.1** Aphonia  
Loss of voice

**R49.2** Hypernasality and hyponasality

► **R49.21** Hypernasality

► **R49.22** Hyponasality

► **R49.8** Other voice and resonance disorders

**R49.9** Unspecified voice and resonance disorder  
Change in voice NOS  
Resonance disorder NOS

**General symptoms and signs (R50-R69)****R62** Lack of expected normal physiological development in childhood and adults

**Excludes1:** delayed puberty (E30.0)  
gonadal dysgenesis (Q99.1)  
hypopituitarism (E23.0)

► **R62.0** Delayed milestone in childhood  
Delayed attainment of expected physiological developmental stage  
Late talker  
Late walker

**R62.5** Other and unspecified lack of expected normal physiological development in childhood

**Excludes1:** HIV disease resulting in failure to thrive (B20)  
physical retardation due to malnutrition (E45)

**R62.50** Unspecified lack of expected normal physiological development in childhood  
Infantilism NOS

**R62.51** Failure to thrive (child)  
Failure to gain weight

**Added** Faltering growth

**Excludes1:** failure to thrive in child under 28 days old (P92.6)

**R63** Symptoms and signs concerning food and fluid intake**Excludes1:** bulimia NOS (F50.2-)**R63.3** Feeding difficulties

Feeding problem (elderly) (infant) NOS  
Picky eater

**Excludes2:** eating disorders (F50.-)  
feeding problems of newborn (P92.-)  
infant feeding disorder of nonorganic origin (F98.2)



**R63.30** Feeding difficulties, unspecified

- ▶ **R63.31** Pediatric feeding disorder, acute  
Pediatric feeding dysfunction, acute

**Code also**, if applicable, associated conditions such as:

aspiration pneumonia (J69.0)  
dysphagia (R13.1-)  
gastro-esophageal reflux disease (K21.-)  
malnutrition (E40-E46)

- ▶ **R63.32** Pediatric feeding disorder, chronic  
Pediatric feeding dysfunction, chronic

**Code also**, if applicable, associated conditions such as:

aspiration pneumonia (J69.0)  
dysphagia (R13.1-)  
gastro-esophageal reflux disease (K21.-)  
malnutrition (E40-E46)

- ▶ **R63.39** Other feeding difficulties  
Feeding problem (elderly) (infant) NOS  
Picky eater

**R63.4** Abnormal weight loss

**R64** Cachexia

**Excludes1:** abnormal weight loss (R63.4)

cachexia due to underlying condition (E88.A)  
nutritional marasmus (E41)

### ***Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)***

**R94** Abnormal results of function studies

**R94.0** Abnormal results of function studies of central nervous system

**R94.01** Abnormal electroencephalogram [EEG]

**R94.02** Abnormal brain scan

**R94.09** Abnormal results of other function studies of central nervous system

**R94.1** Abnormal results of function studies of peripheral nervous system and special senses

**R94.12** Abnormal results of function studies of ear and other special senses

**R94.120** Abnormal auditory function study

**R94.121** Abnormal vestibular function study

**R94.128** Abnormal results of other function studies of ear and other special senses

## Ch. 19: Injury, poisoning and certain other consequences of external causes (S00-T88)

**Note:** Use secondary code(s) from Chapter 20, External causes of morbidity, to indicate cause of injury. Codes within the T section that include the external cause do not require an additional external cause code

**Use additional** code to identify any retained foreign body, if applicable (Z18.-)

**Excludes1:** birth trauma (P10-P15)  
obstetric trauma (O70-O71)

**This chapter contains the following blocks:**

S00-S09: [Injuries to the head](#)

S10-S19: [Injuries to the neck](#)

T15-T19: [Effects of foreign body entering through natural orifice](#)

T36-T50: [Poisoning by, adverse effect of and underdosing of drugs, medicaments and biological substances](#)

T51-T65: [Toxic effects of substances chiefly nonmedicinal as to source](#)

**Note:** The chapter uses the S-section for coding different types of injuries related to single body regions and the T-section to cover injuries to unspecified body regions as well as poisoning and certain other consequences of external causes.

### ***Injuries to the head (S00-S09)***

**Includes:** injuries of ear  
injuries of eye  
injuries of face [any part]  
injuries of gum  
injuries of jaw  
injuries of oral cavity  
injuries of palate  
injuries of periorbital area  
injuries of scalp  
injuries of temporomandibular joint area  
injuries of tongue  
injuries of tooth

**Excludes2:** burns and corrosions (T20-T32)  
effects of foreign body in ear (T16)  
effects of foreign body in larynx (T17.3)  
effects of foreign body in mouth NOS (T18.0)  
effects of foreign body in nose (T17.0-T17.1)  
effects of foreign body in pharynx (T17.2)  
effects of foreign body on external eye (T15.-)  
frostbite (T33-T34)

**S00** Superficial injury of head

**Excludes1:** diffuse cerebral contusion (S06.2-)  
focal cerebral contusion (S06.3-)

injury of eye and orbit (S05.-)

open wound of head (S01.-)

The appropriate 7th character is to be added to each code from category S00

A - initial encounter

D - subsequent encounter

S - sequela

### **S00.5 Superficial injury of lip and oral cavity**

#### **S01** Open wound of head

**Code also** any associated:

injury of cranial nerve (S04.-)

injury of muscle and tendon of head (S09.1-)

intracranial injury (S06.-)

wound infection

**Excludes1:** open skull fracture (S02.- with 7<sup>th</sup> character B)

**Excludes2:** injury of eye and orbit (S05.-)

traumatic amputation of part of head (S08.-)

The appropriate 7th character is to be added to each code from category S01

A - initial encounter

D - subsequent encounter

S - sequela

### **S01.5 Open wound of lip and oral cavity**

#### ○ **S02** Fracture of skull and facial bones

**Note:** A fracture not indicated as open or closed should be coded to closed

**Code also** any associated intracranial injury (S06.-)

The appropriate 7th character is to be added to each code from category S02

A - initial encounter for closed fracture

B - initial encounter for open fracture

D - subsequent encounter for fracture with routine healing

G - subsequent encounter for fracture with delayed healing

K - subsequent encounter for fracture with nonunion

S - sequela

#### **S06** Intracranial injury

**Includes:** traumatic brain injury

**Code also** any associated:

open wound of head (S01.-)

skull fracture (S02.-)

**Excludes2:** head injury NOS (S09.90)

The appropriate 7th character is to be added to each code from category S06

A - initial encounter

D - subsequent encounter

S - sequela

#### ○ **S06.0** Concussion

## Comotio cerebri

**Excludes1:** concussion with other intracranial injuries classified in subcategories S06.1- to S06.6-, and S06.81- to S06.89-, code to specified intracranial injury

- **S06.2** Diffuse traumatic brain injury  
Diffuse axonal brain injury

**Use additional** code, if applicable, for traumatic brain compression or herniation (S06.A-)

**Excludes1:** traumatic diffuse cerebral edema (S06.1X-)

- **S06.3** Focal traumatic brain injury

**Use additional** code, if applicable, for traumatic brain compression or herniation (S06.A-)

**Excludes2:** any condition classifiable to S06.4-S06.6  
focal cerebral edema (S06.1)

***Injuries to the neck (S10-S19)***

**Includes:** injuries of nape  
injuries of supraclavicular region  
injuries of throat

**Excludes2:** burns and corrosions (T20-T32)  
effects of foreign body in esophagus (T18.1)  
effects of foreign body in larynx (T17.3)  
effects of foreign body in pharynx (T17.2)  
effects of foreign body in trachea (T17.4)  
frostbite (T33-T34)  
insect bite or sting, venomous (T63.4)

**S12** Fracture of cervical vertebra and other parts of neck

**Note:** A fracture not indicated as displaced or nondisplaced should be coded to displaced  
A fracture not indicated as open or closed should be coded to closed

**Includes:** fracture of cervical neural arch  
fracture of cervical spine  
fracture of cervical spinous process  
fracture of cervical transverse process  
fracture of cervical vertebral arch  
fracture of neck

**Code first** any associated cervical spinal cord injury (S14.0, S14.1-)

**S12.8** Fracture of other parts of neck

**Updated** Fracture of hyoid bone  
**Updated** Fracture of larynx  
**Updated** Fracture of thyroid cartilage  
**Updated** Fracture of trachea

The appropriate 7th character is to be added to code S12.8

A - initial encounter  
D - subsequent encounter  
S - sequela

***Injury, poisoning and certain other consequences of external causes (T07-T88)***

**ASHA note:** This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes ([www.cdc.gov/nchs/icd/icd-10-cm.htm](http://www.cdc.gov/nchs/icd/icd-10-cm.htm)).

***Effects of foreign body entering through natural orifice (T15-T19)***

**Use Additional** code, if known, for foreign body entering into or through a natural orifice (W44.-)

**Excludes2:** foreign body accidentally left in operation wound (T81.5-)  
 foreign body in penetrating wound - See open wound by body region  
 residual foreign body in soft tissue (M79.5)  
 splinter, without open wound - See superficial injury by body region

**T17 Foreign body in respiratory tract**

The appropriate 7th character is to be added to each code from category T17

A - initial encounter  
 D - subsequent encounter  
 S - sequela

**T17.2** Foreign body in pharynx  
 Foreign body in nasopharynx  
 Foreign body in throat NOS

**T17.22** Food in pharynx  
 Bones in pharynx  
 Seeds in pharynx

**T17.220** Food in pharynx causing asphyxiation

**T17.3** Foreign body in larynx

**T17.32** Food in larynx  
 Bones in larynx  
 Seeds in larynx

**T17.320** Food in larynx causing asphyxiation

**T17.4** Foreign body in trachea

**T17.42** Food in trachea  
 Bones in trachea  
 Seeds in trachea

**T17.420** Food in trachea causing asphyxiation

**T18 Foreign body in alimentary tract**

**Excludes2:** foreign body in pharynx (T17.2-)

**T18.1** Foreign body in esophagus**Effects of Drugs:**

Code **first** the communication or swallowing diagnosis that is due to an adverse effect of a **properly administered drug**. Code the drug giving rise to the adverse effect second.

Code the communication or swallowing diagnosis **second** when it is due to poisoning from a drug or toxin.

Consult the medical record or physician for the appropriate code for the drug or toxin in section T36-T65.

***Poisoning by, adverse effects of and underdosing of drugs, medicaments and biological substances (T36-T50)***

**Includes:** adverse effect of correct substance properly administered

poisoning by overdose of substance  
 poisoning by wrong substance given or taken in error  
 underdosing by (inadvertently) (deliberately) taking less substance  
 than prescribed or instructed

**Code first**, for adverse effects, the nature of the adverse effect, such as:

adverse effect NOS (T88.7)  
 aspirin gastritis (K29.-)  
 blood disorders (D56-D76)  
 contact dermatitis (L23-L25)  
 dermatitis due to substances taken internally (L27.-)  
 nephropathy (N14.0-N14.2)

**Note:** The drug giving rise to the adverse effect should be identified by use of codes from categories T36-T50 with fifth or sixth character 5.

**Use additional** code(s) to specify:

manifestations of poisoning  
 underdosing or failure in dosage during medical and surgical care (Y63.6, Y63.8-Y63.9)  
 underdosing of medication regimen (Z91.12-, Z91.13-)

**Excludes1:** toxic reaction to local anesthesia in pregnancy (O29.3-)

**Excludes2:** abuse and dependence of psychoactive substances (F10-F19)

abuse of non-dependence-producing substances (F55.-)  
 drug reaction and poisoning affecting newborn (P00-P96)  
 pathological drug intoxication (inebriation) (F10-F19)  
 immunodeficiency due to drugs (D84.821)

**T36** Poisoning by, adverse effect of and underdosing of systemic antibiotics

**Excludes1:** antineoplastic antibiotics (T45.1-)

locally applied antibiotic NEC (T49.0)  
 topically used antibiotic for ear, nose and throat (T49.6)  
 topically used antibiotic for eye (T49.5)

The appropriate 7<sup>th</sup> character is to be added to each code from category T36

A - initial encounter  
 D - subsequent encounter  
 S – sequela

- **T36.0** Poisoning by, adverse effect of and underdosing of penicillins
- **T36.2** Poisoning by, adverse effect of and underdosing of chloramphenicol group
- **T36.3** Poisoning by, adverse effect of and underdosing of macrolides
- T36.4** Poisoning by, adverse effect of and underdosing of tetracyclines
  - T36.4X** Poisoning by, adverse effect of and underdosing of tetracyclines
    - T36.4X1** Poisoning by tetracyclines, accidental (unintentional)  
 Poisoning by tetracyclines NOS
    - T36.4X2** Poisoning by tetracyclines, intentional self-harm
    - T36.4X3** Poisoning by tetracyclines, assault
    - T36.4X4** Poisoning by tetracyclines, undetermined

**T36.4X5** Adverse effect of tetracyclines**T36.4X6** Underdosing of tetracyclines

- **T36.5** Poisoning by, adverse effect of and underdosing of aminoglycosides  
Poisoning by, adverse effect of and underdosing of streptomycin
- **T36.6** Poisoning by, adverse effect of and underdosing of rifampicins
- **T36.7** Poisoning by, adverse effect of and underdosing of antifungal antibiotics, systemically used
- **T36.8** Poisoning by, adverse effect of and underdosing of other systemic antibiotics
- **T36.9** Poisoning by, adverse effect of and underdosing of unspecified systemic antibiotic

**T38** Poisoning by, adverse effect of and underdosing of hormones and their synthetic substitutes and antagonists, not elsewhere classified

**Excludes1:** mineralocorticoids and their antagonists (T50.0-)  
oxytocic hormones (T48.0-)  
parathyroid hormones and derivatives (T50.9-)

The appropriate 7th character is to be added to each code from category T38

A - initial encounter

D - subsequent encounter

S - sequela

- **T38.0** Poisoning by, adverse effect of and underdosing of glucocorticoids and synthetic analogues
- **T38.1** Poisoning by, adverse effect of and underdosing of thyroid hormones and substitutes
- **T38.2** Poisoning by, adverse effect of and underdosing of antithyroid drugs
- **T38.3** Poisoning by, adverse effect of and underdosing of insulin and oral hypoglycemic [antidiabetic] drugs
- T38.4** Poisoning by, adverse effect of and underdosing of oral contraceptives  
Poisoning by, adverse effect of and underdosing of multiple- and single-ingredient oral contraceptive preparations
  - T38.4X** Poisoning by, adverse effect of and underdosing of oral contraceptives
    - T38.4X1** Poisoning by oral contraceptives, accidental (unintentional)  
Poisoning by oral contraceptives NOS
    - T38.4X2** Poisoning by oral contraceptives, intentional self-harm
    - T38.4X3** Poisoning by oral contraceptives, assault
    - T38.4X4** Poisoning by oral contraceptives, undetermined
    - T38.4X5** Adverse effect of oral contraceptives
    - T38.4X6** Underdosing of oral contraceptives
- **T38.5** Poisoning by, adverse effect of and underdosing of other estrogens and progestogens  
Poisoning by, adverse effect of and underdosing of estrogens and progestogens mixtures and substitutes

- **T38.6** Poisoning by, adverse effect of and underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified  
Poisoning by, adverse effect of and underdosing of tamoxifen
- **T38.7** Poisoning by, adverse effect of and underdosing of androgens and anabolic congeners
- **T38.8** Poisoning by, adverse effect of and underdosing of other and unspecified hormones and synthetic substitutes
- **T38.9** Poisoning by, adverse effect of and underdosing of other and unspecified antagonists
- T39** Poisoning by, adverse effect of and underdosing of nonopioid analgesics, antipyretics and antirheumatics  
The appropriate 7th character is to be added to each code from category T39  
A - initial encounter  
D - subsequent encounter  
S - sequela
- T39.3** Poisoning by, adverse effect of and underdosing of other nonsteroidal anti-inflammatory drugs [NSAID]
  - T39.31** Poisoning by, adverse effect of and underdosing of propionic acid derivatives  
Poisoning by, adverse effect of and underdosing of fenoprofen  
Poisoning by, adverse effect of and underdosing of flurbiprofen  
Poisoning by, adverse effect of and underdosing of ibuprofen  
Poisoning by, adverse effect of and underdosing of ketoprofen  
Poisoning by, adverse effect of and underdosing of naproxen  
Poisoning by, adverse effect of and underdosing of oxaprozin
  - T39.311** Poisoning by propionic acid derivatives, accidental (unintentional)
  - T39.312** Poisoning by propionic acid derivatives, intentional self-harm
  - T39.313** Poisoning by propionic acid derivatives, assault
  - T39.314** Poisoning by propionic acid derivatives, undetermined
  - T39.315** Adverse effect of propionic acid derivatives
  - T39.316** Underdosing of propionic acid derivatives
  - T39.39** Poisoning by, adverse effect of and underdosing of other nonsteroidal anti-inflammatory drugs [NSAID]
    - T39.391** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional)  
Poisoning by other nonsteroidal anti-inflammatory drugs NOS
    - T39.392** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm
    - T39.393** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault
    - T39.394** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined
    - T39.395** Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID]
    - T39.396** Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID]



- **T40** Poisoning by, adverse effect of and underdosing of narcotics and psychodysleptics [hallucinogens]
- T42** Poisoning by, adverse effect of and underdosing of antiepileptic, sedative- hypnotic and antiparkinsonism drugs
- Excludes2:** drug dependence and related mental and behavioral disorders due to psychoactive substance use (F10.- - F19.-)

The appropriate 7th character is to be added to each code from category T42

- A - initial encounter
- D - subsequent encounter
- S - sequela

**T42.4** Poisoning by, adverse effect of and underdosing of benzodiazepines

**T42.4X** Poisoning by, adverse effect of and underdosing of benzodiazepines

- T42.4X1** Poisoning by benzodiazepines, accidental (unintentional)  
Poisoning by benzodiazepines NOS
- T42.4X2** Poisoning by benzodiazepines, intentional self-harm
- T42.4X3** Poisoning by benzodiazepines, assault
- T42.4X4** Poisoning by benzodiazepines, undetermined
- T42.4X5** Adverse effect of benzodiazepines
- T42.4X6** Underdosing of benzodiazepines

- **T43** Poisoning by, adverse effect of and underdosing of psychotropic drugs, not elsewhere classified

**T44** Poisoning by, adverse effect of and underdosing of drugs primarily affecting the autonomic nervous system

The appropriate 7th character is to be added to each code from category T44

- A - initial encounter
- D - subsequent encounter
- S - sequela

**T44.3** Poisoning by, adverse effect of and underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics  
Poisoning by, adverse effect of and underdosing of papaverine

**T44.3X** Poisoning by, adverse effect of and underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics

- T44.3X1** Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional)  
Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics NOS
- T44.3X2** Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm
- T44.3X3** Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault
- T44.3X4** Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined

**T44.3X5** Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics

**T44.3X6** Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics

**T45** Poisoning by, adverse effect of and underdosing of primarily systemic and hematological agents, not elsewhere classified

The appropriate 7th character is to be added to each code from category T45

A - initial encounter

D - subsequent encounter

S - sequela

**T45.0** Poisoning by, adverse effect of and underdosing of antiallergic and antiemetic drugs

**Excludes1:** poisoning by, adverse effect of and underdosing of phenothiazine-based neuroleptics (T43.3)

**T45.0X** Poisoning by, adverse effect of and underdosing of antiallergic and antiemetic drugs

**T45.0X1** Poisoning by antiallergic and antiemetic drugs, accidental (unintentional)  
Poisoning by antiallergic and antiemetic drugs NOS

**T45.0X2** Poisoning by antiallergic and antiemetic drugs, intentional self-harm

**T45.0X3** Poisoning by antiallergic and antiemetic drugs, assault

**T45.0X4** Poisoning by antiallergic and antiemetic drugs, undetermined

**T45.0X5** Adverse effect of antiallergic and antiemetic drugs

**T45.0X6** Underdosing of antiallergic and antiemetic drugs

**T45.1** Poisoning by, adverse effect of and underdosing of antineoplastic and immunosuppressive drugs

**Excludes1:** poisoning by, adverse effect of and underdosing of tamoxifen (T38.6)

**T45.1X** Poisoning by, adverse effect of and underdosing of antineoplastic and immunosuppressive drugs

**T45.1X1** Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional)  
Poisoning by antineoplastic and immunosuppressive drugs NOS

**T45.1X2** Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm

**T45.1X3** Poisoning by antineoplastic and immunosuppressive drugs, assault

**T45.1X4** Poisoning by antineoplastic and immunosuppressive drugs, undetermined

**T45.1X5** Adverse effect of antineoplastic and immunosuppressive drugs

**T45.1X6** Underdosing of antineoplastic and immunosuppressive drugs

**T45.2** Poisoning by, adverse effect of and underdosing of vitamins

**Excludes2:** poisoning by, adverse effect of and underdosing of nicotinic acid (derivatives) (T46.7)  
poisoning by, adverse effect of and underdosing of iron (T45.4)

poisoning by, adverse effect of and underdosing of vitamin K (T45.7)

**T45.2X** Poisoning by, adverse effect of and underdosing of vitamins

**T45.2X1** Poisoning by vitamins, accidental (unintentional)  
Poisoning by vitamins NOS

**T45.2X2** Poisoning by vitamins, intentional self-harm

**T45.2X3** Poisoning by vitamins, assault

**T45.2X4** Poisoning by vitamins, undetermined

**T45.2X5** Adverse effect of vitamins

**T45.2X6** Underdosing of vitamins

**Excludes1:** vitamin deficiencies (E50-E56)

**T45.5** Poisoning by, adverse effect of and underdosing of anticoagulants and antithrombotic drugs

**T45.51** Poisoning by, adverse effect of and underdosing of anticoagulants

**T45.511** Poisoning by anticoagulants, accidental (unintentional)  
Poisoning by anticoagulants NOS

**T45.512** Poisoning by anticoagulants, intentional self-harm

**T45.513** Poisoning by anticoagulants, assault

**T45.514** Poisoning by anticoagulants, undetermined

**T45.515** Adverse effect of anticoagulants

**T45.516** Underdosing of anticoagulants

**T45.52** Poisoning by, adverse effect of and underdosing of antithrombotic drugs  
Poisoning by, adverse effect of and underdosing of antiplatelet drugs

**Excludes2:** poisoning by, adverse effect of and underdosing of aspirin (T39.01-)  
poisoning by, adverse effect of and underdosing of acetylsalicylic acid (T39.01-)

**T45.521** Poisoning by antithrombotic drugs, accidental (unintentional)  
Poisoning by antithrombotic drug NOS

**T45.522** Poisoning by antithrombotic drugs, intentional self-harm

**T45.523** Poisoning by antithrombotic drugs, assault

**T45.524** Poisoning by antithrombotic drugs, undetermined

**T45.525** Adverse effect of antithrombotic drugs

**T45.526** Underdosing of antithrombotic drugs

**T46** Poisoning by, adverse effect of and underdosing of agents primarily affecting the cardiovascular system

**Excludes1:** poisoning by, adverse effect of and underdosing of metaraminol (T44.4)

The appropriate 7th character is to be added to each code from category T46

A - initial encounter

D - subsequent encounter

S - sequela

- **T46.0** Poisoning by, adverse effect of and underdosing of cardiac-stimulant glycosides drugs of similar action
  - T46.1** Poisoning by, adverse effect of and underdosing of calcium-channel blockers
    - T46.1X** Poisoning by, adverse effect of and underdosing of calcium-channel blockers
      - T46.1X1** Poisoning by calcium-channel blockers, accidental (unintentional)  
Poisoning by calcium-channel blockers NOS
      - T46.1X2** Poisoning by calcium-channel blockers, intentional self-harm
      - T46.1X3** Poisoning by calcium-channel blockers, assault
      - T46.1X4** Poisoning by calcium-channel blockers, undetermined
      - T46.1X5** Adverse effect of calcium-channel blockers
      - T46.1X6** Underdosing of calcium-channel blockers
  - T46.2** Poisoning by, adverse effect of and underdosing of other antidysrhythmic drugs, not elsewhere classified
    - Excludes1:** poisoning by, adverse effect of and underdosing of beta-adrenoreceptor antagonists (T44.7-)
    - T46.2X** Poisoning by, adverse effect of and underdosing of other antidysrhythmic drugs
      - T46.2X1** Poisoning by other antidysrhythmic drugs, accidental (unintentional)  
Poisoning by other antidysrhythmic drugs NOS
      - T46.2X2** Poisoning by other antidysrhythmic drugs, intentional self-harm
      - T46.2X3** Poisoning by other antidysrhythmic drugs, assault
      - T46.2X4** Poisoning by other antidysrhythmic drugs, undetermined
      - T46.2X5** Adverse effect of other antidysrhythmic drugs
      - T46.2X6** Underdosing of other antidysrhythmic drugs
- **T46.3** Poisoning by, adverse effect of and underdosing of coronary vasodilators
  - T46.4** Poisoning by, adverse effect of and underdosing of angiotensin-converting-enzyme inhibitors
    - T46.4X** Poisoning by, adverse effect of and underdosing of angiotensin-converting-enzyme inhibitors
      - T46.4X1** Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional)  
Poisoning by angiotensin-converting-enzyme inhibitors NOS
      - T46.4X2** Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm
      - T46.4X3** Poisoning by angiotensin-converting-enzyme inhibitors, assault
      - T46.4X4** Poisoning by angiotensin-converting-enzyme inhibitors, undetermined
      - T46.4X5** Adverse effect of angiotensin-converting-enzyme inhibitors
      - T46.4X6** Underdosing of angiotensin-converting-enzyme inhibitors
  - T46.5** Poisoning by, adverse effect of and underdosing of other antihypertensive drugs

**Excludes2:** poisoning by, adverse effect of and underdosing of beta-adrenoreceptor antagonists (T44.7)  
 poisoning by, adverse effect of and underdosing of calcium-channel blockers (T46.1)  
 poisoning by, adverse effect of and underdosing of diuretics (T50.0-T50.2)

**T46.5X** Poisoning by, adverse effect of and underdosing of other antihypertensive drugs

**T46.5X1** Poisoning by other antihypertensive drugs, accidental (unintentional)  
 Poisoning by other antihypertensive drugs NOS

**T46.5X2** Poisoning by other antihypertensive drugs, intentional self-harm

**T46.5X3** Poisoning by other antihypertensive drugs, assault

**T46.5X4** Poisoning by other antihypertensive drugs, undetermined

**T46.5X5** Adverse effect of other antihypertensive drugs

**T46.5X6** Underdosing of other antihypertensive drugs

**T47** Poisoning by, adverse effect of and underdosing of agents primarily affecting the gastrointestinal system

The appropriate 7th character is to be added to each code from category T47

A - initial encounter

D - subsequent encounter

S - sequela

**T47.0** Poisoning by, adverse effect of and underdosing of histamine H2-receptor blockers

**T47.0X** Poisoning by, adverse effect of and underdosing of histamine H2-receptor blockers

**T47.0X1** Poisoning by histamine H2-receptor blockers, accidental (unintentional)  
 Poisoning by histamine H2-receptor blockers NOS

**T47.0X2** Poisoning by histamine H2-receptor blockers, intentional self-harm

**T47.0X3** Poisoning by histamine H2-receptor blockers, assault

**T47.0X4** Poisoning by histamine H2-receptor blockers, undetermined

**T47.0X5** Adverse effect of histamine H2-receptor blockers

**T47.0X6** Underdosing of histamine H2-receptor blockers

**T48** Poisoning by, adverse effect of and underdosing of agents primarily acting on smooth and skeletal muscles and the respiratory system

The appropriate 7th character is to be added to each code from category T48

A - initial encounter

D - subsequent encounter

S - sequela

**T48.1** Poisoning by, adverse effect of and underdosing of skeletal muscle relaxants [neuromuscular blocking agents]

**T48.1X** Poisoning by, adverse effect of and underdosing of skeletal muscle relaxants [neuromuscular blocking agents]

**T48.1X1** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional)

Poisoning by skeletal muscle relaxants [neuromuscular blocking agents] NOS

**T48.1X2** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm

**T48.1X3** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault

**T48.1X4** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined

**T48.1X5** Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents]

**T48.1X6** Underdosing of skeletal muscle relaxants [neuromuscular blocking agents]

**T48.5** Poisoning by, adverse effect of and underdosing of other anti-common-cold drugs  
Poisoning by, adverse effect of and underdosing of decongestants

**Excludes2:** poisoning by, adverse effect of and underdosing of antipyretics, NEC (T39.9-)

poisoning by, adverse effect of and underdosing of non-steroidal antiinflammatory drugs (T39.3-)

poisoning by, adverse effect of and underdosing of salicylates (T39.0-)

**T48.5X** Poisoning by, adverse effect of and underdosing of other anti-common-cold drugs

**T48.5X1** Poisoning by other anti-common-cold drugs, accidental (unintentional)  
Poisoning by other anti-common-cold drugs NOS

**T48.5X2** Poisoning by other anti-common-cold drugs, intentional self-harm

**T48.5X3** Poisoning by other anti-common-cold drugs, assault

**T48.5X4** Poisoning by other anti-common-cold drugs, undetermined

**T48.5X5** Adverse effect of other anti-common-cold drugs  
**T48.5X6** Underdosing of other anti-common-cold drugs

**T50** Poisoning by, adverse effect of and underdosing of diuretics and other and unspecified drugs, medicaments and biological substances

The appropriate 7th character is to be added to each code from category T50

A - initial encounter

D - subsequent encounter

S - sequela

**T50.1** Poisoning by, adverse effect of and underdosing of loop [high-ceiling] diuretics

**T50.1X** Poisoning by, adverse effect of and underdosing of loop [high-ceiling] diuretics

**T50.1X1** Poisoning by loop [high-ceiling] diuretics, accidental (unintentional)  
Poisoning by loop [high-ceiling] diuretics NOS

**T50.1X2** Poisoning by loop [high-ceiling] diuretics, intentional self-harm

**T50.1X3** Poisoning by loop [high-ceiling] diuretics, assault

**T50.1X4** Poisoning by loop [high-ceiling] diuretics, undetermined

**T50.1X5** Adverse effect of loop [high-ceiling] diuretics

**T50.1X6** Underdosing of loop [high-ceiling] diuretics

**T50.2** Poisoning by, adverse effect of and underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

Poisoning by, adverse effect of and underdosing of acetazolamide

**T50.2X** Poisoning by, adverse effect of and underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

**T50.2X1** Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional)

Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics NOS

**T50.2X2** Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm

**T50.2X3** Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault

**T50.2X4** Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined

**T50.2X5** Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

**T50.2X6** Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

***Toxic effects of substances chiefly nonmedicinal as to source (T51-T65)***

**Note:** When no intent is indicated code to accidental. Undetermined intent is only for use when there is specific documentation in the record that the intent of the toxic effect cannot be determined.

**Use additional** code(s):

for all associated manifestations of toxic effect, such as:

respiratory conditions due to external agents (J60-J70)

personal history of foreign body fully removed (Z87.821)

to identify any retained foreign body, if applicable (Z18.-)

**Excludes1:** contact with and (suspected) exposure to toxic substances (Z77.-)

**T56** Toxic effect of metals

**Includes:** toxic effects of fumes and vapors of metals

toxic effects of metals from all sources, except medicinal substances

**Use additional** code to identify any retained metal foreign body, if applicable (Z18.0-, T18.1-)

**Excludes1:** arsenic and its compounds (T57.0)

manganese and its compounds (T57.2)

The appropriate 7th character is to be added to each code from category T56

A - initial encounter

D - subsequent encounter

S - sequela

**T56.0** Toxic effects of lead and its compounds

**T56.0X** Toxic effects of lead and its compounds

**T56.0X1** Toxic effect of lead and its compounds, accidental (unintentional)



Toxic effects of lead and its compounds NOS

**T56.0X2** Toxic effect of lead and its compounds, intentional self-harm

**T56.0X3** Toxic effect of lead and its compounds, assault

**T56.0X4** Toxic effect of lead and its compounds, undetermined

## Ch. 20: External causes of morbidity (V00-Y99)

**Note:** This chapter permits the classification of environmental events and circumstances as the cause of injury, and other adverse effects. Where a code from this section is applicable, it is intended that it shall be used secondary to a code from another chapter of the Classification indicating the nature of the condition. Most often, the condition will be classifiable to Chapter 19, Injury, poisoning and certain other consequences of external causes (S00-T88). Other conditions that may be stated to be due to external causes are classified in Chapters 1 to 18. For these conditions, codes from Chapter 20 should be used to provide additional information as to the cause of the condition.

**ASHA Note:** There is no national requirement for external cause code reporting. Mandatory reporting is subject to state-based mandates or payer requirements. However, providers are encouraged to voluntarily report.

**ASHA Note:** External cause codes are not listed in this product due to the volume of available codes in Chapter 20. For a complete listing of codes, see the official ICD-10-CM list at [www.cdc.gov/nchs/icd/icd-10-cm.htm](http://www.cdc.gov/nchs/icd/icd-10-cm.htm).

## Ch. 21: Factors influencing health status and contact with health services (Z00-Z99)

**Note:** Z codes represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury, or external cause classifiable to categories A00-Y89 are recorded as 'diagnoses' or 'problems'. This can arise in two main ways:

Payers may not recognize **Z codes** for payment. Verify with your payer or facility first.

- a. When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.
- b. When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury.

**This chapter contains the following blocks:**

Z00-Z13: [Persons encountering health services for examinations](#)

Z20-Z29: [Persons with potential health hazards related to communicable diseases](#)

Z40-Z53: [Encounters for other specific health care](#)

Z55-Z65: [Persons with potential health hazards related to socioeconomic and psychosocial circumstances](#)

Z69-Z76: [Persons encountering health services in other circumstances](#)

Z77-Z99: [Persons with potential health hazards related to family and personal history and certain conditions influencing health status](#)

### ***Persons encountering health services for examinations (Z00-Z13)***



**Note:** Nonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.

**Excludes1:** examinations related to pregnancy and reproduction (Z30-Z36, Z39.-)

**Z00** Encounter for general examination without complaint, suspected or reported diagnosis

**Excludes1:** encounter for examination for administrative purposes (Z02.-)

**Excludes2:** encounter for pre-procedural examinations (Z01.81-)  
special screening examinations (Z11-Z13)

**Z00.1** Encounter for newborn, infant and child health examinations

**Z00.11** Newborn health examination

Health check for child under 29 days old

**Use additional** code to identify any abnormal findings

**Excludes1:** health check for child over 28 days old (Z00.12-)

**Z00.110** Health examination for newborn under 8 days old

Health check for newborn under 8 days old

**Z00.111** Health examination for newborn 8 to 28 days old

Health check for newborn 8 to 28 days old

Newborn weight check

**Z00.12** Encounter for routine child health examination

Health check (routine) for child over 28 days old

Immunizations appropriate for age

Routine developmental screening of infant or child

Routine vision and hearing testing

**Excludes1:** health check for child under 29 days old (Z00.11-)

health supervision of foundling or other healthy infant or child  
(Z76.1-Z76.2)

newborn health examination (Z00.11-)

**Z00.121** Encounter for routine child health examination with abnormal findings

**Use additional** code to identify abnormal findings

**Z00.129** Encounter for routine child health examination without abnormal findings

Encounter for routine child health examination NOS

**Z01** Encounter for other special examination without complaint, suspected or reported diagnosis

**Includes:** routine examination of specific system

**Note:** Codes from category Z01 represent the reason for the encounter. A separate procedure code is required to identify any examinations or procedures performed

**Excludes1:** encounter for examination for administrative purposes (Z02.-)

encounter for examination for suspected conditions, proven not to exist (Z03.-)

encounter for laboratory, radiologic and imaging examinations for sign(s) and symptom(s) - code to the sign(s) or symptom(s)

**Excludes2:** screening examinations (Z11-Z13)

**Added** encounter for laboratory and radiologic examinations as a component of general medical examinations (Z00.0-)

**Z01.1** Encounter for examination of ears and hearing

**Z01.10** Encounter for examination of ears and hearing without abnormal findings  
Encounter for examination of ears and hearing NOS

**Z01.11** Encounter for examination of ears and hearing with abnormal findings

**Z01.110** Encounter for hearing examination following failed hearing screening

**Z01.118** Encounter for examination of ears and hearing with other abnormal findings

**Use additional** code to identify abnormal findings

**Z01.12** Encounter for hearing conservation and treatment

**Z01.8** Encounter for other specified special examinations

**Z01.81** Encounter for preprocedural examinations

Encounter for preoperative examinations

Encounter for radiological and imaging examinations as part of preprocedural examination

**Z01.818** may be an option for reporting pre-laryngectomy exams. Verify with the payer.

**Z01.818** Encounter for other preprocedural examination

Encounter for preprocedural examination NOS

Encounter for examinations prior to antineoplastic chemotherapy

**Z02** Encounter for administrative examination

**Z02.0** Encounter for examination for admission to educational institution

Encounter for examination for admission to preschool (education)

Encounter for examination for re-admission to school following illness or medical treatment

**Z02.1** Encounter for pre-employment examination

**Z02.2** Encounter for examination for admission to residential institution

**Excludes1:** examination for admission to prison (Z02.89)

**Z02.3** Encounter for examination for recruitment to armed forces

**Z02.4** Encounter for examination for driving license

**Z02.5** Encounter for examination for participation in sport

**Excludes1:** blood-alcohol and blood-drug test (Z02.83)

**Z02.6** Encounter for examination for insurance purposes

**Z02.7** Encounter for issue of medical certificate

**Excludes1:** encounter for general medical examination (Z00-Z01, Z02.0-Z02.6, Z02.8-Z02.9)

**Z02.71** Encounter for disability determination

Encounter for issue of medical certificate of incapacity

Encounter for issue of medical certificate of invalidity

**Z02.79** Encounter for issue of other medical certificate

**Z04** Encounter for examination and observation for other reasons

**Includes:** encounter for examination for medicolegal reasons

This category is to be used when a person without a diagnosis is suspected of having an abnormal condition, without signs or symptoms, which requires study, but after examination and observation, is ruled-out. This category is also for use for administrative and legal observation status.

**Z04.1** Encounter for examination and observation following transport accident

**Excludes1:** encounter for examination and observation following work accident (Z04.2)

**Z04.2** Encounter for examination and observation following work accident

**Z04.3** Encounter for examination and observation following other accident

**Z04.8** Encounter for examination and observation for other specified reasons

Encounter for examination and observation for request for expert evidence

**Z04.9** Encounter for examination and observation for unspecified reason

Encounter for observation NOS

○ **Z05** Encounter for observation and evaluation of newborn for suspected diseases and conditions ruled out

This category is to be used for newborns, within the neonatal period (the first 28 days of life), who are suspected of having an abnormal condition, but without signs or symptoms, and which, after examination and observation, is ruled out.

**Z11** Encounter for screening for infectious and parasitic diseases

Screening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.

**Excludes1:** encounter for diagnostic examination-code to sign or symptom

**Z11.5** Encounter for screening for other viral diseases

**Excludes2:** encounter for screening for viral intestinal disease (Z11.0)

**Z11.52** Encounter for screening for COVID-19

**Z13** Encounter for screening for other diseases and disorders

Screening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.

**Excludes1:** encounter for diagnostic examination-code to sign or symptom

**Z13.4** Encounter for screening for certain developmental disorders in childhood

Encounter for development testing of infant or child

Encounter for screening for developmental handicaps in early childhood

**Excludes2:** encounter for routine child health examination (Z00.12-)

**Z13.40** Encounter for screening for unspecified developmental delays

**Z13.41** Encounter for autism screening

**Z13.42** Encounter for screening for global developmental delays (milestones)

Encounter for screening for developmental handicaps in early childhood

**Z13.49** Encounter for screening for other developmental delays

**Z13.5** Encounter for screening for eye and ear disorders

**Excludes2:** encounter for general hearing examination (Z01.1-)

encounter for general vision examination (Z01.0-)

**Z13.8** Encounter for screening for other specified diseases and disorders

**Excludes2:** screening for malignant neoplasms (Z12.-)

**Z13.85** Encounter for screening for nervous system disorders

**Z13.850** Encounter for screening for traumatic brain injury

### ***Persons with potential health hazards related to communicable diseases (Z20-Z29)***

**Z20** Contact with and (suspected) exposure to communicable diseases

**Excludes1:** carrier of infectious disease (Z22.-)

diagnosed current infectious or parasitic disease -see Alphabetic Index

**Excludes2:** personal history of infectious and parasitic diseases (Z86.1-)

**Z20.8** Contact with and (suspected) exposure to other communicable diseases

**Z20.82** Contact with and (suspected) exposure to other viral communicable diseases

**Z20.822** Contact with and (suspected) exposure to COVID-19

Contact with and (suspected) exposure to SARS-CoV-2

### ***Encounters for other specific health care (Z40-Z53)***

Categories Z40-Z53 are intended for use to indicate a reason for care. They may be used for patients who have already been treated for a disease or injury, but who are receiving aftercare or prophylactic care, or care to consolidate the treatment, or to deal with a residual state

**Excludes2:** follow-up examination for medical surveillance after treatment (Z08-Z09)

**Z43** Encounter for attention to artificial openings

**Includes:** closure of artificial openings

passage of sounds or bougies through artificial openings

reforming artificial openings

removal of catheter from artificial openings

toilet or cleansing of artificial openings

**Excludes1:** artificial opening status only, without need for care (Z93.-)

complications of external stoma (J95.0-, K94.-, N99.5-)

**Excludes2:** fitting and adjustment of prosthetic and other devices (Z44-Z46)

**Z43.0** Encounter for attention to tracheostomy

**Z44** Encounter for fitting and adjustment of external prosthetic device

**Includes:** removal or replacement of external prosthetic device

**Excludes1:** malfunction or other complications of device - see Alphabetic Index

presence of prosthetic device (Z97.-)

**Z44.8** Encounter for fitting and adjustment of other external prosthetic devices

**Z44.9** Encounter for fitting and adjustment of unspecified external prosthetic device

**Z45** Encounter for adjustment and management of implanted device

**Includes:** removal or replacement of implanted device

**Excludes1:** malfunction or other complications of device

**Excludes2:** encounter for fitting and adjustment of non-implanted device (Z46.-)

**Z45.3** Encounter for adjustment and management of implanted devices of the special senses

**Z45.32** Encounter for adjustment and management of implanted hearing device

**Excludes1:** Encounter for fitting and adjustment of hearing aid (Z46.1)

**Z45.320** Encounter for adjustment and management of bone conduction device

**Z45.321** Encounter for adjustment and management of cochlear device

**Z45.328** Encounter for adjustment and management of other implanted hearing device

**Z46** Encounter for fitting and adjustment of other devices

**Includes:** removal or replacement of other device

**Excludes1:** malfunction or other complications of device - see Alphabetical Index

**Excludes2:** encounter for fitting and management of implanted devices (Z45.-)

issue of repeat prescription only (Z76.0)

presence of prosthetic and other devices (Z95-Z97)

**Z46.1** Encounter for fitting and adjustment of hearing aid

**Excludes1:** encounter for adjustment and management of implanted hearing device (Z45.32-)

**Z51** Encounter for other aftercare and medical care

**Z51.8** Encounter for other specified aftercare

**Excludes1:** holiday relief care (Z75.5)

**Z51.89** Encounter for other specified aftercare

Use **Z51.89** to report **speech and language therapy encounters**, if specifically required by your facility or payer.

### ***Persons with potential health hazards related to socioeconomic and psychosocial circumstances (Z55-Z65)***

**ASHA Note:** Codes in section Z55-Z65 allow health care providers to report **social determinants of health (SDOH)**. SDOH codes are not listed in this resource due to the volume of available codes. For a complete listing of codes from this section, see ASHA's supplemental resource on ICD-10-CM codes related to SDOH at [www.asha.org/Practice/reimbursement/coding/ICD-10/](http://www.asha.org/Practice/reimbursement/coding/ICD-10/).

### ***Persons encountering health services in other circumstances (Z69-Z76)***

**Z71** Persons encountering health services for other counseling and medical advice, not elsewhere classifiable

**Excludes2:** contraceptive or procreation counseling (Z30-Z31)  
sex counseling (Z70.-)

**Z71.0** Person encountering health services to consult on behalf of another person

Person encountering health services to seek advice or treatment for non-attending third party

**Excludes2:** anxiety (normal) about sick person in family (Z63.7)  
expectant (adoptive) parent(s) pre-birth pediatrician visit (Z76.81)

**Z71.1** Person with feared health complaint in whom no diagnosis is made  
 Person encountering health services with feared condition which was not demonstrated  
 Person encountering health services in which problem was normal state  
 'Worried well'

**Excludes1:** medical observation for suspected diseases and conditions proven not to exist (Z03.-)

**Z71.2** Person consulting for explanation of examination or test findings

**Z72** Problems related to lifestyle

**Excludes2:** problems related to life-management difficulty (Z73.-)  
 problems related to socioeconomic and psychosocial circumstances (Z55-Z65)

**Z72.0** Tobacco use  
 Tobacco use NOS

**Excludes1:** history of tobacco dependence (Z87.891)  
 nicotine dependence (F17.2-)  
 tobacco dependence (F17.2-)  
 tobacco use during pregnancy (O99.33-)

**Z72.4** Inappropriate diet and eating habits

**Excludes1:** behavioral eating disorders of infancy or childhood (F98.2.-F98.3)  
 eating disorders (F50.-)  
 lack of adequate food (Z59.4)  
 malnutrition and other nutritional deficiencies (E40-E64)

**Z73** Problems related to life management difficulty

**Excludes2:** problems related to socioeconomic and psychosocial circumstances (Z55-Z65)

**Z73.8** Other problems related to life management difficulty

**Z73.82** Dual sensory impairment

**Z76** Persons encountering health services in other circumstances

**Z76.5** Malingering [conscious simulation]  
 Person feigning illness (with obvious motivation)

**Excludes 1:** factitious patient (F68.1-)  
 peregrinating patient (F68.1-)

***Persons with potential health hazards related to family and personal history and certain conditions influencing health status (Z77-Z99)***

**Code also** any follow-up examination (Z08-Z09)

**Z77** Other contact with and (suspected) exposures hazardous to health

**Z77.1** Contact with and (suspected) exposure to environmental pollution and hazards in the physical environment

**Z77.12** Contact with and (suspected) exposure to hazards in the physical environment

**Z77.122** Contact with and (suspected) exposure to noise

○ **Z79** Long term (current) drug therapy

- **Z80** Family history of primary malignant neoplasm
- **Z81** Family history of mental and behavioral disorders
- Z82** Family history of certain disabilities and chronic diseases (leading to disablement)
  - Z82.2** Family history of deafness and hearing loss  
Conditions classifiable to H90-H91
- Z83** Family history of other specific disorders
  - Excludes2:** contact with and (suspected) exposure to communicable disease in the family (Z20.-)
  - Z83.5** Family history of eye and ear disorders  
Conditions classifiable to H00-H53, H55-H83, H92-H95
    - Excludes2:** family history of blindness and visual loss (Z82.1)  
family history of deafness and hearing loss (Z82.2)
  - Z83.52** Family history of ear disorders  
Conditions classifiable to H60-H83, H92-H95
    - Excludes2:** family history of deafness and hearing loss (Z82.2)
- Z85** Personal history of malignant neoplasm
  - Code first** any follow-up examination after treatment of malignant neoplasm (Z08)
  - Use additional** code to identify:
    - alcohol use and dependence (F10.-)
    - exposure to environmental tobacco smoke (Z77.22)
    - history of tobacco dependence (Z87.891)
    - occupational exposure to environmental tobacco smoke (Z57.31)
    - tobacco dependence (F17.-)
    - tobacco use (Z72.0)
  - Excludes2:** personal history of benign neoplasm (Z86.01-)  
personal history of carcinoma-in-situ (Z86.00-)
- **Z85.0 Personal history of malignant neoplasm of digestive organs**
  - Z85.1** Personal history of malignant neoplasm of trachea, bronchus and lung
    - Z85.12** Personal history of malignant neoplasm of trachea  
Conditions classifiable to C33
  - Z85.2** Personal history of malignant neoplasm of other respiratory and intrathoracic organs
    - Z85.21** Personal history of malignant neoplasm of larynx  
Conditions classifiable to C32
  - Z85.8** Personal history of malignant neoplasms of other organs and systems  
Conditions classifiable to C00-C14, C40-C49, C69-C75, C7A.098, C76-C79
    - Z85.81** Personal history of malignant neoplasm of lip, oral cavity, and pharynx
      - Z85.810** Personal history of malignant neoplasm of tongue
      - Z85.818** Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx



**Z85.819** Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx

**Z86** Personal history of certain other diseases

**Code first** any follow-up examination after treatment (Z09)

**Z86.0** Personal history of in-situ benign neoplasms and neoplasms of uncertain behavior

**Excludes2:** personal history of malignant neoplasms (Z85.-)

**Z86.00** Personal history of in-situ neoplasm  
Conditions classifiable to D00-D09

**Z86.003** Personal history of in-situ neoplasm of oral cavity, esophagus and stomach  
Conditions classifiable to D00

**Z86.1** Personal history of parasitic and infectious diseases  
Conditions classifiable to A00-B89, B99

**Excludes1:** personal history of infectious diseases specific to a body system  
sequelae of infectious and parasitic diseases (B90-B94)

**Z86.16** Personal history of COVID-19

**Excludes1:** post COVID-19 condition (U09.9)

**Z86.19** Personal history of other infectious and parasitic diseases

**Z86.5** Personal history of mental and behavioral disorders  
Conditions classifiable to F40-F59

**Z86.51** Personal history of combat and operational stress reaction

**Z86.59** Personal history of other mental and behavioral disorders

**Z86.6** Personal history of diseases of the nervous system and sense organs  
Conditions classifiable to G00-G99, H00-H95

**Z86.61** Personal history of infections of the central nervous system  
Personal history of encephalitis  
Personal history of meningitis

**Z86.69** Personal history of other diseases of the nervous system and sense organs

**Z87** Personal history of other diseases and conditions

**Code first** any follow-up examination after treatment (Z09)

**Z87.7** Personal history of (corrected) congenital malformations  
Conditions classifiable to Q00-Q89 that have been repaired or corrected

**Z87.72** Personal history of (corrected) congenital malformations of nervous system and sense organs

**Z87.721** Personal history of (corrected) congenital malformations of ear

**Z87.73** Personal history of (corrected) congenital malformations of digestive system

**Z87.730** Personal history of (corrected) cleft lip and palate

**Z87.79** Personal history of other (corrected) congenital malformations

**Z87.790** Personal history of (corrected) congenital malformations of face and neck

Report **Z86.16** for a **history of resolved COVID-19**, secondary to the treating diagnosis, when COVID-19 is a *factor* in the reason for the visit but is not the direct cause of the communication or swallowing disorder.

For **sequelae** of resolved COVID-19, see **U09.9**.

For **active** cases of COVID-19, see **U07.1**.



**Z87.8** Personal history of other specified conditions**Excludes2:** personal history of self harm (Z91.5)**Z87.82** Personal history of other (healed) physical injury and trauma  
Conditions classifiable to S00-T88, except traumatic fractures**Z87.820** Personal history of traumatic brain injury**Excludes1:** personal history of transient ischemic attack (TIA), and  
cerebral infarction without residual deficits (Z86.73)**Z87.89** Personal history of other specified conditions**Z87.890** Personal history of sex reassignment**Z87.891** Personal history of nicotine dependence**Excludes1:** current nicotine dependence (F17.2-)**Z90** Acquired absence of organs, not elsewhere classified**Includes:** postprocedural or post-traumatic loss of body part NEC**Excludes1:** congenital absence**Z90.0** Acquired absence of part of head and neck**Z90.02** Acquired absence of larynx**Z90.09** Acquired absence of other part of head and neck  
Acquired absence of nose**Excludes2:** teeth (K08.1)**Z91** Personal risk factors, not elsewhere classified**Excludes2:** contact with and (suspected) exposures hazardous to health (Z77.-)  
exposure to pollution and other problems related to physical environment (Z77.1-)  
female genital mutilation status (N90.81-)  
occupational exposure to risk factors (Z57.-)  
personal history of physical injury and trauma (Z87.81, Z87.82-)**Z91.1** Patient's noncompliance with medical treatment and regimen**Excludes 2:** caregiver noncompliance with patient's medical treatment and regimen  
(Z91.A-)**Z91.11** Patient's noncompliance with dietary regimen**Code also**, if applicable, food insecurity (Z59.4-)**Z91.110** Patient's noncompliance with dietary regimen due to financial  
hardship**Z91.118** Patient's noncompliance with dietary regimen for other reason  
Inability to comply with dietary regimen**Z91.119** Patient's noncompliance with dietary regimen due to unspecified  
reason**Z91.A** Caregiver's noncompliance with patient's medical treatment and regimen**Z91.A1** Caregiver's noncompliance with patient's dietary regimen  
Caregiver's inability to comply with patient's dietary regimen**Code also**, if applicable, food insecurity (Z59.4-)

**Z91.A10** Caregiver's noncompliance with patient's dietary regimen due to financial hardship

**Z91.A18** Caregiver's noncompliance with patient's dietary regimen for other reason

**Z92** Personal history of medical treatment

**Excludes2:** postprocedural states (Z98.-)

**Z92.2** Personal history of drug therapy

**Excludes2:** long term (current) drug therapy (Z79.-)

**Z92.21** Personal history of antineoplastic chemotherapy

**Z92.22** Personal history of monoclonal drug therapy

**Excludes2:** personal history of immune checkpoint inhibitor therapy (Z92.26)

**Z92.23** Personal history of estrogen therapy

**Z92.24** Personal history of steroid therapy

**Z92.240** Personal history of inhaled steroid therapy

**Z92.241** Personal history of systemic steroid therapy  
Personal history of steroid therapy NOS

**Z92.25** Personal history of immunosuppression therapy

**Excludes2:** personal history of steroid therapy (Z92.24)

**Z92.29** Personal history of other drug therapy

**Z92.3** Personal history of irradiation

Personal history of exposure to therapeutic radiation

**Excludes1:** exposure to radiation in the physical environment (Z77.12)  
occupational exposure to radiation (Z57.1)

**Z93** Artificial opening status

**Excludes1:** artificial openings requiring attention or management (Z43.-)  
complications of external stoma (J95.0-, K94.-, N99.5-)

**Z93.0** Tracheostomy status

**Z96** Presence of other functional implants

**Excludes2:** complications of internal prosthetic devices, implants and grafts (T82-T85)  
fitting and adjustment of prosthetic and other devices (Z44-Z46)

**Z96.2** Presence of otological and audiological implants

**Z96.20** Presence of otological and audiological implant, unspecified

**Z96.21** Cochlear implant status

**Z96.22** Myringotomy tube(s) status

**Z96.29** Presence of other otological and audiological implants

Presence of bone-conduction hearing device

Presence of eustachian tube stent

Stapes replacement

**Z96.3** Presence of artificial larynx

**Z97** Presence of other devices

**Excludes1:** complications of internal prosthetic devices, implants and grafts (T82-T85)

**Excludes2:** fitting and adjustment of prosthetic and other devices (Z44-Z46)  
presence of cerebrospinal fluid drainage device (Z98.2)

**Z97.4** Presence of external hearing-aid**Z99** Dependence on enabling machines and devices, not elsewhere classified**Z99.1** Dependence on respirator**Z99.11** Dependence on respirator [ventilator] status

**Added** Ventilator status

## Ch. 22: Codes for special purposes (U00-U85)

### **Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)**

#### **U07** Emergency use of U07

##### **U07.0** Vaping-related disorder

Dabbing related lung damage

Dabbing related lung injury

E-cigarette, or vaping, product use associated lung injury [EVALI]

Electronic cigarette related lung damage

Electronic cigarette related lung injury

**Use additional** code to identify manifestations, such as:

abdominal pain (R10.84)

acute respiratory distress syndrome (J80)

diarrhea (R19.7)

drug-induced interstitial lung disorder (J70.4)

lipoid pneumonia (J69.1)

weight loss (R63.4)

Report **U07.1** for **active cases of COVID-19**. Code the associated speech, language, communication, or swallowing disorder secondary to U07.1, when **directly** related to the virus.

##### **U07.1** COVID-19

**Use additional** code to identify pneumonia or other manifestations, such as:  
pneumonia due to COVID-19 (J12.82)

**Use additional** code, if applicable, for associated conditions such as:

COVID-19 associated coagulopathy (D68.8)

disseminated intravascular coagulation (D65)

hypercoagulable states (D68.69)

thrombophilia (D68.69)

**Excludes2:** coronavirus as the cause of diseases classified elsewhere (B97.2-)  
pneumonia due to SARS-associated coronavirus (J12.81)

#### **U09** Post COVID-19 condition

##### **U09.9** Post COVID-19 condition, unspecified

Post-acute sequela of COVID-19

**Note:** This code enables establishment of a link with COVID-19.

This code is not to be used in cases that are still presenting with active COVID-19.

However, an exception is made in cases of re-infection with COVID-19, occurring with a condition related to prior COVID-19.

**Code first** the specific condition related to COVID-19 if known, such as:

chronic respiratory failure (J96.1-)

loss of smell (R43.8)

loss of taste (R43.8)

multisystem inflammatory syndrome (M35.81)

pulmonary embolism (I26.-)

pulmonary fibrosis (J84.10)

For cases on or after Oct. 1, 2021, use **U09.9** for **sequelae of resolved COVID-19**, secondary to the speech-language pathology diagnosis.

Use **Z86.16** for a history of resolved COVID-19, secondary to the speech-language pathology diagnosis. For **active** cases of COVID-19, see **U07.1**.

For more information, see [bit.ly/coding-clinic-covid](https://bit.ly/coding-clinic-covid).

## ICD-10-PCS (Procedure Coding System)

---

ICD-10 includes the ICD-10-CM (clinical modification) and ICD-10-PCS (procedure coding system). The ICD-10-PCS is a procedure classification published by the U.S. for classifying procedures performed in hospital inpatient health care settings only. ASHA's resources focus mostly on ICD-10-CM. Check with your facility on use of ICD-10-PCS if you work in an inpatient hospital setting.

For information about ICD-10-PCS, go to the CMS website at <https://www.cms.gov/medicare/coding-billing/icd-10-codes>.

The CMS resources include the *Official ICD-10-PCS Coding Guidelines* ([www.cms.gov/files/document/fy-2026-icd-10-cm-coding-guidelines.pdf](http://www.cms.gov/files/document/fy-2026-icd-10-cm-coding-guidelines.pdf)) to accompany and complement the official conventions and instructions provided within the ICD-10-PCS itself. The instructions and conventions of the classification take precedence over guidelines.

The *2026 ICD-10-PCS Code Tables and Index* ([www.cms.gov/files/zip/2026-icd-10-pcs-code-tables-and-index.zip](http://www.cms.gov/files/zip/2026-icd-10-pcs-code-tables-and-index.zip)) contains the full list of codes. Refer to section **F - Physical Rehabilitation and Diagnostic Audiology** for speech-language pathology related codes.